

SCHEDULE 1

Maximum Residue Limits

ABAMECTIN	
SUM OF AVERMECTIN B1A, AVERMECTIN B1B AND (Z)-8,9 AVERMECTIN B1A, AND (Z)-8,9 AVERMECTIN B1B	
APPLE	0.01
CATTLE, EDIBLE OFFAL OF	0.1
CATTLE FAT	0.1
CATTLE MEAT	0.005
CATTLE MILK	0.02
CITRUS FRUITS	0.01
COTTON SEED	*0.01
CUCUMBER	0.02
CURRANT, BLACK	T0.02
EGG PLANT	0.02
GROUND CHERRIES	T0.01
HOPS, DRY	0.1
LETTUCE, HEAD	0.05
LETTUCE, LEAF	T0.2
PEAR	0.01
PEAS	T0.2
PEPPERS, SWEET	0.02
PIG KIDNEY	0.01
PIG LIVER	0.02
PIG MEAT (IN THE FAT)	0.02
SHEEP, EDIBLE OFFAL OF	0.05
SHEEP MEAT (IN THE FAT)	0.05
SOYA BEAN (DRY)	*0.002
SQUASH, SUMMER	0.02
STRAWBERRY	0.1
TOMATO	0.05
ACEPHATE	
ACEPHATE (NOTE: THE METABOLITE METHAMIDOPHOS HAS SEPARATE MRLs)	
BANANA	1
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	5
CITRUS FRUITS	5
COTTON SEED	2
EDIBLE OFFAL (MAMMALIAN)	0.2
EGGS	0.2
LETTUCE, HEAD	10
LETTUCE, LEAF	10
MACADAMIA NUTS	*0.1
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT]	0.2
PEPPERS, SWEET	5
POTATO	0.5
SHEEP MEAT	*0.01
SOYA BEAN (DRY)	1
SUGAR BEET	0.1
TOMATO	5
TREE TOMATO (TAMARILLO)	0.5

ACETAMIPRID	
COMMODITIES OF PLANT ORIGIN: ACETAMIPRID	
COMMODITIES OF ANIMAL ORIGIN: SUM OF ACETAMIPRID AND N-DIMETHYL ACETAMIPRID ((E)-N ¹ -[(6-CHLORO-3-PYRIDYL)METHYL]-N ² -CYANOACETAMIDINE), EXPRESSED AS ACETAMIPRID	
COTTON SEED	*0.05
CUCUMBER	T0.2
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POTATO	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.01
TOMATO	T0.01
ACIBENZOLAR-S-METHYL	
SUM OF ACIBENZOLAR-S-METHYL AND BENZO[1,2,3]THIADIAZOLE-7-CARBOXYLIC ACID METABOLITE, EXPRESSED AS ACIBENZOLAR-S-METHYL	
COTTON SEED	T*0.02
ACIFLUORFEN	
ACIFLUORFEN	
EDIBLE OFFAL (MAMMALIAN)	0.1
EGGS	*0.01
LEGUME VEGETABLES	0.1
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
PEANUT	0.05
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	*0.01
PULSES	0.1
ALBENDAZOLE	
SUM OF ALBENDAZOLE, ITS SULFOXIDE, SULFONE AND SULFONE AMINE, EXPRESSED AS ALBENDAZOLE	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
GOAT, EDIBLE OFFAL OF	*0.1
GOAT MEAT	*0.1
SHEEP, EDIBLE OFFAL OF	3
SHEEP MEAT	0.2
ALBENDAZOLE SULPHOXIDE	
SEE ALBENDAZOLE	
ALDICARB	
SUM OF ALDICARB, ITS SULFOXIDE AND ITS SULFONE, EXPRESSED AS ALDICARB	
CITRUS FRUITS	0.05
COTTON SEED	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01

SCHEDULE 1

Maximum Residue Limits

SUGAR CANE	*0.02		
ALDOXYCARB		AMITRAZ	
SUM OF ALDOXYCARB AND ITS SULFONE, EXPRESSED AS ALDOXYCARB		SUM OF AMITRAZ AND N-(2,4-DIMETHYLPHENYL)-N'-METHYLFORMAMIDINE, EXPRESSED AS AMITRAZ	
CATTLE, EDIBLE OFFAL OF	0.2	APPLE	0.5
CATTLE MEAT	*0.02	COTTON SEED	*0.1
EGGS	0.1	COTTON SEED OIL, CRUDE	1
MILKS	*0.02	EDIBLE OFFAL OF CATTLE, PIGS AND SHEEP	0.5
POULTRY, EDIBLE OFFAL OF	0.2	MEAT OF CATTLE, PIGS AND SHEEP	0.1
POULTRY MEAT	*0.02	MILKS	0.1
WHEAT	*0.02	STONE FRUITS [EXCEPT CHERRIES]	0.5
ALIPHATIC ALCOHOL ETHOXYLATES		AMITROLE	
ALIPHATIC ALCOHOL ETHOXYLATES		AMITROLE	
CATTLE, EDIBLE OFFAL OF	*0.1	AVOCADO	*0.01
CATTLE MEAT	*0.1	BANANA	*0.01
CATTLE MILK	1	BLUEBERRIES	T*0.01
ALTRENOGEST		CEREAL GRAINS	*0.01
ALTRENOGEST		CITRUS FRUITS	*0.01
PIG MEAT	*0.005	EDIBLE OFFAL (MAMMALIAN)	*0.01
PIG, EDIBLE OFFAL OF	0.005	GRAPES	*0.01
ALUMINIUM PHOSPHIDE		MEAT (MAMMALIAN)	*0.01
SEE PHOSPHINE		MILKS	*0.01
		PAPAYA (PAWPAW)	*0.01
AMETRYN		PASSIONFRUIT	*0.01
AMETRYN		PECAN	*0.01
COTTON SEED	0.05	PINEAPPLE	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.05	POME FRUITS	*0.01
MEAT (MAMMALIAN)	*0.05	POTATO	*0.05
MILKS	*0.05	STONE FRUITS	*0.02
PINEAPPLE	*0.05	SUGAR CANE	*0.01
POME FRUITS	0.1	AMOXYCILLIN	
SUGAR CANE	0.05	INHIBITORY SUBSTANCE, IDENTIFIED AS AMOXYCILLIN	
AMINOETHOXYVINYLGLYCINE		CATTLE MILK	*0.01
AMINOETHOXYVINYLGLYCINE		EDIBLE OFFAL (MAMMALIAN)	*0.01
APPLE	0.1	EGGS	T*0.01
STONE FRUITS [EXCEPT CHERRIES]	0.2	MEAT (MAMMALIAN)	*0.01
AMINOPYRALID		POULTRY, EDIBLE OFFAL OF	*0.01
<i>COMMODITIES OF PLANT ORIGIN: SUM OF AMINOPYRALID AND CONJUGATES, EXPRESSED AS AMINOPYRALID</i>		POULTRY MEAT	*0.01
<i>COMMODITIES OF ANIMAL ORIGIN: AMINOPYRALID</i>		SHEEP MILK	*0.01
CEREAL GRAINS	0.1	AMPICILLIN	
EDIBLE OFFAL (MAMMALIAN) [EXCEPT KIDNEY]	0.02	INHIBITORY SUBSTANCE, IDENTIFIED AS AMPICILLIN	
EGGS	*0.01	CATTLE MILK	*0.01
KIDNEY (MAMMALIAN)	0.3	HORSE, EDIBLE OFFAL OF	*0.01
MEAT (MAMMALIAN)	*0.01	HORSE MEAT	*0.01
MILKS	*0.01	AMPROLIUM	
POULTRY, EDIBLE OFFAL OF	*0.01	AMPROLIUM	
POULTRY MEAT	*0.01	EGGS	4
WHEAT BRAN, UNPROCESSED	0.3	POULTRY, EDIBLE OFFAL OF	1
		POULTRY MEAT	0.5
		APRAMYCIN	
		APRAMYCIN	
		EDIBLE OFFAL (MAMMALIAN)	2

SCHEDULE 1

Maximum Residue Limits

MEAT (MAMMALIAN)	*0.05	EGGS	*0.02
POULTRY, EDIBLE OFFAL OF	1	MEAT (MAMMALIAN)	*0.02
POULTRY MEAT	*0.05	MILKS	*0.02
ASULAM ASULAM		POULTRY, EDIBLE OFFAL OF	*0.02
APPLE	*0.1	POULTRY MEAT	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.1	RICE	*0.02
HOPS, DRY	*0.1	AZINPHOS-METHYL AZINPHOS-METHYL	
MEAT (MAMMALIAN)	*0.1	BLUEBERRIES	1
MILKS	*0.1	CITRUS FRUITS	2
POPPY SEED	*0.1	EDIBLE OFFAL (MAMMALIAN)	*0.05
POTATO	0.4	GRAPES	2
SUGAR CANE	*0.1	KIWIFRUIT	2
ATRAZINE ATRAZINE		LITCHI	2
EDIBLE OFFAL (MAMMALIAN)	T*0.1	MACADAMIA NUTS	*0.01
LUPIN (DRY)	*0.02	MEAT (MAMMALIAN)	*0.05
MAIZE	*0.1	MILKS	*0.05
MEAT (MAMMALIAN)	T*0.01	OILSEED	*0.05
MILKS	T*0.01	POME FRUITS	2
POTATO	*0.01	RASPBERRIES, RED, BLACK	1
RAPE SEED	*0.02	STONE FRUITS	2
SORGHUM	*0.1	AZOXYSTROBIN AZOXYSTROBIN	
SUGAR CANE	*0.1	ALMONDS	*0.01
SWEET CORN (CORN-ON-THE-COB)	*0.1	AVOCADO	1
AVERMECTIN B1 SEE ABAMECTIN		BANANA	T0.5
AVILAMYCIN INHIBITORY SUBSTANCE, IDENTIFIED AS AVILAMYCIN		BARLEY	*0.02
PIG, EDIBLE OFFAL OF	T*0.05	BEANS [EXCEPT BROAD AND SOYA BEAN]	T3
PIG MEAT	T*0.05	BERGAMOT	T10
POULTRY, EDIBLE OFFAL OF	*0.05	BROCCOLI	T0.5
POULTRY MEAT	*0.05	BRUSSELS SPROUTS	T0.5
AZACONAZOLE AZACONAZOLE		BURNET, SALAD	T10
MUSHROOMS	0.1	CARROT	0.2
AZAMETHIPHOS AZAMETHIPHOS		CAULIFLOWER	T0.5
CEREAL GRAINS	0.1	CHERVIL	T10
EGGS	*0.05	CORIANDER (LEAVES, STEM, ROOTS)	T10
POULTRY, EDIBLE OFFAL OF	*0.05	CORIANDER, SEED	T10
POULTRY MEAT	*0.05	COTTON SEED	*0.01
WHEAT BRAN, UNPROCESSED	0.5	DILL, SEED	T10
AZAPERONE AZAPERONE		DRIED GRAPES	5
PIG, EDIBLE OFFAL OF	0.2	EDIBLE OFFAL (MAMMALIAN)	*0.01
PIG MEAT	0.2	EGGS	*0.01
AZIMSULFURON AZIMSULFURON		FENNEL, SEED	T10
EDIBLE OFFAL (MAMMALIAN)	*0.02	FENNEL, BULB	T0.1
		FRUITING VEGETABLES, CUCURBITS	1
		GALANGAL, GREATER	T0.1
		GRAPES	2
		HERBS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	T10
		KAFFIR LIME LEAVES	T10
		LEEK	0.5
		LEMON GRASS	T10
		LEMON VERBENA (DRY LEAVES)	T10

SCHEDULE 1

Maximum Residue Limits

LETTUCE, HEAD	T3	POULTRY MEAT	0.05
LETTUCE, LEAF	T3		
MANGO	0.5	BENFLURALIN BENFLURALIN	
MEAT (MAMMALIAN)	*0.01	LETTUCE, HEAD	T*0.05
MILKS	0.005	LETTUCE, LEAF	T*0.05
MIZUNA	T10		
OLIVES	T2	BENOMYL <i>SEE CARBENDAZIM</i>	
PASSIONFRUIT	0.5		
PEANUT	0.05	BENSULFURON-METHYL BENSULFURON-METHYL	
PEANUT OIL, CRUDE	0.1	RICE	*0.02
PEAS	T3	RICE BRAN, PROCESSED	*0.05
POPPY SEED	*0.02		
POTATO	0.05	BENSULIDE BENSULIDE	
POULTRY, EDIBLE OFFAL OF	*0.01	FRUITING VEGETABLES, CUCURBITS	*0.1
POULTRY MEAT	*0.01		
TOMATO	0.5	BENTAZONE BENTAZONE	
RADISH	T0.3	BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	*0.1
ROSE AND DIANTHUS (EDIBLE FLOWERS)	T10	BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	*0.1
RUCOLA (ROCKET)	T10	EDIBLE OFFAL (MAMMALIAN)	*0.05
TREE NUTS [EXCEPT ALMONDS]	T0.02	EGGS	*0.05
TURMERIC, ROOT	T0.1	GARDEN PEA (SHELLED)	T*0.05
WHEAT	*0.02	MEAT (MAMMALIAN)	*0.05
		MILKS	*0.05
BACITRACIN INHIBITORY SUBSTANCE, IDENTIFIED AS BACITRACIN		PEANUT	*0.1
CHICKEN, EDIBLE OFFAL OF	*0.5	POULTRY, EDIBLE OFFAL OF	*0.05
CHICKEN FAT	*0.5	POULTRY MEAT	*0.05
CHICKEN MEAT	*0.5	PULSES	*0.01
EGGS	*0.5	RICE	*0.03
MILKS	*0.5	SWEET CORN (CORN-ON-THE-COB)	*0.1
BENALAXYL BENALAXYL		BENZOCAINE BENZOCAINE	
FRUITING VEGETABLES, CUCURBITS	0.2	ABALONE	*0.05
GARLIC	0.1	FINFISH	*0.05
GRAPES	0.5		
LETTUCE, HEAD	*0.01	BENZOFENAP SUM OF BENZOFENAP, BENZOFENAP-OH AND BENZOFENAP-RED, EXPRESSED AS BENZOFENAP	
LETTUCE, LEAF	*0.01	RICE	*0.01
ONION, BULB	0.1		
SHALLOT	T0.5	BENZYLADENINE BENZYLADENINE	
SPRING ONION	T0.1	APPLE	0.2
		PEAR	T0.2
BENDIOCARB <i>COMMODITIES OF PLANT ORIGIN:</i> UNCONJUGATED BENDIOCARB; <i>COMMODITIES OF ANIMAL ORIGIN:</i> SUM OF CONJUGATED AND UNCONJUGATED BENDIOCARB, 2,2-DIMETHYL-1,3-BENZODIOXOL-4-OL AND N- HYDROXYMETHYLBENDIOCARB, EXPRESSED AS BENDIOCARB		BENZYL G PENICILLIN INHIBITORY SUBSTANCE, IDENTIFIED AS BENZYL G PENICILLIN	
BANANA	*0.02	EDIBLE OFFAL (MAMMALIAN)	*0.06
CATTLE, EDIBLE OFFAL OF	0.2	MEAT (MAMMALIAN)	*0.06
CATTLE MEAT	0.1		
EGGS	0.05		
MILKS	0.1		
POULTRY, EDIBLE OFFAL OF	0.1		

SCHEDULE 1

Maximum Residue Limits

MILKS	*0.0015	PEAR	0.5
BETACYFLUTHRIN <i>SEE CYFLUTHRIN</i>		PEPPERS	T0.5
		POULTRY, EDIBLE OFFAL OF	*0.05
		POULTRY MEAT (IN THE FAT)	*0.05
		PULSES [EXCEPT FIELD PEA (DRY) AND LUPIN (DRY)]	*0.02
BIFENAZATE SUM OF BIFENAZATE AND BIFENAZATE DIAZENE (DIAZENECARBOXYLIC ACID, 2-(4-METHOXY-[1,1'- BIPHENYL-3-YL] 1-METHYLETHYL ESTER), EXPRESSED AS BIFENAZATE		RAPE SEED	*0.02
ALMONDS	T0.1	RUCOLA (ROCKET)	T10
APRICOT	0.5	STONE FRUITS [EXCEPT CHERRIES]	1
DRIED GRAPES	T2	SUGAR CANE	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01	SWEET POTATO	*0.05
GRAPES [EXCEPT WINE GRAPES]	T1	TARO	T*0.05
MEAT (MAMMALIAN) (IN THE FAT)	*0.01	TOMATO	0.5
MILKS	*0.01	TURMERIC, ROOT	T10
NECTARINE	0.5	BIORESMETHRIN BIORESMETHRIN	
PEACH	2	MANGO	T0.5
PLUM (INCLUDING PRUNES)	0.5	BITERTANOL BITERTANOL	
POME FRUITS	2	BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	0.5
STRAWBERRY	T2	EDIBLE OFFAL (MAMMALIAN)	3
BIFENTHRIN BIFENTHRIN		EGGS	*0.01
APPLE	*0.05	MEAT (MAMMALIAN) (IN THE FAT)	0.3
AVOCADO	T0.1	MILKS	0.2
BANANA	0.1	POULTRY, EDIBLE OFFAL OF	*0.01
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	T1	POULTRY MEAT	*0.01
CEREAL GRAINS	T2	STRAWBERRY	*0.05
CHERRIES	T1	BOSCALID <i>COMMODITIES OF PLANT ORIGIN: BOSCALID</i> <i>COMMODITIES OF ANIMAL ORIGIN: SUM OF</i> <i>BOSCALID, 2-CHLORO-N-(4'-CHLORO-5-</i> <i>HYDROXYBIPHENYL-2-YL) NICOTINAMIDE AND</i> <i>GLUCURONIDE CONJUGATE OF 2-CHLORO-N-(4'-</i> <i>CHLORO-5-HYDROXYBIPHENYL-2-YL)</i> <i>NICOTINAMIDE, EXPRESSED AS BOSCALID</i> EQUIVALENTS	
CHERVIL	T0.5	BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	T3
CITRUS FRUIT	*0.05	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	T2
COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	T0.5	BRASSICA LEAFY VEGETABLES	T10
COTTON SEED	0.1	BULB VEGETABLES [EXCEPT ONION, BULB]	T3
EDIBLE OFFAL (MAMMALIAN)	0.5	CARROT	T1
EGG PLANT	T0.5	DRIED GRAPES	15
EGGS	*0.05	EDIBLE OFFAL (MAMMALIAN)	0.05
FIELD PEA (DRY)	T*0.01	GRAPES	4
FRUITING VEGETABLES, CUCURBITS	T*0.1	LETTUCE, HEAD	T2
GALANGAL, RHIZOMES	T10	LETTUCE, LEAF	T2
GRAPES	*0.01	BRASSICA LEAFY VEGETABLES	T10
HERBS	T10	MILKS	*0.02
KAFFIR LIME LEAVES	T10	ONION, BULB	T1.0
LEMON BALM	T10	PEAS	T5
LEMON GRASS	T10		
LEMON VERBENA	T10		
LETTUCE, HEAD	T2		
LUPIN (DRY)	T*0.02		
MEAT (MAMMALIAN) (IN THE FAT)	2		
MILKS	0.5		
MIZUNA	T10		
OKRA	T0.5		
PEAS (PODS AND SUCCULENT, IMMATURE SEEDS)	T*0.01		

SCHEDULE 1

Maximum Residue Limits

STRAWBERRY	T5	COTTON SEED OIL, CRUDE	T0.3
BRODIFACOUM BRODIFACOUM		CUCUMBER	T0.5
CEREAL GRAINS	T*0.00002	CUSTARD APPLE	0.1
EDIBLE OFFAL (MAMMALIAN)	T*0.00005	DRIED GRAPES (CURRANTS, RAISINS AND SULTANAS)	1
MEAT (MAMMALIAN)	T*0.00005	EDIBLE OFFAL (MAMMALIAN)	*0.05
PULSES	T*0.00002	EGG PLANT	T2
SUGAR CANE	*0.0005	GRAPES	0.3
BROMACIL BROMACIL		MANGO	0.2
ASPARAGUS	*0.04	MEAT (MAMMALIAN) (IN THE FAT)	*0.05
CITRUS FRUITS	*0.04	MILKS	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.04	OLIVES	T0.5
MEAT (MAMMALIAN)	*0.04	OLIVE OIL, CRUDE	T2
MILKS	*0.04	PASSIONFRUIT	2
PINEAPPLE	*0.04	PEAR	0.2
BROMOCHLOROMETHANE BROMOCHLOROMETHANE		PERSIMMON, JAPANESE	1
CATTLE, EDIBLE OFFAL OF	T*0.02	SQUASH, SUMMER	T0.5
CATTLE FAT	T*0.02	TOMATO	T2
CATTLE MEAT	T*0.02	BUTAFENACIL BUTAFENACIL	
BROMOPROPYLATE BROMOPROPYLATE		CEREAL GRAINS [EXCEPT RICE]	*0.02
POME FRUITS	5	EDIBLE OFFAL (MAMMALIAN)	*0.02
STONE FRUITS	5	EGGS	*0.01
BROMOXYNIL BROMOXYNIL		GRAPES	T*0.02
CEREAL GRAINS	*0.2	MEAT (MAMMALIAN)	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.02	MILKS	*0.01
EGGS	*0.02	POME FRUITS	T*0.02
GRAPES	*0.01	POULTRY, EDIBLE OFFAL OF	*0.02
LINSEED	*0.02	POULTRY MEAT	*0.01
MEAT (MAMMALIAN)	*0.02	STONE FRUITS	T*0.02
MILKS	*0.02	BUTROXYDIM BUTROXYDIM	
POULTRY, EDIBLE OFFAL OF	*0.02	EDIBLE OFFAL (MAMMALIAN)	*0.01
POULTRY MEAT	*0.02	EGGS	*0.01
SUGAR CANE	*0.02	LEGUME VEGETABLES	*0.01
BUPIRIMATE BUPIRIMATE		MEAT (MAMMALIAN)	*0.01
APPLE	1	MILKS	*0.01
FRUITING VEGETABLES, CUCURBITS	1	OILSEED	*0.01
PEPPERS	T1	POULTRY, EDIBLE OFFAL OF	*0.01
BUPIVACAINE BUPIVACAINE		POULTRY MEAT	*0.01
SHEEP, EDIBLE OFFAL OF	T*0.02	PULSES	*0.01
SHEEP MEAT (IN THE FAT)	T*0.02	CADUSAFOS CADUSAFOS	
BUPROFEZIN BUPROFEZIN		BANANA	*0.01
CITRUS FRUITS	2	CITRUS FRUITS	*0.01
COTTON SEED	T1	GINGER, ROOT	0.1
		SUGAR CANE	*0.01
		TOMATO	*0.01
		CAPTAN CAPTAN	
		BERRIES AND OTHER SMALL FRUITS [EXCEPT BLUEBERRIES; GRAPES; STRAWBERRY]	T30

SCHEDULE 1

Maximum Residue Limits

POME FRUITS	5
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
PULSES	0.5
STONE FRUITS	10
SUGAR CANE	0.1
TURMERIC ROOT	T3
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	3
CARBETAMIDE CARBETAMIDE	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
CARBOFURAN SUM OF CARBOFURAN AND 3-HYDROXYCARBOFURAN, EXPRESSED AS CARBOFURAN	
BANANA	*0.1
COTTON SEED	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MAIZE	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
RICE	0.2
SORGHUM	*0.05
SUGAR CANE	*0.1
SUNFLOWER SEED	*0.05
SWEET CORN (KERNELS)	*0.05
WHEAT	0.2
CARBON DISULPHIDE CARBON DISULFIDE	
CEREAL GRAINS	10
PULSES	T10
CARBONYL SULPHIDE CARBONYL SULPHIDE	
CEREAL GRAINS	T0.2
PULSES	T0.2
RAPE SEED	T0.2
CARBOSULFAN <i>SEE</i> CARBOFURAN	
CARBOXIN CARBOXIN	
CEREAL GRAINS	0.1

CARFENTRAZONE-ETHYL CARFENTRAZONE-ETHYL	
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – EDIBLE PEEL	*0.05
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – INEDIBLE PEEL	*0.05
CEREAL GRAINS	*0.05
CITRUS FRUITS	*0.05
COTTON SEED	T*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
GRAPES	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.025
POME FRUITS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
STONE FRUITS	*0.05
TREE NUTS	*0.05
CEFTIOFUR DESFUROYLCEFTIOFUR	
CATTLE, EDIBLE OFFAL OF	2
CATTLE FAT	0.5
CATTLE MEAT	0.1
CATTLE MILK	0.1
CEFUROXIME INHIBITORY SUBSTANCE, IDENTIFIED AS CEFUROXIME	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
CATTLE MILK	*0.1
CEPHALONIUM INHIBITORY SUBSTANCE, IDENTIFIED AS CEPHALONIUM	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
CATTLE MILK	*0.02
CEPHAPIRIN CEPHAPIRIN AND DES-ACETYLCEPHAPIRIN, EXPRESSED AS CEPHAPIRIN	
CATTLE, EDIBLE OFFAL OF	*0.02
CATTLE MEAT	*0.02
CATTLE MILK	*0.01
CETRIMIDE CETRIMIDE	
SHEEP, EDIBLE OFFAL OF	T*1.0
SHEEP MEAT (IN THE FAT)	T*1.0
CHINOMETHIONAT <i>SEE</i> OXYTHIOQUINOX	

SCHEDULE 1

Maximum Residue Limits

CHLORFENAPYR			
CHLORFENAPYR			
BRASSICA (COLE OR CABBAGE)	0.5	COTTON SEED OIL, EDIBLE	*0.05
VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS		EGGS	0.2
CHINESE CABBAGE	0.5	POULTRY, EDIBLE OFFAL OF	0.1
COTTON SEED	0.5	POULTRY MEAT (IN THE FAT)	1
EDIBLE OFFAL (MAMMALIAN)	*0.05	CHLORHEXIDINE	
EGGS	*0.01	CHLORHEXIDINE	
MEAT (MAMMALIAN) (IN THE FAT)	0.05	MILKS	0.05
MILKS	*0.01	SHEEP, EDIBLE OFFAL OF	*0.5
PEACH	1	SHEEP FAT	*0.5
POME FRUITS	0.5	SHEEP MEAT	*0.5
POULTRY, EDIBLE OF	*0.01	CHLORIDAZON	
POULTRY MEAT (IN THE FAT)	*0.01	CHLORIDAZON	
SHALLOT	T1	BEETROOT	*0.05
SPRING ONION	T1	CHLORMEQUAT	
CHLORFENVINPHOS		CHLORMEQUAT CATION	
CHLORFENVINPHOS, SUM OF E AND Z ISOMERS		BARLEY	T2
BROCCOLI	T0.05	DRIED GRAPES	0.75
BRUSSELS SPROUTS	T0.05	EDIBLE OFFAL (MAMMALIAN)	0.5
CABBAGES, HEAD	T0.05	EGGS	0.1
CARROT	T0.4	GRAPES	0.75
CATTLE, EDIBLE OFFAL OF	T*0.1	MEAT (MAMMALIAN)	0.2
CATTLE MEAT (IN THE FAT)	T0.2	MILKS	0.5
CATTLE MILK (IN THE FAT)	T0.2	POULTRY, EDIBLE OFFAL OF	0.1
CAULIFLOWER	T0.1	POULTRY MEAT	*0.05
CELERY	T0.4	WHEAT	5
COTTON SEED	T0.05	CHLOROPICRIN	
DEER MEAT (IN THE FAT)	0.2	CHLOROPICRIN	
EGG PLANT	T0.05	CEREAL GRAINS	*0.1
GOAT, EDIBLE OFFAL OF	T*0.1	CHLOROTHALONIL	
GOAT MEAT (IN THE FAT)	T0.2	<i>COMMODITIES OF PLANT ORIGIN: CHLOROTHALONIL</i>	
HORSERADISH	T0.1	<i>COMMODITIES OF ANIMAL ORIGIN: SUM OF</i>	
LEEK	T0.05	<i>CHLOROTHALONIL AND 4-HYDROXY-2, 5, 6-</i>	
MAIZE	T0.05	<i>TRICHLOROISOPHTHALONITRILE METABOLITE,</i>	
MUSHROOMS	T0.05	<i>EXPRESSED AS CHLOROTHALONIL</i>	
ONION, BULB	T0.05	ALMONDS	T0.1
PEANUT	T0.05	APRICOT	7
POTATO	T0.05	ASPARAGUS	T*0.1
RADISH	T0.1	BANANA	3
RICE	T0.05	BERRIES AND OTHER SMALL FRUITS	T10
SHEEP, EDIBLE OFFAL OF	T*0.1	[EXCEPT BLACKCURRANT AND GRAPES]	
SHEEP MEAT (IN THE FAT)	T0.2	BRUSSELS SPROUTS	7
SWEDE	T0.05	CARROT	7
SWEET POTATO	T0.05	CELERY	10
TOMATO	T0.1	CHERRIES	10
TURNIP, GARDEN	T0.05	CURRENT, BLACK	10
WHEAT	T0.05	EDIBLE OFFAL (MAMMALIAN)	T3
CHLORFLUAZURON		FENNEL, BULB	5
CHLORFLUAZURON		FENNEL, LEAF	5
CATTLE, EDIBLE OFFAL OF	0.1	FENNEL, SEED	5
CATTLE MEAT (IN THE FAT)	1	FRUITING VEGETABLES, CUCURBITS	5
CATTLE MILK	0.1	GALANGAL, GREATER	T7
COTTON SEED	0.1	GALANGAL, LESSER	T7
COTTON SEED OIL, CRUDE	0.1		

SCHEDULE 1

Maximum Residue Limits

GARLIC	10	LEEK	T5
GRAPES	10	MANGO	*0.05
HERBS [EXCEPT FENNEL, LEAF]	T7	MEAT (MAMMALIAN) (IN THE FAT)	T0.5
LEAFY VEGETABLES	T7	MILKS (IN THE FAT)	T0.2
LEEK	T10	OILSEED [EXCEPT COTTON SEED AND PEANUT]	T*0.05
MEAT (MAMMALIAN) (IN THE FAT)	T2	OLIVES	T*0.05
MILKS	T0.05	PARSLEY	T0.05
NECTARINE	7	PASSIONFRUIT	*0.05
ONION, BULB	10	PEANUT	T*0.01
PAPAYA (PAWPAW)	7	PEPPERS, SWEET	T1
PEACH	30	PERSIMMON, JAPANESE	0.5
PEANUT	T0.2	PINEAPPLE	T0.5
PEAS (PODS AND SUCCULENT, IMMATURE SEEDS)	10	PISTACHIO NUT	T*0.05
PERSIMMON, JAPANESE	T5	PITAYA (DRAGON FRUIT)	T*0.05
PLUMS (INCLUDING PRUNES)	10	POME FRUITS	T0.5
POTATO	0.1	POTATO	0.05
PULSES	T7	POULTRY, EDIBLE OFFAL OF	T0.1
RICE	T*0.1	POULTRY MEAT (IN THE FAT)	T0.1
SPRING ONION	T10	SORGHUM	T3
SUNFLOWER SEED	T*0.01	STAR APPLE	T*0.05
TOMATO	10	STONE FRUITS	T1
TREE TOMATO	T10	STRAWBERRY	0.05
TURMERIC ROOT	T7	SUGAR CANE	T0.1
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	T7	SWEDE	T0.3
WASABI	T7	SWEET POTATO	T0.05
CHLORPROPHAM CHLORPROPHAM		TOMATO	T0.5
GARLIC	*0.05	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	T*0.01
ONION, BULB	*0.05	CHLORPYRIFOS-METHYL CHLORPYRIFOS-METHYL	
POTATO	30	CEREAL GRAINS [EXCEPT RICE]	10
CHLORPYRIFOS CHLORPYRIFOS		COTTON SEED	*0.01
ASPARAGUS	T0.5	EDIBLE OFFAL (MAMMALIAN)	*0.05
AVOCADO	0.5	EGGS	*0.05
BANANA	T0.5	LUPIN (DRY)	10
BLUEBERRIES	T1.0	MEAT (MAMMALIAN) (IN THE FAT)	*0.05
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	T0.5	MILKS (IN THE FAT)	*0.05
CASSAVA	T*0.02	POULTRY, EDIBLE OFFAL OF	*0.05
CELERY	T5	POULTRY MEAT (IN THE FAT)	*0.05
CEREAL GRAINS [EXCEPT SORGHUM]	T0.1	RICE	0.1
CITRUS FRUITS	T0.5	WHEAT BRAN, UNPROCESSED	20
COFFEE BEANS	T0.5	WHEAT GERM	30
COTTON SEED	0.05	CHLORSULFURON CHLORSULFURON	
COTTON SEED OIL, CRUDE	0.2	CEREAL GRAINS	*0.05
DRIED FRUITS	T2	EDIBLE OFFAL (MAMMALIAN)	*0.05
EDIBLE OFFAL (MAMMALIAN)	T0.1	MEAT (MAMMALIAN)	*0.05
EGGS	T*0.01	MILKS	*0.05
GINGER, ROOT	*0.02	CHLORTETRACYCLINE INHIBITORY SUBSTANCE, IDENTIFIED AS CHLORTETRACYCLINE	
GRAPES	T1	CATTLE KIDNEY	0.6
KIWIFRUIT	2	CATTLE LIVER	0.3

SCHEDULE 1

Maximum Residue Limits

CATTLE MEAT	0.1	HOPS, DRY	*0.2
EGGS	0.2	MEAT (MAMMALIAN)	T*0.05
PIG KIDNEY	0.6	MILKS	T*0.05
PIG LIVER	0.3	POME FRUITS	0.1
PIG MEAT	0.1	STONE FRUITS	0.1
POULTRY, EDIBLE OFFAL OF	0.6		
POULTRY MEAT	0.1		
CHLORTHAL-DIMETHYL CHLORTHAL-DIMETHYL		CLOMAZONE CLOMAZONE	
EGGS	*0.05	BEANS [EXCEPT BROAD BEANS AND SOYA BEANS]	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05	COMMON BEANS (POD AND/OR IMMATURE SEEDS)	T*0.05
MEAT (MAMMALIAN)	*0.05	FRUITING VEGETABLES, CUCURBITS	*0.05
LETTUCE, HEAD	T1	POPPY SEED	*0.05
LETTUCE, LEAF	T1	POTATO	*0.05
MILKS	*0.05	RICE	*0.01
PARSLEY	T2		
POULTRY, EDIBLE OFFAL OF	*0.05	CLOPYRALID CLOPYRALID	
POULTRY MEAT	*0.05	CAULIFLOWER	T0.2
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	5	CEREAL GRAINS	2
CLAVULANIC ACID CLAVULANIC ACID		EDIBLE OFFAL (MAMMALIAN) [EXCEPT KIDNEY]	0.5
CATTLE, EDIBLE OFFAL OF	*0.01	KIDNEY OF CATTLE, GOATS, PIGS AND SHEEP	5
CATTLE MEAT	*0.01	MEAT (MAMMALIAN)	0.1
CATTLE MILK	*0.01	MILKS	0.05
		RAPE SEED	0.5
CLETHODIM <i>see</i> SETHOXYDIM		CLOQUINTOCET-MEXYL SUM OF CLOQUINTOCET MEXYL AND 5-CHLORO-8-QUINOLINOXYACETIC ACID, EXPRESSED AS CLOQUINTOCET MEXYL	
CLODINAFOP-PROPARGYL CLODINAFOP-PROPARGYL		BARLEY	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05	EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.05	EGGS	*0.1
MEAT (MAMMALIAN)	*0.05	MEAT (MAMMALIAN)	*0.1
MILKS	*0.05	MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.05	POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.05	POULTRY MEAT	*0.1
WHEAT	*0.05	WHEAT	*0.1
CLODINAFOP ACID (R)-2-[4-(5-CHLORO-3-FLUORO-2-PYRIDINYLOXY)PHENOXY] PROPANOIC ACID		CLORSULON CLORSULON	
EDIBLE OFFAL (MAMMALIAN)	*0.1	CATTLE, EDIBLE OFFAL OF	*0.1
EGGS	*0.1	CATTLE MEAT	*0.1
MEAT (MAMMALIAN)	*0.1	CATTLE MILK	1.5
MILKS	*0.1		
POULTRY, EDIBLE OFFAL OF	*0.1	CLOSANTEL CLOSANTEL	
POULTRY MEAT	*0.1	SHEEP, EDIBLE OFFAL OF	5
WHEAT	*0.1	SHEEP MEAT	2
CLOFENTEZINE CLOFENTEZINE			
ALMONDS	T0.5		
BANANA	*0.01		
EDIBLE OFFAL (MAMMALIAN)	T*0.05		

SCHEDULE 1

Maximum Residue Limits

CLOTHIANIDIN			
<i>COMMODITIES OF PLANT ORIGIN: CLOTHIANIDIN</i>			
<i>COMMODITIES OF ANIMAL ORIGIN: SUM OF CLOTHIANIDIN, 2-CHLOROTHIAZOL-5-YLMETHYLGUANIDINE, 2-CHLOROTHIAZOL-5-YLMETHYLUREA, AND THE PYRUVATE DERIVATIVE OF N-(2-CHLOROTHIAZOL-5-YLMETHYL)-N'-METHYLGUANIDINE EXPRESSED AS CLOTHIANIDIN</i>			
COTTON SEED	T*0.02	EGG PLANT	T0.2
EDIBLE OFFAL (MAMMALIAN)	T*0.02	EGGS	*0.01
MEAT (MAMMALIAN) (IN THE FAT)	T*0.02	LEGUME VEGETABLES	0.5
MILKS	T*0.01	MACADAMIA NUTS	0.05
CLOXACILLIN			
<i>INHIBITORY SUBSTANCE, IDENTIFIED AS CLOXACILLIN</i>			
CATTLE MILK	*0.01	MAMMALIAN FATS [EXCEPT MILK FATS]	0.5
CYANAMIDE			
<i>CYANAMIDE</i>			
GRAPES	*0.05	MEAT (MAMMALIAN)	0.02
KIWIFRUIT	*0.1	MILKS	0.1
PEAR, ORIENTAL (NASHI)	*0.1	OKRA	T0.2
STONE FRUITS	T*0.05	PEPPERS, SWEET	T0.2
CYANAZINE			
<i>CYANAZINE</i>			
BULB VEGETABLES	*0.02	POULTRY, EDIBLE OFFAL OF	*0.01
CEREAL GRAINS	*0.01	POULTRY MEAT (IN THE FAT)	*0.01
LEEK	0.05	PULSES	0.5
PEAS	0.02	RAPE SEED	*0.05
POTATO	0.02	TOMATO	0.2
PULSES	*0.01	WHEAT BRAN, UNPROCESSED	5
SWEET CORN (CORN-ON-THE-COB)	*0.02	CYHALOFOP-BUTYL	
CYCLANILIDE		<i>SUM OF CYHALOFOP-BUTYL, CYHALOFOP AND METABOLITES EXPRESSED AS CYHALOFOP-BUTYL</i>	
<i>SUM OF CYCLANILIDE AND ITS METHYL ESTER, EXPRESSED AS CYCLANILIDE</i>			
COTTON SEED	0.2	EDIBLE OFFAL (MAMMALIAN)	*0.05
COTTON SEED OIL, CRUDE	*0.01	EGGS	*0.05
EDIBLE OFFAL (MAMMALIAN)	2	MEAT (MAMMALIAN) (IN THE FAT)	*0.05
EGGS	*0.01	MILKS	*0.05
MEAT (MAMMALIAN)	0.05	POULTRY, EDIBLE OFFAL OF	*0.05
MILKS	0.05	POULTRY MEAT	*0.05
POULTRY, EDIBLE OFFAL OF	*0.01	RICE	*0.01
POULTRY MEAT	*0.01	CYHALOTHRIN	
CYFLUTHRIN		<i>CYHALOTHRIN, SUM OF ISOMERS</i>	
<i>CYFLUTHRIN, SUM OF ISOMERS</i>			
AVOCADO	0.1	BARLEY	0.2
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.5	BEETROOT	*0.01
CARAMBOLA	T0.1	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.1
CEREAL GRAINS	2	CHARD	T0.5
COTTON SEED	0.01	CITRUS FRUITS	*0.01
COTTON SEED OIL, CRUDE	0.02	CUCUMBER	T0.05
EDIBLE OFFAL (MAMMALIAN)	*0.01	COTTON SEED	*0.02
		EDIBLE OFFAL (MAMMALIAN)	*0.02
		EGGS	*0.02
		LEGUME VEGETABLES	0.1
		MEAT (MAMMALIAN) (IN THE FAT)	0.5
		MILKS (IN THE FAT)	0.5
		ONION, BULB	*0.05
		POTATO	*0.01
		POULTRY, EDIBLE OFFAL OF	*0.02
		POULTRY MEAT	*0.02
		PULSES [EXCEPT SOYA BEAN (DRY)]	0.2
		RADISH	*0.01
		RAPE SEED	0.02
		SORGHUM	0.5
		SOYA BEAN (DRY)	*0.02
		SUNFLOWER SEED	*0.01
		TOMATO	0.02
		WHEAT	*0.05

SCHEDULE 1

Maximum Residue Limits

CYMAZOLE					
CYMAZOLE					
CATTLE, KIDNEY	T*0.04		SHALLOT		T0.5
CATTLE, LIVER	T*0.04		SHEEP, EDIBLE OFFAL OF		0.05
CATTLE FAT	T*0.04		SHEEP MEAT (IN THE FAT)		0.5
CATTLE MEAT	T*0.04		SOYA BEAN (DRY)		0.05
			SOYA BEAN OIL, CRUDE		0.1
			SPRING ONION		T0.5
			STONE FRUITS [EXCEPT CHERRIES]		1
			SUNFLOWER SEED		0.1
			SUNFLOWER SEED OIL, CRUDE		0.1
			SWEET CORN (CORN-ON-THE-COB)		0.05
			TOMATO		0.5
			WHEAT		0.2
CYPERMETHRIN			CYPROCONAZOLE		
CYPERMETHRIN, SUM OF ISOMERS			CYPROCONAZOLE, SUM OF ISOMERS		
ALL OTHER FOODS	*0.01		BARLEY		*0.02
ASPARAGUS	0.5		EDIBLE OFFAL (MAMMALIAN)		1
AVOCADO	T0.2		EGGS		*0.01
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	1		MEAT (MAMMALIAN)		0.03
BROAD BEAN (DRY) (FAVA BEAN)	0.05		MILKS		*0.01
CATTLE, EDIBLE OFFAL OF	0.05		PEANUT		0.02
CATTLE MEAT (IN THE FAT)	0.5		POTATO		*0.02
CEREAL GRAINS [EXCEPT WHEAT]	1		POULTRY, EDIBLE OFFAL OF		*0.01
CHICK-PEA (DRY)	0.2		POULTRY MEAT		*0.01
COMMON BEAN (DRY) (NAVY BEAN)	0.05		WHEAT		*0.02
CORIANDER (LEAVES, STEM, ROOTS)	T1		CYPRODINIL		
CORIANDER, SEED	T1		CYPRODINIL		
COTTON SEED	0.2		DRIED GRAPES (CURRANTS, RAISINS AND SULTANAS)		5
COTTON SEED OIL, CRUDE	*0.02		DRIED STONE FRUITS		0.05
DEER MEAT (IN THE FAT)	T0.5		EDIBLE OFFAL (MAMMALIAN)		*0.01
EGGS	0.05		GRAPES		2
FIELD PEA (DRY)	0.05		MEAT (MAMMALIAN)		*0.01
GOAT, EDIBLE OFFAL OF	0.05		MILKS		*0.01
GOAT MEAT (IN THE FAT)	0.5		PEAS		T2
GRAPES	T0.05		POME FRUITS		0.05
HORSE, EDIBLE OFFAL OF	*0.05		STONE FRUITS		*0.01
HORSE MEAT (IN THE FAT)	*0.05		CYROMAZINE		
LEAFY VEGETABLES [EXCEPT LETTUCE HEAD]	T5		CYROMAZINE		
LEEK	T0.5		CATTLE, EDIBLE OFFAL OF		0.05
LETTUCE, HEAD	2		CATTLE MEAT		0.05
LINOLA OIL, EDIBLE	0.1		EGGS		0.2
LINOLA SEED	0.1		GOAT, EDIBLE OFFAL OF		0.2
LINSEED	0.5		GOAT MEAT		0.2
LUPIN (DRY)	*0.01		MILKS		*0.01
MILKS (IN THE FAT)	1		PIG, EDIBLE OFFAL OF		0.05
MUNG BEAN (DRY)	0.05		PIG MEAT		0.05
OLIVES	T*0.05		POULTRY, EDIBLE OFFAL OF		0.1
ONION, BULB	*0.01		POULTRY MEAT		0.05
PARSLEY	T1		SHEEP, EDIBLE OFFAL OF		0.2
PEAS	1		SHEEP MEAT		0.2
PIG, EDIBLE OFFAL OF	*0.05		2,4-D		
PIG MEAT (IN THE FAT)	*0.05		2, 4-D		
POME FRUITS	1		CEREAL GRAINS		0.2
POTATO	*0.01		CITRUS FRUITS		5
POULTRY, EDIBLE OFFAL OF	*0.05				
POULTRY MEAT (IN THE FAT)	*0.05				
RADISH	T*0.05				
RAPE SEED	0.2				
RAPE SEED OIL, EDIBLE	0.2				

SCHEDULE 1

Maximum Residue Limits

EDIBLE OFFAL (MAMMALIAN)	2	SHEEP, EDIBLE OFFAL OF	0.1
EGGS	*0.05	SHEEP MEAT (IN THE FAT)	0.2
GRAPES	T*0.05	SWEET CORN (KERNELS)	0.1
LEGUME VEGETABLES	*0.05	WHEAT BRAN, UNPROCESSED	5
LUPIN (DRY)	*0.05	WHEAT GERM	3
MEAT (MAMMALIAN)	0.2		
MILKS	*0.05		
OILSEED	*0.05		
PEAR	*0.05		
POTATO	0.1		
POULTRY, EDIBLE OFFAL OF	*0.05		
POULTRY MEAT	*0.05		
PULSES	*0.05		
SUGAR CANE	5		
DAMINOZIDE DAMINOZIDE		DEXAMETHASONE AND DEXAMETHASONE TRIMETHYLACETATE DEXAMETHASONE	
EDIBLE OFFAL (MAMMALIAN)	0.2	CATTLE, EDIBLE OFFAL OF	0.1
EGGS	0.2	CATTLE MEAT	0.1
MEAT (MAMMALIAN)	0.2	CATTLE MILK	*0.05
MILKS	*0.05	HORSE, EDIBLE OFFAL OF	0.1
PEACH	30	HORSE MEAT	0.1
PEANUT	20	PIG, EDIBLE OFFAL OF	0.1
POME FRUITS	30	PIG MEAT	0.1
POULTRY, EDIBLE OFFAL OF	0.2		
POULTRY MEAT	0.2		
2,4-DB 2, 4-DB		DIAFENTHIURON SUM OF DIAFENTHIURON; N-[2,6-BIS(1-METHYLETHYL)-4-PHENOXYPHENYL]-N'-(1,1-DIMETHYLETHYL)UREA; AND N-[2,6-BIS(1-METHYLETHYL)-4-PHENOXYPHENYL]-N'-(1,1-DIMETHYLETHYL)CARBODIIMIDE, EXPRESSED AS DIAFENTHIURON	
CEREAL GRAINS	*0.02	COTTON SEED	0.2
EDIBLE OFFAL (MAMMALIAN)	0.2	EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.05	EGGS	*0.02
MEAT (MAMMALIAN)	0.2	MEAT (MAMMALIAN) (IN THE FAT)	*0.02
MILKS	*0.05	MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	*0.05	PEANUT	T0.1
POULTRY MEAT	*0.05	POULTRY, EDIBLE OFFAL OF	*0.02
		POULTRY MEAT (IN THE FAT)	*0.02
DELTAMETHRIN DELTAMETHRIN		DIAZINON DIAZINON	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	*0.05	CEREAL GRAINS	0.1
CATTLE, EDIBLE OFFAL OF	0.1	CITRUS FRUITS	0.7
CATTLE MEAT (IN THE FAT)	0.5	EDIBLE OFFAL (MAMMALIAN)	0.7
CEREAL GRAINS	2	EGGS	*0.05
EGGS	*0.01	FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.5
FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.1	KIWIFRUIT	0.5
GOAT, EDIBLE OFFAL OF	0.1	MEAT (MAMMALIAN) (IN THE FAT)	0.7
GOAT MEAT (IN THE FAT)	0.2	MILKS (IN THE FAT)	0.5
LEGUME VEGETABLES	0.1	OLIVE OIL, CRUDE	2
MILKS	0.05	PARSLEY	T0.7
OILSEED	0.1	PEACH	0.7
PIG, EDIBLE OFFAL OF	*0.01	POULTRY, EDIBLE OFFAL OF	*0.05
PIG MEAT (IN THE FAT)	0.1	POULTRY MEAT	*0.05
POULTRY, EDIBLE OFFAL OF	*0.01	SHALLOT	T0.5
POULTRY MEAT (IN THE FAT)	*0.01	SPRING ONION	T0.5
PULSES	0.1	SUGAR CANE	0.5
		SWEET CORN (CORN-ON-THE-COB)	0.7
		TREE NUTS	0.1
		VEGETABLE OILS, CRUDE [EXCEPT OLIVE OIL, CRUDE]	0.1
		VEGETABLES	0.7

SCHEDULE 1

Maximum Residue Limits

DICAMBA DICAMBA		VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.5
CEREAL GRAINS	*0.05	WHEAT BRAN, UNPROCESSED	10
EDIBLE OFFAL (MAMMALIAN)	0.05	WHEAT GERM	10
EGGS	*0.05		
MEAT (MAMMALIAN)	0.05		
MILKS	0.1		
POULTRY, EDIBLE OFFAL OF	*0.05		
POULTRY MEAT	*0.05		
SUGAR CANE	0.1		
SUGAR CANE MOLASSES	2		
DICHOLOBENIL DICHOLOBENIL			
CITRUS FRUITS	0.1		
GRAPES	0.1		
POME FRUITS	0.1		
STONE FRUITS	0.1		
TOMATO	0.1		
DICHOFLUANID DICHOFLUANID			
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES AND STRAWBERRY]	T50		
GRAPES	0.5		
PEANUT	*0.02		
STRAWBERRY	10		
TOMATO	1		
DICHLORPROP DICHLORPROP			
CITRUS FRUITS	T0.1		
DICHLORVOS DICHLORVOS			
CACAO BEANS	5		
CEREAL GRAINS	5		
COFFEE BEANS	2		
EDIBLE OFFAL (MAMMALIAN)	0.05		
EGGS	0.05		
FRUIT	0.1		
LENTIL (DRY)	2		
LETTUCE, HEAD	1		
LETTUCE, LEAF	1		
MEAT (MAMMALIAN)	0.05		
MILKS	0.02		
MUSHROOMS	0.5		
PEANUT	2		
POULTRY, EDIBLE OFFAL OF	0.05		
POULTRY MEAT	0.05		
RAPE SEED	T0.1		
RICE BRAN, UNPROCESSED	10		
SOYA BEAN (DRY)	2		
TOMATO	0.5		
TREE NUTS	2		
		DICLAZURIL DICLAZURIL	
		CHICKEN, EDIBLE OFFAL OF	1
		CHICKEN MEAT	0.2
		DICLOFOP-METHYL DICLOFOP-METHYL	
		CEREAL GRAINS	0.1
		EDIBLE OFFAL (MAMMALIAN)	*0.05
		EGGS	*0.05
		LUPIN (DRY)	0.1
		MEAT (MAMMALIAN)	*0.05
		MILKS	*0.05
		OILSEED	0.1
		PEAS	0.1
		POPPY SEED	0.1
		POULTRY, EDIBLE OFFAL OF	*0.05
		POULTRY MEAT	*0.05
		DICLORAN DICLORAN	
		BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	20
		BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	20
		BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	20
		CARROT	15
		GRAPES	10
		LETTUCE, HEAD	20
		LETTUCE, LEAF	20
		ONION, BULB	20
		STONE FRUITS	15
		SWEET POTATO	20
		TOMATO	20
		DICOFOL SUM OF DICOFOL AND 2,2,2- TRICHLORO-1-(4-CHLOROPHENYL)-1-(2-CHLOROPHENYL)ETHANOL, EXPRESSED AS DICOFOL	
		ALMONDS	5
		COTTON SEED	0.1
		CUCUMBER	2
		FRUIT [EXCEPT STRAWBERRY]	5
		GHERKIN	2
		HOPS, DRY	5
		STRAWBERRY	1
		TEA, GREEN, BLACK	5
		TOMATO	1

SCHEDULE 1

Maximum Residue Limits

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]</td> <td style="text-align: right;">5</td> </tr> <tr> <td colspan="2" style="text-align: center;">DICYCLANIL</td> </tr> <tr> <td colspan="2" style="text-align: center;">SUM OF DICYCLANIL AND ITS TRIAMINOPYRIDYL METABOLITE EXPRESSED AS DICYCLANIL</td> </tr> <tr> <td>SHEEP FAT</td> <td style="text-align: right;">0.3</td> </tr> <tr> <td>SHEEP KIDNEY</td> <td style="text-align: right;">0.3</td> </tr> <tr> <td>SHEEP LIVER</td> <td style="text-align: right;">0.3</td> </tr> <tr> <td>SHEEP MEAT</td> <td style="text-align: right;">0.3</td> </tr> <tr> <td colspan="2" style="text-align: center;">DIELDRIN</td> </tr> <tr> <td colspan="2" style="text-align: center;"><i>SEE ALDRIN AND DIELDRIN</i></td> </tr> <tr> <td colspan="2" style="text-align: center;">DIFENOCONAZOLE</td> </tr> <tr> <td colspan="2" style="text-align: center;">DIFENOCONAZOLE</td> </tr> <tr> <td>ASPARAGUS</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>AVOCADO</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>BANANA</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>BARLEY</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td>BEETROOT</td> <td style="text-align: right;">T0.2</td> </tr> <tr> <td>CARROT</td> <td style="text-align: right;">0.2</td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>EGGS</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>MACADAMIA NUTS</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td>MEAT (MAMMALIAN)</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>MILKS</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td>PARSLEY</td> <td style="text-align: right;">T15</td> </tr> <tr> <td>POME FRUITS</td> <td style="text-align: right;">0.3</td> </tr> <tr> <td>POTATO</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>POULTRY MEAT</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>POULTRY, EDIBLE OFFAL OF</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>TOMATO</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>WHEAT</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td colspan="2" style="text-align: center;">DIFLUBENZURON</td> </tr> <tr> <td colspan="2" style="text-align: center;">DIFLUBENZURON</td> </tr> <tr> <td>CATTLE, EDIBLE OFFAL OF</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>CATTLE MILK</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>CEREAL GRAINS</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>MUSHROOMS</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>SHEEP KIDNEY</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>SHEEP LIVER</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>SHEEP MEAT (IN THE FAT)</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>SHEEP MILK</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>WHEAT BRAN, UNPROCESSED</td> <td style="text-align: right;">T5</td> </tr> <tr> <td colspan="2" style="text-align: center;">DIFLUFENICAN</td> </tr> <tr> <td colspan="2" style="text-align: center;">DIFLUFENICAN</td> </tr> <tr> <td>BARLEY</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>EGGS</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>GRAPES</td> <td style="text-align: right;">*0.002</td> </tr> <tr> <td>MEAT (MAMMALIAN)</td> <td style="text-align: right;">0.01</td> </tr> <tr> <td>MILKS</td> <td style="text-align: right;">0.01</td> </tr> <tr> <td>OATS</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>PEAS</td> <td style="text-align: right;">0.05</td> </tr> </table>	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	5	DICYCLANIL		SUM OF DICYCLANIL AND ITS TRIAMINOPYRIDYL METABOLITE EXPRESSED AS DICYCLANIL		SHEEP FAT	0.3	SHEEP KIDNEY	0.3	SHEEP LIVER	0.3	SHEEP MEAT	0.3	DIELDRIN		<i>SEE ALDRIN AND DIELDRIN</i>		DIFENOCONAZOLE		DIFENOCONAZOLE		ASPARAGUS	*0.05	AVOCADO	0.5	BANANA	*0.02	BARLEY	*0.01	BEETROOT	T0.2	CARROT	0.2	EDIBLE OFFAL (MAMMALIAN)	*0.05	EGGS	*0.05	MACADAMIA NUTS	*0.01	MEAT (MAMMALIAN)	*0.05	MILKS	*0.01	PARSLEY	T15	POME FRUITS	0.3	POTATO	*0.02	POULTRY MEAT	*0.05	POULTRY, EDIBLE OFFAL OF	*0.05	TOMATO	0.5	WHEAT	*0.01	DIFLUBENZURON		DIFLUBENZURON		CATTLE, EDIBLE OFFAL OF	*0.02	CATTLE MILK	0.05	CEREAL GRAINS	T2	MUSHROOMS	0.1	SHEEP KIDNEY	0.05	SHEEP LIVER	0.05	SHEEP MEAT (IN THE FAT)	0.05	SHEEP MILK	0.05	WHEAT BRAN, UNPROCESSED	T5	DIFLUFENICAN		DIFLUFENICAN		BARLEY	0.05	EDIBLE OFFAL (MAMMALIAN)	0.1	EGGS	*0.02	GRAPES	*0.002	MEAT (MAMMALIAN)	0.01	MILKS	0.01	OATS	0.05	PEAS	0.05	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">POULTRY, EDIBLE OFFAL OF</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>POULTRY MEAT</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>PULSES</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>RYE</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>TRITICALE</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>WHEAT</td> <td style="text-align: right;">0.02</td> </tr> <tr> <td colspan="2" style="text-align: center;">DIMETHIPIN</td> </tr> <tr> <td colspan="2" style="text-align: center;">DIMETHIPIN</td> </tr> <tr> <td>COTTON SEED</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>COTTON SEED OIL, CRUDE</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td>COTTON SEED OIL, REFINED</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td>EGGS</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>MEAT (MAMMALIAN)</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td>MILKS</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td>POULTRY, EDIBLE OFFAL OF</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td>POULTRY MEAT</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td colspan="2" style="text-align: center;">DIMETHIRIMOL</td> </tr> <tr> <td colspan="2" style="text-align: center;">DIMETHIRIMOL</td> </tr> <tr> <td>FRUITING VEGETABLES, CUCURBITS</td> <td style="text-align: right;">1</td> </tr> <tr> <td colspan="2" style="text-align: center;">DIMETHOATE</td> </tr> <tr> <td colspan="2" style="text-align: center;">SUM OF DIMETHOATE AND OMETHOATE, EXPRESSED AS DIMETHOATE <i>SEE ALSO OMETHOATE</i></td> </tr> <tr> <td>CEREAL GRAINS</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>CHERVIL</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>EGGS</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]</td> <td style="text-align: right;">5</td> </tr> <tr> <td>FRUITING VEGETABLES, CUCURBITS</td> <td style="text-align: right;">5</td> </tr> <tr> <td>GALANGAL, RHIZOMES</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>HERBS</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>LITCHI</td> <td style="text-align: right;">5</td> </tr> <tr> <td>LUPIN (DRY)</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>MANGO</td> <td style="text-align: right;">1</td> </tr> <tr> <td>MEAT (MAMMALIAN)</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>MILKS</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>MIZUNA</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>OILSEED [EXCEPT PEANUT]</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>PEACHES</td> <td style="text-align: right;">3</td> </tr> <tr> <td>PEANUT</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>PEPPERS, SWEET</td> <td style="text-align: right;">2</td> </tr> <tr> <td>POULTRY, EDIBLE OFFAL OF</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>POULTRY MEAT</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>QUANDONG</td> <td style="text-align: right;">T5</td> </tr> <tr> <td>RUCOLA (ROCKET)</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>STRAWBERRY</td> <td style="text-align: right;">5</td> </tr> <tr> <td>TOMATO</td> <td style="text-align: right;">2</td> </tr> <tr> <td>TURMERIC, ROOT</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]</td> <td style="text-align: right;">2</td> </tr> </table>	POULTRY, EDIBLE OFFAL OF	*0.02	POULTRY MEAT	*0.02	PULSES	0.05	RYE	0.05	TRITICALE	0.05	WHEAT	0.02	DIMETHIPIN		DIMETHIPIN		COTTON SEED	0.5	COTTON SEED OIL, CRUDE	*0.1	COTTON SEED OIL, REFINED	*0.1	EDIBLE OFFAL (MAMMALIAN)	*0.01	EGGS	*0.02	MEAT (MAMMALIAN)	*0.01	MILKS	*0.01	POULTRY, EDIBLE OFFAL OF	*0.01	POULTRY MEAT	*0.01	DIMETHIRIMOL		DIMETHIRIMOL		FRUITING VEGETABLES, CUCURBITS	1	DIMETHOATE		SUM OF DIMETHOATE AND OMETHOATE, EXPRESSED AS DIMETHOATE <i>SEE ALSO OMETHOATE</i>		CEREAL GRAINS	*0.05	CHERVIL	T2	EDIBLE OFFAL (MAMMALIAN)	*0.05	EGGS	*0.05	FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	5	FRUITING VEGETABLES, CUCURBITS	5	GALANGAL, RHIZOMES	T2	HERBS	T2	LITCHI	5	LUPIN (DRY)	0.5	MANGO	1	MEAT (MAMMALIAN)	*0.05	MILKS	*0.05	MIZUNA	T2	OILSEED [EXCEPT PEANUT]	0.1	PEACHES	3	PEANUT	*0.05	PEPPERS, SWEET	2	POULTRY, EDIBLE OFFAL OF	*0.05	POULTRY MEAT	*0.05	QUANDONG	T5	RUCOLA (ROCKET)	T2	STRAWBERRY	5	TOMATO	2	TURMERIC, ROOT	T2	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	5																																																																																																																																																																																																				
DICYCLANIL																																																																																																																																																																																																					
SUM OF DICYCLANIL AND ITS TRIAMINOPYRIDYL METABOLITE EXPRESSED AS DICYCLANIL																																																																																																																																																																																																					
SHEEP FAT	0.3																																																																																																																																																																																																				
SHEEP KIDNEY	0.3																																																																																																																																																																																																				
SHEEP LIVER	0.3																																																																																																																																																																																																				
SHEEP MEAT	0.3																																																																																																																																																																																																				
DIELDRIN																																																																																																																																																																																																					
<i>SEE ALDRIN AND DIELDRIN</i>																																																																																																																																																																																																					
DIFENOCONAZOLE																																																																																																																																																																																																					
DIFENOCONAZOLE																																																																																																																																																																																																					
ASPARAGUS	*0.05																																																																																																																																																																																																				
AVOCADO	0.5																																																																																																																																																																																																				
BANANA	*0.02																																																																																																																																																																																																				
BARLEY	*0.01																																																																																																																																																																																																				
BEETROOT	T0.2																																																																																																																																																																																																				
CARROT	0.2																																																																																																																																																																																																				
EDIBLE OFFAL (MAMMALIAN)	*0.05																																																																																																																																																																																																				
EGGS	*0.05																																																																																																																																																																																																				
MACADAMIA NUTS	*0.01																																																																																																																																																																																																				
MEAT (MAMMALIAN)	*0.05																																																																																																																																																																																																				
MILKS	*0.01																																																																																																																																																																																																				
PARSLEY	T15																																																																																																																																																																																																				
POME FRUITS	0.3																																																																																																																																																																																																				
POTATO	*0.02																																																																																																																																																																																																				
POULTRY MEAT	*0.05																																																																																																																																																																																																				
POULTRY, EDIBLE OFFAL OF	*0.05																																																																																																																																																																																																				
TOMATO	0.5																																																																																																																																																																																																				
WHEAT	*0.01																																																																																																																																																																																																				
DIFLUBENZURON																																																																																																																																																																																																					
DIFLUBENZURON																																																																																																																																																																																																					
CATTLE, EDIBLE OFFAL OF	*0.02																																																																																																																																																																																																				
CATTLE MILK	0.05																																																																																																																																																																																																				
CEREAL GRAINS	T2																																																																																																																																																																																																				
MUSHROOMS	0.1																																																																																																																																																																																																				
SHEEP KIDNEY	0.05																																																																																																																																																																																																				
SHEEP LIVER	0.05																																																																																																																																																																																																				
SHEEP MEAT (IN THE FAT)	0.05																																																																																																																																																																																																				
SHEEP MILK	0.05																																																																																																																																																																																																				
WHEAT BRAN, UNPROCESSED	T5																																																																																																																																																																																																				
DIFLUFENICAN																																																																																																																																																																																																					
DIFLUFENICAN																																																																																																																																																																																																					
BARLEY	0.05																																																																																																																																																																																																				
EDIBLE OFFAL (MAMMALIAN)	0.1																																																																																																																																																																																																				
EGGS	*0.02																																																																																																																																																																																																				
GRAPES	*0.002																																																																																																																																																																																																				
MEAT (MAMMALIAN)	0.01																																																																																																																																																																																																				
MILKS	0.01																																																																																																																																																																																																				
OATS	0.05																																																																																																																																																																																																				
PEAS	0.05																																																																																																																																																																																																				
POULTRY, EDIBLE OFFAL OF	*0.02																																																																																																																																																																																																				
POULTRY MEAT	*0.02																																																																																																																																																																																																				
PULSES	0.05																																																																																																																																																																																																				
RYE	0.05																																																																																																																																																																																																				
TRITICALE	0.05																																																																																																																																																																																																				
WHEAT	0.02																																																																																																																																																																																																				
DIMETHIPIN																																																																																																																																																																																																					
DIMETHIPIN																																																																																																																																																																																																					
COTTON SEED	0.5																																																																																																																																																																																																				
COTTON SEED OIL, CRUDE	*0.1																																																																																																																																																																																																				
COTTON SEED OIL, REFINED	*0.1																																																																																																																																																																																																				
EDIBLE OFFAL (MAMMALIAN)	*0.01																																																																																																																																																																																																				
EGGS	*0.02																																																																																																																																																																																																				
MEAT (MAMMALIAN)	*0.01																																																																																																																																																																																																				
MILKS	*0.01																																																																																																																																																																																																				
POULTRY, EDIBLE OFFAL OF	*0.01																																																																																																																																																																																																				
POULTRY MEAT	*0.01																																																																																																																																																																																																				
DIMETHIRIMOL																																																																																																																																																																																																					
DIMETHIRIMOL																																																																																																																																																																																																					
FRUITING VEGETABLES, CUCURBITS	1																																																																																																																																																																																																				
DIMETHOATE																																																																																																																																																																																																					
SUM OF DIMETHOATE AND OMETHOATE, EXPRESSED AS DIMETHOATE <i>SEE ALSO OMETHOATE</i>																																																																																																																																																																																																					
CEREAL GRAINS	*0.05																																																																																																																																																																																																				
CHERVIL	T2																																																																																																																																																																																																				
EDIBLE OFFAL (MAMMALIAN)	*0.05																																																																																																																																																																																																				
EGGS	*0.05																																																																																																																																																																																																				
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	5																																																																																																																																																																																																				
FRUITING VEGETABLES, CUCURBITS	5																																																																																																																																																																																																				
GALANGAL, RHIZOMES	T2																																																																																																																																																																																																				
HERBS	T2																																																																																																																																																																																																				
LITCHI	5																																																																																																																																																																																																				
LUPIN (DRY)	0.5																																																																																																																																																																																																				
MANGO	1																																																																																																																																																																																																				
MEAT (MAMMALIAN)	*0.05																																																																																																																																																																																																				
MILKS	*0.05																																																																																																																																																																																																				
MIZUNA	T2																																																																																																																																																																																																				
OILSEED [EXCEPT PEANUT]	0.1																																																																																																																																																																																																				
PEACHES	3																																																																																																																																																																																																				
PEANUT	*0.05																																																																																																																																																																																																				
PEPPERS, SWEET	2																																																																																																																																																																																																				
POULTRY, EDIBLE OFFAL OF	*0.05																																																																																																																																																																																																				
POULTRY MEAT	*0.05																																																																																																																																																																																																				
QUANDONG	T5																																																																																																																																																																																																				
RUCOLA (ROCKET)	T2																																																																																																																																																																																																				
STRAWBERRY	5																																																																																																																																																																																																				
TOMATO	2																																																																																																																																																																																																				
TURMERIC, ROOT	T2																																																																																																																																																																																																				
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2																																																																																																																																																																																																				

SCHEDULE 1

Maximum Residue Limits

DIMETHOMORPH			
SUM OF E AND Z ISOMERS OF DIMETHOMORPH			
EDIBLE OFFAL (MAMMALIAN)	*0.01	FRUIT	*0.05
FRUITING VEGETABLES, CUCURBITS	0.5	LINSEED	*0.01
GRAPES	2	MAIZE	0.1
LEAFY VEGETABLES [EXCEPT LETTUCE HEAD]	T2	MEAT (MAMMALIAN)	*0.05
LEEK	0.5	MILKS	*0.01
LETTUCE, HEAD	0.3	OATS	5
MEAT (MAMMALIAN)	*0.01	OILSEED [EXCEPT LINSEED]	5
MILKS	*0.01	ONION, BULB	0.1
ONION, BULB	0.05	PEAS	0.1
POPPY SEED	*0.02	POTATO	0.2
POTATO	*0.02	POULTRY, EDIBLE OFFAL OF	*0.05
SHALLOT	T0.5	POULTRY MEAT	*0.05
SPRING ONION	T0.5	PULSES	1
DIMETRIDAZOLE		RICE	5
DIMETRIDAZOLE		RICE, POLISHED	1
PIG, EDIBLE OFFAL OF	*0.005	RYE	2
PIG MEAT	*0.005	SORGHUM	2
POULTRY, EDIBLE OFFAL OF	*0.005	SUGAR BEET	0.1
POULTRY MEAT	*0.005	SUGAR CANE	*0.05
DINITOLMIDE		TREE NUTS	*0.05
SUM OF DINITOLMIDE AND ITS METABOLITE 3- AMINO-5-NITRO-O-TOLUAMIDE, EXPRESSED AS DINITOLMIDE EQUIVALENTS		TRITICALE	2
POULTRY, EDIBLE OFFAL OF	6	VEGETABLE OILS, CRUDE	1
POULTRY FATS	2	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.05
POULTRY MEAT	3	WHEAT	2
DINITRO-O-TOLUAMIDE		DISULFOTON	
SEE DINITOLMIDE		SUM OF DISULFOTON AND DEMETON-S AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS DISULFOTON	
DIPHENYLAMINE		COTTON SEED	0.5
DIPHENYLAMINE		EDIBLE OFFAL (MAMMALIAN)	0.02
APPLE	10	EGGS	*0.02
EDIBLE OFFAL (MAMMALIAN) [EXCEPT LIVER]	*0.01	HOPS, DRY	0.5
EGGS	0.05	MEAT (MAMMALIAN)	0.02
LIVER OF CATTLE, GOATS, PIGS AND SHEEP	0.05	MILKS	0.01
MEAT (MAMMALIAN) (IN THE FAT)	*0.01	POTATO	0.5
MILKS (IN THE FAT)	*0.01	POULTRY, EDIBLE OFFAL OF	*0.02
PEAR	7	POULTRY MEAT	*0.02
POULTRY, EDIBLE OFFAL OF	*0.01	VEGETABLES	0.5
POULTRY MEAT (IN THE FAT)	*0.01	DITHIANON	
DIQUAT		DITHIANON	
DIQUAT CATION		FRUIT	2
BARLEY	5	DITHIOCARBAMATES	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	1	TOTAL DITHIOCARBAMATES, DETERMINED AS CARBON DISULPHIDE EVOLVED DURING ACID DIGESTION AND EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER KILOGRAM OF FOOD	
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	1	ALMONDS	3
EDIBLE OFFAL (MAMMALIAN)	*0.05	ASPARAGUS	T1
EGGS	*0.01	BANANA	2
		BEANS (DRY)	0.5
		BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	2
		BETROOT	1

SCHEDULE 1

Maximum Residue Limits

BERRIES AND OTHER SMALL FRUITS(EXCEPT STRAWBERRIES)	T10	SWEDE	T1
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	2	TREE TOMATO	T5
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	2	TURNIP, GARDEN	T1
BULB VEGETABLES [EXCEPT GARLIC AND ONION, BULB]	T10	WALNUTS	T*0.2
CARROT	1	WASABI	T2
CELERY	5	DIURON	
CEREAL GRAINS	0.5	SUM OF DIURON AND 3,4- DICHLOROANILINE, EXPRESSED AS DIURON	
CITRUS FRUITS	0.2	ASPARAGUS	2
COCONUT	5	CATTLE, EDIBLE OFFAL OF	3
COFFEE BEANS	5	CATTLE MEAT	0.1
COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	2	CATTLE MILK	0.1
COTTON SEED	10	CEREAL GRAINS	0.1
CUSTARD APPLE	5	COTTON SEED OIL, CRUDE	0.5
EDIBLE OFFAL (MAMMALIAN)	2	COTTON SEED OIL, CRUDE	0.5
EGGS	*0.5	FIELD PEA (DRY)	*0.05
FIG	3	FRUIT	0.5
FRUITING VEGETABLES, CUCURBITS	2	OILSEED	0.5
FRUITING VEGETABLES, OTHER THAN CUCURBITS [EXCEPT ROSELLE]	3	PINEAPPLE	0.5
GARLIC	4	SUGAR CANE	0.2
HOPS	T10	DODINE	
LEAFY VEGETABLES	5	DODINE	
LITCHI	T5	POME FRUITS	5
MACADAMIA NUTS	*0.2	STONE FRUITS	*0.05
MANGO	1	DORAMECTIN	
MEAT (MAMMALIAN)	*0.5	DORAMECTIN	
MILKS	*0.2	CATTLE, EDIBLE OFFAL OF	0.1
ONION, BULB	4	CATTLE FAT	0.1
PAPAYA (PAWPAW)	5	CATTLE MEAT	0.01
PARSLEY	5	CATTLE MILK	0.05
PARSNIP	T1	PIG KIDNEY	0.03
PASSIONFRUIT (INCLUDING GRANADILLA)	3	PIG LIVER	0.05
PEANUT	0.2	PIG MEAT (IN THE FAT)	0.1
PEAS (PODS AND SUCCULENT, IMMATURE SEEDS)	2	SHEEP, EDIBLE OFFAL OF	0.05
PERSIMMON, JAPANESE	3	SHEEP FAT	0.1
PISTACHIO NUT	T3	SHEEP MEAT	0.02
POME FRUITS	3	2,2-DPA	
POMEGRANATE	3	2,2-DICHLOROPROPIONIC ACID	
POPPY SEED	*0.2	AVOCADO	*0.1
POTATO	1	BANANA	*0.1
POULTRY MEAT	*0.5	CEREAL GRAINS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.5	CITRUS FRUITS	*0.1
PULSES	0.5	COTTON SEED	*0.1
RADISH	T1	CURRENTS, BLACK, RED, WHITE	15
RHUBARB	2	EDIBLE OFFAL (MAMMALIAN)	0.2
ROSELLE (ROSELLA)	5	GRAPES	3
STONE FRUITS	3	MEAT (MAMMALIAN)	0.2
STRAWBERRY	3	MILKS	*0.1
SUNFLOWER SEED	T*0.05	PAPAYA (PAWPAW)	*0.1
		PECAN	*0.1
		PINEAPPLE	*0.1
		POME FRUITS	*0.1
		STONE FRUITS	1
		SUGAR CANE	*0.1
		SUNFLOWER SEED	*0.1

SCHEDULE 1

Maximum Residue Limits

VEGETABLES	*0.1	ROOT AND TUBER VEGETABLES	0.5
EDC		STALK AND STEM VEGETABLES	1
<i>SEE ETHYLENE DICHLORIDE</i>		STRAWBERRY	T0.5
		TEA, GREEN, BLACK	T30
		TREE NUTS	0.05
EMAMECTIN		ENDOTHAL	
EMAMECTIN B1A, PLUS ITS 8,9-Z ISOMER AND EMAMECTIN B1B, PLUS ITS 8,9-Z ISOMER		ENDOTHAL	
BERGAMOT	T0.05	COTTON SEED	0.1
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD CABBAGES	0.02	POTATO	0.1
BURNET, SALAD	T0.05	ENILCONAZOLE	
CHERVIL	T0.05	<i>SEE IMAZALIL</i>	
CORIANDER (LEAVES, STEM, ROOTS)	T0.05	EPOXICONAZOLE	
CORIANDER, SEED	T0.05	EPOXICONAZOLE	
COTTON SEED	0.005	AVOCADO	0.5
DILL, SEED	T0.05	BANANA	1
EDIBLE OFFAL (MAMMALIAN)	0.01	BARLEY	0.5
FENNEL, SEED	T0.05	EDIBLE OFFAL (MAMMALIAN)	0.05
GRAPES	*0.002	EGGS	*0.01
HERBS	T0.05	MEAT (MAMMALIAN)	*0.01
KAFFIR LIME LEAVES	T0.05	MILKS	*0.005
LEMON GRASS	T0.05	POULTRY, EDIBLE OFFAL OF	*0.01
LEMON VERBENA (FRESH WEIGHT)	T0.05	POULTRY MEAT (IN THE FAT)	*0.01
LETTUCE, HEAD	0.2	WHEAT	0.05
LETTUCE, LEAF	0.2	WHEAT BRAN, UNPROCESSED	0.3
MEAT (MAMMALIAN)	*0.002	WHEAT GERM	0.2
MILKS	*0.0005	EPRINOMECTIN	
MIZUNA	T0.05	EPRINOMECTIN B1A	
PEPPERS, SWEET	0.01	CATTLE, EDIBLE OFFAL OF	2
RUCOLA (ROCKET)	T0.05	CATTLE FAT	0.5
TOMATO	0.01	CATTLE MILK	0.03
ENDOSULFAN		CATTLE MEAT	0.1
SUM OF A- AND B- ENDOSULFAN AND ENDOSULFAN SULPHATE		DEER, EDIBLE OFFAL OF	2
ASSORTED TROPICAL AND SUB- TROPICAL FRUITS – INEDIBLE PEEL	2	DEER MEAT	0.1
BROCCOLI	1	EPTC	
CABBAGES, HEAD	1	EPTC	
CAULIFLOWER	1	CEREAL GRAINS	*0.04
CEREAL GRAINS	0.1	EDIBLE OFFAL (MAMMALIAN)	*0.1
CITRUS FRUITS	0.3	EGGS	*0.01
EDIBLE OFFAL (MAMMALIAN)	0.2	MEAT (MAMMALIAN)	*0.1
EGGS	0.02	MILKS	*0.1
FRUITING VEGETABLES, CUCURBITS	1	OILSEED	0.1
FRUITING VEGETABLES, OTHER THAN CUCURBITS	1	POULTRY, EDIBLE OFFAL OF	*0.05
MEAT (MAMMALIAN) (IN THE FAT)	0.2	POULTRY MEAT	*0.05
MILKS	0.02	VEGETABLES	*0.04
OILSEED	1	ERYTHROMYCIN	
POME FRUITS	1	INHIBITORY SUBSTANCE, IDENTIFIED AS ERYTHROMYCIN	
POULTRY, EDIBLE OFFAL OF	*0.01	EDIBLE OFFAL (MAMMALIAN)	*0.3
POULTRY MEAT (IN THE FAT)	0.05	MEAT (MAMMALIAN)	*0.3
PULSES	*0.1	MILKS	*0.04
		POULTRY, EDIBLE OFFAL OF	*0.3

SCHEDULE 1

Maximum Residue Limits

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">POULTRY MEAT</td> <td style="text-align: right;">*0.3</td> </tr> <tr> <td style="text-align: center;">ESFENVALERATE <i>SEE FENVALERATE</i></td> <td></td> </tr> <tr> <td style="text-align: center;">ETHAMETSULFURON METHYL ETHAMETSULFURON METHYL</td> <td></td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>EGGS</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>LUPIN (DRY)</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>MEAT (MAMMALIAN)</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>MILKS</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>POULTRY, EDIBLE OFFAL OF</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>POULTRY MEAT</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td style="text-align: center;">ETHEPHON ETHEPHON</td> <td></td> </tr> <tr> <td>APPLE</td> <td style="text-align: right;">1</td> </tr> <tr> <td>BARLEY</td> <td style="text-align: right;">1</td> </tr> <tr> <td>CHERRIES</td> <td style="text-align: right;">15</td> </tr> <tr> <td>COTTON SEED</td> <td style="text-align: right;">2</td> </tr> <tr> <td>COTTON SEED OIL, CRUDE</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td>CURRANT, BLACK</td> <td style="text-align: right;">1</td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">0.2</td> </tr> <tr> <td>EGGS</td> <td style="text-align: right;">*0.2</td> </tr> <tr> <td>GRAPES</td> <td style="text-align: right;">10</td> </tr> <tr> <td>KIWIFRUIT</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>MACADAMIA NUTS</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td>MANDARINS</td> <td style="text-align: right;">2</td> </tr> <tr> <td>MANGO</td> <td style="text-align: right;">T10</td> </tr> <tr> <td>MEAT (MAMMALIAN)</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>MILKS</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>NECTARINE</td> <td style="text-align: right;">0.01</td> </tr> <tr> <td>OLIVES</td> <td style="text-align: right;">T5</td> </tr> <tr> <td>ORANGES, SWEET, SOUR</td> <td style="text-align: right;">2</td> </tr> <tr> <td>PEACH</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>PINEAPPLE</td> <td style="text-align: right;">2</td> </tr> <tr> <td>POULTRY, EDIBLE OFFAL OF</td> <td style="text-align: right;">*0.2</td> </tr> <tr> <td>POULTRY MEAT</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td>SUGAR CANE</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>SUGAR CANE MOLASSES</td> <td style="text-align: right;">7</td> </tr> <tr> <td>TOMATO</td> <td style="text-align: right;">2</td> </tr> <tr> <td>WALNUTS</td> <td style="text-align: right;">T0.5</td> </tr> <tr> <td>WHEAT</td> <td style="text-align: right;">T1</td> </tr> <tr> <td style="text-align: center;">ETHION ETHION</td> <td></td> </tr> <tr> <td>CATTLE, EDIBLE OFFAL OF</td> <td style="text-align: right;">2.5</td> </tr> <tr> <td>CATTLE MEAT (IN THE FAT)</td> <td style="text-align: right;">2.5</td> </tr> <tr> <td>CITRUS FRUITS</td> <td style="text-align: right;">1</td> </tr> <tr> <td>COTTON SEED</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>COTTON SEED OIL, CRUDE</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>GRAPES</td> <td style="text-align: right;">2</td> </tr> <tr> <td>MILKS (IN THE FAT)</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>POME FRUITS</td> <td style="text-align: right;">1</td> </tr> <tr> <td>STONE FRUITS</td> <td style="text-align: right;">1</td> </tr> <tr> <td>TEA, GREEN, BLACK</td> <td style="text-align: right;">5</td> </tr> </table>	POULTRY MEAT	*0.3	ESFENVALERATE <i>SEE FENVALERATE</i>		ETHAMETSULFURON METHYL ETHAMETSULFURON METHYL		EDIBLE OFFAL (MAMMALIAN)	*0.02	EGGS	*0.02	LUPIN (DRY)	*0.02	MEAT (MAMMALIAN)	*0.02	MILKS	*0.02	POULTRY, EDIBLE OFFAL OF	*0.02	POULTRY MEAT	*0.02	ETHEPHON ETHEPHON		APPLE	1	BARLEY	1	CHERRIES	15	COTTON SEED	2	COTTON SEED OIL, CRUDE	*0.1	CURRANT, BLACK	1	EDIBLE OFFAL (MAMMALIAN)	0.2	EGGS	*0.2	GRAPES	10	KIWIFRUIT	0.1	MACADAMIA NUTS	*0.1	MANDARINS	2	MANGO	T10	MEAT (MAMMALIAN)	0.1	MILKS	0.1	NECTARINE	0.01	OLIVES	T5	ORANGES, SWEET, SOUR	2	PEACH	0.5	PINEAPPLE	2	POULTRY, EDIBLE OFFAL OF	*0.2	POULTRY MEAT	*0.1	SUGAR CANE	0.5	SUGAR CANE MOLASSES	7	TOMATO	2	WALNUTS	T0.5	WHEAT	T1	ETHION ETHION		CATTLE, EDIBLE OFFAL OF	2.5	CATTLE MEAT (IN THE FAT)	2.5	CITRUS FRUITS	1	COTTON SEED	0.1	COTTON SEED OIL, CRUDE	0.05	GRAPES	2	MILKS (IN THE FAT)	0.5	POME FRUITS	1	STONE FRUITS	1	TEA, GREEN, BLACK	5	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">ETHOFUMESATE ETHOFUMESATE</td> <td></td> </tr> <tr> <td>BEETROOT</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>BULB VEGETABLES</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td>CHARD (SILVER BEET)</td> <td style="text-align: right;">1</td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>MEAT (MAMMALIAN) (IN THE FAT)</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>MILKS (IN THE FAT)</td> <td style="text-align: right;">0.2</td> </tr> <tr> <td>POPPY SEED</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td style="text-align: center;">ETHOPABATE ETHOPABATE</td> <td></td> </tr> <tr> <td>POULTRY, EDIBLE OFFAL OF</td> <td style="text-align: right;">15</td> </tr> <tr> <td>POULTRY MEAT</td> <td style="text-align: right;">5</td> </tr> <tr> <td style="text-align: center;">ETHOPROPHOS ETHOPROPHOS</td> <td></td> </tr> <tr> <td>BANANA</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>CEREAL GRAINS</td> <td style="text-align: right;">*0.005</td> </tr> <tr> <td>CUSTARD APPLE</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>LITCHI</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>POTATO</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>SUGAR CANE</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td>SWEET POTATO</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>TOMATO</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td style="text-align: center;">ETHOXYQUIN ETHOXYQUIN</td> <td></td> </tr> <tr> <td>APPLE</td> <td style="text-align: right;">3</td> </tr> <tr> <td>PEAR</td> <td style="text-align: right;">3</td> </tr> <tr> <td style="text-align: center;">ETHOXSULFURON <i>COMMODITIES OF PLANT ORIGIN: ETHOXSULFURON</i> <i>COMMODITIES OF ANIMAL ORIGIN: 2-AMINO-4, 6-DIMETHOXPYRIMIDINE, EXPRESSED AS</i> ETHOXSULFURON</td> <td></td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">T*0.05</td> </tr> <tr> <td>MEAT (MAMMALIAN)</td> <td style="text-align: right;">T*0.05</td> </tr> <tr> <td>MILKS</td> <td style="text-align: right;">T*0.01</td> </tr> <tr> <td>SUGAR CANE</td> <td style="text-align: right;">T*0.01</td> </tr> <tr> <td style="text-align: center;">ETHYL FORMATE ETHYL FORMATE</td> <td></td> </tr> <tr> <td>DRIED FRUITS</td> <td style="text-align: right;">1</td> </tr> <tr> <td style="text-align: center;">ETHYLENE DICHLORIDE (EDC) 1,2-DICHLOROETHANE</td> <td></td> </tr> <tr> <td>CEREAL GRAINS</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td style="text-align: center;">ETOXAZOLE ETOXAZOLE</td> <td></td> </tr> <tr> <td>APPLE</td> <td style="text-align: right;">0.2</td> </tr> <tr> <td>COTTON SEED</td> <td style="text-align: right;">0.2</td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td>EGGS</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td>GRAPES</td> <td style="text-align: right;">T0.5</td> </tr> <tr> <td>MEAT (MAMMALIAN) (IN THE FAT)</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>MILKS</td> <td style="text-align: right;">*0.01</td> </tr> </table>	ETHOFUMESATE ETHOFUMESATE		BEETROOT	0.1	BULB VEGETABLES	*0.1	CHARD (SILVER BEET)	1	EDIBLE OFFAL (MAMMALIAN)	0.5	MEAT (MAMMALIAN) (IN THE FAT)	0.5	MILKS (IN THE FAT)	0.2	POPPY SEED	*0.02	ETHOPABATE ETHOPABATE		POULTRY, EDIBLE OFFAL OF	15	POULTRY MEAT	5	ETHOPROPHOS ETHOPROPHOS		BANANA	*0.05	CEREAL GRAINS	*0.005	CUSTARD APPLE	*0.02	LITCHI	*0.02	POTATO	*0.02	SUGAR CANE	*0.1	SWEET POTATO	*0.02	TOMATO	*0.01	ETHOXYQUIN ETHOXYQUIN		APPLE	3	PEAR	3	ETHOXSULFURON <i>COMMODITIES OF PLANT ORIGIN: ETHOXSULFURON</i> <i>COMMODITIES OF ANIMAL ORIGIN: 2-AMINO-4, 6-DIMETHOXPYRIMIDINE, EXPRESSED AS</i> ETHOXSULFURON		EDIBLE OFFAL (MAMMALIAN)	T*0.05	MEAT (MAMMALIAN)	T*0.05	MILKS	T*0.01	SUGAR CANE	T*0.01	ETHYL FORMATE ETHYL FORMATE		DRIED FRUITS	1	ETHYLENE DICHLORIDE (EDC) 1,2-DICHLOROETHANE		CEREAL GRAINS	*0.1	ETOXAZOLE ETOXAZOLE		APPLE	0.2	COTTON SEED	0.2	EDIBLE OFFAL (MAMMALIAN)	*0.01	EGGS	*0.01	GRAPES	T0.5	MEAT (MAMMALIAN) (IN THE FAT)	*0.02	MILKS	*0.01
POULTRY MEAT	*0.3																																																																																																																																																																																		
ESFENVALERATE <i>SEE FENVALERATE</i>																																																																																																																																																																																			
ETHAMETSULFURON METHYL ETHAMETSULFURON METHYL																																																																																																																																																																																			
EDIBLE OFFAL (MAMMALIAN)	*0.02																																																																																																																																																																																		
EGGS	*0.02																																																																																																																																																																																		
LUPIN (DRY)	*0.02																																																																																																																																																																																		
MEAT (MAMMALIAN)	*0.02																																																																																																																																																																																		
MILKS	*0.02																																																																																																																																																																																		
POULTRY, EDIBLE OFFAL OF	*0.02																																																																																																																																																																																		
POULTRY MEAT	*0.02																																																																																																																																																																																		
ETHEPHON ETHEPHON																																																																																																																																																																																			
APPLE	1																																																																																																																																																																																		
BARLEY	1																																																																																																																																																																																		
CHERRIES	15																																																																																																																																																																																		
COTTON SEED	2																																																																																																																																																																																		
COTTON SEED OIL, CRUDE	*0.1																																																																																																																																																																																		
CURRANT, BLACK	1																																																																																																																																																																																		
EDIBLE OFFAL (MAMMALIAN)	0.2																																																																																																																																																																																		
EGGS	*0.2																																																																																																																																																																																		
GRAPES	10																																																																																																																																																																																		
KIWIFRUIT	0.1																																																																																																																																																																																		
MACADAMIA NUTS	*0.1																																																																																																																																																																																		
MANDARINS	2																																																																																																																																																																																		
MANGO	T10																																																																																																																																																																																		
MEAT (MAMMALIAN)	0.1																																																																																																																																																																																		
MILKS	0.1																																																																																																																																																																																		
NECTARINE	0.01																																																																																																																																																																																		
OLIVES	T5																																																																																																																																																																																		
ORANGES, SWEET, SOUR	2																																																																																																																																																																																		
PEACH	0.5																																																																																																																																																																																		
PINEAPPLE	2																																																																																																																																																																																		
POULTRY, EDIBLE OFFAL OF	*0.2																																																																																																																																																																																		
POULTRY MEAT	*0.1																																																																																																																																																																																		
SUGAR CANE	0.5																																																																																																																																																																																		
SUGAR CANE MOLASSES	7																																																																																																																																																																																		
TOMATO	2																																																																																																																																																																																		
WALNUTS	T0.5																																																																																																																																																																																		
WHEAT	T1																																																																																																																																																																																		
ETHION ETHION																																																																																																																																																																																			
CATTLE, EDIBLE OFFAL OF	2.5																																																																																																																																																																																		
CATTLE MEAT (IN THE FAT)	2.5																																																																																																																																																																																		
CITRUS FRUITS	1																																																																																																																																																																																		
COTTON SEED	0.1																																																																																																																																																																																		
COTTON SEED OIL, CRUDE	0.05																																																																																																																																																																																		
GRAPES	2																																																																																																																																																																																		
MILKS (IN THE FAT)	0.5																																																																																																																																																																																		
POME FRUITS	1																																																																																																																																																																																		
STONE FRUITS	1																																																																																																																																																																																		
TEA, GREEN, BLACK	5																																																																																																																																																																																		
ETHOFUMESATE ETHOFUMESATE																																																																																																																																																																																			
BEETROOT	0.1																																																																																																																																																																																		
BULB VEGETABLES	*0.1																																																																																																																																																																																		
CHARD (SILVER BEET)	1																																																																																																																																																																																		
EDIBLE OFFAL (MAMMALIAN)	0.5																																																																																																																																																																																		
MEAT (MAMMALIAN) (IN THE FAT)	0.5																																																																																																																																																																																		
MILKS (IN THE FAT)	0.2																																																																																																																																																																																		
POPPY SEED	*0.02																																																																																																																																																																																		
ETHOPABATE ETHOPABATE																																																																																																																																																																																			
POULTRY, EDIBLE OFFAL OF	15																																																																																																																																																																																		
POULTRY MEAT	5																																																																																																																																																																																		
ETHOPROPHOS ETHOPROPHOS																																																																																																																																																																																			
BANANA	*0.05																																																																																																																																																																																		
CEREAL GRAINS	*0.005																																																																																																																																																																																		
CUSTARD APPLE	*0.02																																																																																																																																																																																		
LITCHI	*0.02																																																																																																																																																																																		
POTATO	*0.02																																																																																																																																																																																		
SUGAR CANE	*0.1																																																																																																																																																																																		
SWEET POTATO	*0.02																																																																																																																																																																																		
TOMATO	*0.01																																																																																																																																																																																		
ETHOXYQUIN ETHOXYQUIN																																																																																																																																																																																			
APPLE	3																																																																																																																																																																																		
PEAR	3																																																																																																																																																																																		
ETHOXSULFURON <i>COMMODITIES OF PLANT ORIGIN: ETHOXSULFURON</i> <i>COMMODITIES OF ANIMAL ORIGIN: 2-AMINO-4, 6-DIMETHOXPYRIMIDINE, EXPRESSED AS</i> ETHOXSULFURON																																																																																																																																																																																			
EDIBLE OFFAL (MAMMALIAN)	T*0.05																																																																																																																																																																																		
MEAT (MAMMALIAN)	T*0.05																																																																																																																																																																																		
MILKS	T*0.01																																																																																																																																																																																		
SUGAR CANE	T*0.01																																																																																																																																																																																		
ETHYL FORMATE ETHYL FORMATE																																																																																																																																																																																			
DRIED FRUITS	1																																																																																																																																																																																		
ETHYLENE DICHLORIDE (EDC) 1,2-DICHLOROETHANE																																																																																																																																																																																			
CEREAL GRAINS	*0.1																																																																																																																																																																																		
ETOXAZOLE ETOXAZOLE																																																																																																																																																																																			
APPLE	0.2																																																																																																																																																																																		
COTTON SEED	0.2																																																																																																																																																																																		
EDIBLE OFFAL (MAMMALIAN)	*0.01																																																																																																																																																																																		
EGGS	*0.01																																																																																																																																																																																		
GRAPES	T0.5																																																																																																																																																																																		
MEAT (MAMMALIAN) (IN THE FAT)	*0.02																																																																																																																																																																																		
MILKS	*0.01																																																																																																																																																																																		

SCHEDULE 1

Maximum Residue Limits

FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
GRAPES	0.5
LETTUCE, HEAD	0.5
LETTUCE, LEAF	0.5
MEAT (MAMMALIAN)	T*0.05
MILKS (IN THE FAT)	T*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
RICE, POLISHED	0.1
SOYA BEAN (DRY)	0.3
SUGAR CANE	0.02
TEA, GREEN, BLACK	0.5
TOMATO	0.5
TREE NUTS	0.1
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
WHEAT BRAN, UNPROCESSED	20
WHEAT GERM	20
FENOXAPROP-ETHYL	
SUM OF FENOXAPROP-ETHYL (ALL ISOMERS) AND 2-(4-(6-CHLORO-2-BENZOXAZOLYLOXY)PHENOXY)-PROPANOATE AND 6-CHLORO-2,3-DIHYDROBENZOXAZOL-2-ONE, EXPRESSED AS FENOXAPROP-ETHYL	
BARLEY	*0.01
CHICK-PEA (DRY)	*0.01
EDIBLE OFFAL (MAMMALIAN)	0.2
EGGS	*0.02
MEAT (MAMMALIAN)	0.05
MILKS	0.02
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.01
RICE	T*0.02
RYE	*0.01
TRITICALE	*0.01
WHEAT	*0.01
FENOXYCARB	
FENOXYCARB	
CURRANT, BLACK	T2
CURRANT, RED	T2
GOOSEBERRY	T2
OLIVE OIL, VIRGIN	T3
OLIVES	T1
POME FRUITS	2
FENPYROXIMATE	
FENPYROXIMATE	
APPLE	0.3
PEAR	0.3

FENTHION	
SUM OF FENTHION, ITS OXYGEN ANALOGUE, AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS FENTHION	
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – INEDIBLE PEEL	5
CATTLE, EDIBLE OFFAL OF	1
CATTLE MEAT	1
CITRUS FRUITS	2
EGGS	*0.05
FIG	2
FRUITING VEGETABLES, CUCURBITS	3
FRUITING VEGETABLES, OTHER THAN CUCURBITS	5
GRAPES	2
GUAVA	2
MILKS	T0.2
OLIVE OIL, CRUDE	T3
OLIVES	T1
PERSIMMON, JAPANESE	2
PIG, EDIBLE OFFAL OF	0.5
PIG MEAT	0.5
POME FRUITS	2
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SHEEP, EDIBLE OFFAL OF	0.2
SHEEP MEAT	0.2
STONE FRUITS	5
FENTIN	
FENTIN HYDROXIDE, EXCLUDING INORGANIC TIN AND DI- AND MONO-PHENYLTIN	
CACAO BEANS	*0.1
CARROT	0.2
CELERIAC	0.1
CELERY	1
COFFEE BEANS	*0.1
PEANUT	*0.05
PECAN	*0.05
POTATO	0.1
RICE	*0.1
SUGAR BEET	0.2
FENVALERATE	
FENVALERATE, SUM OF ISOMERS	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	1
BRASSICA LEAFY VEGETABLES	1
CEREAL GRAINS	2
CELERY	2
EDIBLE OFFAL (MAMMALIAN)	0.05
EGGS	0.02
GRAPES	*0.05
LEGUME VEGETABLES	0.5
MEAT (MAMMALIAN) (IN THE FAT)	1
MILKS	0.2

SCHEDULE 1

Maximum Residue Limits

OILSEED [EXCEPT PEANUT]	0.5	PECAN	T*0.01
PEANUT	T0.1	PEPPERS, SWEET	T0.1
POME FRUITS	1	POME FRUITS	T*0.01
POULTRY, EDIBLE OFFAL OF	*0.02	POTATO	*0.01
POULTRY MEAT (IN THE FAT)	0.05	POULTRY, EDIBLE OFFAL OF	*0.01
PULSES	0.5	POULTRY MEAT (IN THE FAT)	0.02
STONE FRUITS	1	RAPE SEED	*0.01
STRAWBERRY	1	RICE	*0.005
SWEET CORN (CORN-ON-THE-COB)	0.05	RUCOLA (ROCKET)	T0.1
TOMATO	0.2	SORGHUM	0.01
WHEAT BRAN, UNPROCESSED	5	STONE FRUITS	*T0.1
FIPRONIL		SUGAR CANE	*0.01
SUM OF FIPRONIL, THE SULPHENYL METABOLITE (5-AMINO-1-[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-4-[(TRIFLUOROMETHYL)SULPHENYL]-1H-PYRAZOLE-3-CARBONITRILE),		SUNFLOWER SEED	*0.01
THE SULPHONYL METABOLITE (5-AMINO-1-[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-4-[(TRIFLUOROMETHYL)SULPHONYL]-1H-PYRAZOLE-3-CARBONITRILE), AND THE TRIFLUOROMETHYL METABOLITE (5-AMINO-4-TRIFLUOROMETHYL-1-[2,6-DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-1H-PYRAZOLE-3-CARBONITRILE)		SWEDE	0.1
ASPARAGUS	0.2	SWEET POTATO	T*0.01
ASSORTED TROPICAL AND SUB-TROPICAL FRUIT – INEDIBLE PEEL [EXCEPT BANANA]	T*0.01	TURNIP, GARDEN	0.1
BANANA	0.01	WINE GRAPES	*0.01
BERGAMOT	T0.1	FLAMPROP-METHYL	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	T0.05	FLAMPROP-METHYL	
BURNET, SALAD	T0.1	EDIBLE OFFAL (MAMMALIAN)	*0.01
CHERVIL	T0.1	LUPIN (DRY)	0.05
CITRUS FRUITS	T*0.01	MEAT (MAMMALIAN)	*0.01
CORIANDER (LEAVES, STEM, ROOTS)	T0.1	MILKS	*0.01
CORIANDER, SEED	T0.1	SAFFLOWER SEED	*0.05
COTTON SEED	*0.01	TRITICALE	0.05
COTTON SEED OIL, CRUDE	*0.01	WHEAT	0.05
DILL, SEED	T0.1	FLAMPROP-M-METHYL	
EDIBLE OFFAL (MAMMALIAN)	0.02	SEE FLAMPROP-METHYL	
EGGS	0.02	FLAVOPHOSPHOLIPOL	
FENNEL, SEED	T0.1	FLAVOPHOSPHOLIPOL	
GINGER, ROOT	*0.01	CATTLE FAT	*0.01
HERBS	T0.1	CATTLE KIDNEY	*0.01
HONEY	T0.05	CATTLE LIVER	*0.01
KAFFIR LIME LEAVES	T0.1	CATTLE MEAT	*0.01
LEMON GRASS	T0.1	CATTLE MILK	T*0.01
LEMON VERBENA (FRESH WEIGHT)	T0.1	EGGS	*0.02
MEAT (MAMMALIAN) (IN THE FAT)	0.1	FLORASULAM	
MILKS	0.01	FLORASULAM	
MIZUNA	T0.1	CEREAL GRAINS	T*0.01
MUSHROOMS	0.02	FLORFENICOL	
PEANUT	T*0.01	SUM OF FLORFENICOL AND ITS METABOLITES	
PEANUT OIL, CRUDE	T*0.01	FLORFENICOL ALCOHOL, FLORFENICOL OXAMIC ACID, MONOCHLOROFORFENICOL AND FLORFENICOL AMINE EXPRESSED AS FLORFENICOL AMINE	
		CATTLE KIDNEY	0.5
		CATTLE LIVER	3
		CATTLE MEAT	0.3
		PIG FAT/SKIN	1
		PIG KIDNEY	1
		PIG LIVER	3
		PIG MEAT	0.5

SCHEDULE 1

Maximum Residue Limits

FLUAZIFOP-BUTYL FLUAZIFOP-BUTYL	
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – INEDIBLE PEEL [EXCEPT AVOCADO AND BANANA]	0.05
AVOCADO	*0.02
BANANA	*0.02
BERRIES AND OTHER SMALL FRUITS	0.2
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	1
CARROT	0.1
CELERY	*0.02
CITRUS FRUITS	*0.02
COFFEE BEANS	T1
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGG PLANT	T0.1
EGGS	*0.05
ENDIVE	0.05
FRUITING VEGETABLES, CUCURBITS	0.1
GARLIC	0.05
GINGER, ROOT	0.05
HERBS	T1
HOPS, DRY	0.05
LEEK	T0.5
LEGUME VEGETABLES	0.1
LETTUCE, HEAD	0.05
LETTUCE, LEAF	0.05
LUPIN (DRY)	0.1
MEAT (MAMMALIAN)	*0.05
MILKS	0.1
OILSEED	0.5
OLIVES	T0.05
ONION, BULB	0.05
PARSNIP	T0.1
PEPPERS, SWEET	*0.02
POME FRUITS	*0.01
POTATO	0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PULSES	0.5
RHUBARB	*0.02
SHALLOT	0.05
SPRING ONION	0.05
STONE FRUITS	0.05
SUGAR CANE	T*0.1
SWEET POTATO	T0.1
TOMATO	0.1
FLUAZIFOP-P-BUTYL SEE FLUAZIFOP-BUTYL	

FLUAZINAM FLUAZINAM	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	*0.01
POME FRUITS	*0.01
WINE GRAPES	*0.05
FLUAZURON FLUAZURON	
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT (IN THE FAT)	7
FLUCYTHRINATE FLUCYTHRINATE	
COTTON SEED	*0.1
COTTON SEED OIL, CRUDE	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
FLUDIOXONIL <i>COMMODITIES OF ANIMAL ORIGIN: SUM OF FLUDIOXONIL AND OXIDISABLE METABOLITES, EXPRESSED AS FLUDIOXONIL</i> <i>COMMODITIES OF PLANT ORIGIN: FLUDIOXONIL</i>	
EDIBLE OFFAL (MAMMALIAN)	*0.05
COTTON SEED	*0.05
GRAPES	2
MAIZE	*0.02
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
PEAS	T2
POTATO	0.02
RAPE SEED	*0.01
SORGHUM	T*0.05
SUNFLOWER SEED	T*0.02
SWEET CORN (CORN-ON-THE-COB)	*0.02
FLUMETHRIN FLUMETHRIN, SUM OF ISOMERS	
CATTLE, EDIBLE OFFAL OF	0.05
CATTLE MEAT (IN THE FAT)	0.2
HONEY	T*0.005
HORSE, EDIBLE OFFAL OF	0.1
HORSE MEAT	0.1
MILKS	0.05
FLUMETSULAM FLUMETSULAM	
BARLEY	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.2
EGGS	*0.1
GARDEN PEA	*0.1
MAIZE	*0.05

SCHEDULE 1

Maximum Residue Limits

MEAT (MAMMALIAN)	*0.1	MEAT (MAMMALIAN) (IN THE FAT)	*0.1
MILKS	*0.1		
OATS	*0.05		
PEANUT	*0.05		
POULTRY, EDIBLE OFFAL OF	*0.1		
POULTRY MEAT	*0.1		
PULSES	*0.05		
RYE	*0.05		
TRITICALE	*0.05		
WHEAT	*0.05		
FLUMICLORAC PENTYL FLUMICLORAC PENTYL		FLUQUINCONAZOLE FLUQUINCONAZOLE	
COTTON SEED	0.1	EDIBLE OFFAL (MAMMALIAN)	0.2
EDIBLE OFFAL (MAMMALIAN)	*0.01	EGGS	*0.02
EGGS	*0.01	MEAT (MAMMALIAN) (IN THE FAT)	0.5
MEAT (MAMMALIAN)	*0.01	MILKS	*0.02
MILKS	*0.01	POME FRUITS	0.3
POULTRY, EDIBLE OFFAL OF	*0.01	POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.01	POULTRY MEAT (IN THE FAT)	*0.02
		RAPE SEED	*0.01
		WHEAT	*0.02
FLUMIOXAZIN FLUMIOXAZIN		FLUROXYPYR FLUROXYPYR	
CEREAL GRAINS	*0.05	CEREAL GRAINS	0.2
EDIBLE OFFAL (MAMMALIAN)	*0.01	EDIBLE OFFAL (MAMMALIAN) [EXCEPT KIDNEY]	0.1
EGGS	*0.01	EGGS	*0.01
MEAT (MAMMALIAN)	*0.01	KIDNEY (MAMMALIAN)	1
MILKS	*0.01	MEAT (MAMMALIAN) (IN THE FAT)	0.1
POULTRY, EDIBLE OFFAL OF	*0.01	MILKS	0.1
POULTRY MEAT	*0.01	POULTRY, EDIBLE OFFAL OF	*0.05
PULSES	*0.1	POULTRY MEAT	*0.05
		SUGAR CANE (IN THE JUICE)	0.2
		SWEET CORN (CORN-ON-THE-COB)	0.2
FLUNIXIN FLUNIXIN		FLUSILAZOLE FLUSILAZOLE	
CATTLE KIDNEY	0.02	GRAPES	0.5
CATTLE LIVER	0.02	POME FRUITS	0.2
CATTLE MEAT (IN THE FAT)	0.02	SUGAR CANE	*0.02
FLUOMETURON SUM OF FLUOMETURON AND 3- TRIFLUOROMETHYLANILINE, EXPRESSED AS FLUOMETURON		FLUTOLANIL <i>COMMODITIES OF PLANT ORIGIN: FLUTOLANIL</i> <i>COMMODITIES OF ANIMAL ORIGIN: FLUTOLANIL AND</i> <i>METABOLITES HYDROLYSED TO 2-</i> <i>TRIFLUOROMETHYL-BENZOIC ACID AND EXPRESSED</i> <i>AS FLUTOLANIL</i>	
CEREAL GRAINS	*0.1	EDIBLE OFFAL (MAMMALIAN)	*0.05
CITRUS FRUITS	0.5	EGGS	*0.05
COTTON SEED	*0.1	MEAT (MAMMALIAN) (IN THE FAT)	*0.05
PINEAPPLE	*0.1	MILKS	*0.05
		POTATO	0.05
		POULTRY, EDIBLE OFFAL OF	*0.05
		POULTRY MEAT (IN THE FAT)	*0.05
FLUORINE (INORGANIC SALTS) FLUORIDE ION		FLUTRIAFOL FLUTRIAFOL	
CEREAL GRAINS	7	BARLEY	0.2
FRUIT	7	CEREAL GRAINS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	*0.02
VEGETABLES	7	EDIBLE OFFAL (MAMMALIAN)	0.5
FLUPROPANATE FLUPROPANATE		EGGS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.1	GARDEN PEA (YOUNG PODS)	*0.01
		MEAT (MAMMALIAN)	*0.05

SCHEDULE 1

Maximum Residue Limits

MILKS	*0.05	TREE NUTS	0.1
POULTRY, EDIBLE OFFAL OF	*0.05		
POULTRY MEAT	*0.05		
RAPE SEED	*0.02		
FLUVALINATE		GLYPHOSATE	
FLUVALINATE, SUM OF ISOMERS		SUM OF GLYPHOSATE AND AMINOMETHYLPHOSPHONIC ACID (AMPA) METABOLITE, EXPRESSED AS GLYPHOSATE	
APPLE	0.1	ADZUKI BEAN (DRY)	10
ASPARAGUS	0.2	AVOCADO	*0.05
CAULIFLOWER	0.5	BABACO	*0.05
COTTON SEED	0.1	BANANA	0.2
HONEY	T*0.01	BARLEY	10
STONE FRUITS	0.05	BERRIES AND OTHER SMALL FRUITS	*0.05
TABLE GRAPES	0.05	BULB VEGETABLES	*0.1
TOMATO	0.5	CEREAL GRAINS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	T*0.1
FORCHLORFENURON		CITRUS FRUITS	0.5
FORCHLORFENURON		COFFEE BEANS	T0.2
GRAPES	*0.01	COTTON SEED	15
KIWIFRUIT	T*0.01	COTTON SEED OIL, CRUDE	*0.1
FOSETYL ALUMINIUM		COWPEA (DRY)	10
FOSETYL		CUSTARD APPLE	*0.05
APPLE	1	EDIBLE OFFAL (MAMMALIAN)	2
AVOCADO	5	EGGS	*0.05
DURIAN	T5	FIG	*0.05
PEACH	1	FRUITING VEGETABLES, CUCURBITS	*0.1
PINEAPPLE	5	FRUITING VEGETABLES, OTHER THAN CUCURBITS	*0.1
FURATHIACARB		GUAVA	*0.05
<i>SEE CARBOFURAN.</i>		HOPS, DRY	*0.1
RESIDUES ARISING FROM THE USE OF FURATHIACARB ARE COVERED BY MRLS FOR CARBOFURAN		KIWIFRUIT	*0.05
GLUFOSINATE AND GLUFOSINATE-AMMONIUM		LEAFY VEGETABLES	*0.1
SUM OF GLUFOSINATE-AMMONIUM, N-ACETYL GLUFOSINATE AND 3-[HYDROXY(METHYL)- PHOSPHINOYL] PROPIONIC ACID, EXPRESSED AS GLUFOSINATE (FREE ACID)		LEGUME VEGETABLES	*0.1
ASSORTED TROPICAL AND SUB- TROPICAL FRUITS – INEDIBLE PEEL	0.2	LITCHI	0.2
BERRIES AND OTHER SMALL FRUITS	0.1	MANGO	*0.05
CITRUS FRUITS	0.1	MEAT (MAMMALIAN)	*0.1
COFFEE BEANS	T*0.05	MILKS	*0.1
COTTON SEED	3	MONSTERO	*0.05
EDIBLE OFFAL (MAMMALIAN)	5	MUNG BEAN (DRY)	10
EGGS	*0.05	OILSEED [EXCEPT COTTON AND RAPE SEED]	*0.1
MEAT (MAMMALIAN)	0.1	OLIVES	*0.1
MILKS	*0.05	PAPAYA (PAWPAW)	*0.05
OLIVES	*0.1	PASSIONFRUIT	3
POME FRUITS	*0.1	PEANUT	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1	PERSIMMON, AMERICAN	*0.05
POULTRY MEAT	*0.05	PERSIMMON, JAPANESE	*0.05
RAPE SEED	*0.05	POME FRUITS	*0.05
SAFFRON	T*0.05	POULTRY, EDIBLE OFFAL OF	1
STONE FRUITS	*0.05	POULTRY MEAT	*0.1
TOMATO	*0.05	PULSES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	*0.1
		RAPE SEED	2
		ROLLINIA	*0.05
		ROOT AND TUBER VEGETABLES	*0.1
		SAFFRON	T*0.05
		SORGHUM	T10
		SOYA BEAN (DRY)	10

SCHEDULE 1

Maximum Residue Limits

STALK AND STEM VEGETABLES	*0.01	RAPE SEED	0.1
STONE FRUITS	0.2	STONE FRUITS	*0.05
SUGAR CANE	T0.3	SUGAR CANE	T0.03
SUGAR CANE MOLASSES	T5	SUNFLOWER SEED	*0.05
TREE NUTS	0.2	TREE NUTS	*0.05
WHEAT	5		
WHEAT BRAN, UNPROCESSED	20		
GUAZATINE GUAZATINE		HEXACONAZOLE HEXACONAZOLE	
CITRUS FRUITS	5	APPLE	0.1
MELONS [EXCEPT WATERMELON]	10	GRAPES	0.05
TOMATO	5	PEAR	0.1
HALOFUGINONE HALOFUGINONE		HEXAZINONE HEXAZINONE	
CATTLE KIDNEY	T*0.01	EDIBLE OFFAL (MAMMALIAN)	*0.1
CATTLE LIVER	T*0.01	EGGS	*0.05
CATTLE MEAT	T*0.01	MEAT (MAMMALIAN)	*0.1
POULTRY, EDIBLE OFFAL OF	1	MILKS	*0.05
POULTRY MEAT	*0.05	PINEAPPLE	1
		POULTRY, EDIBLE OFFAL OF	*0.05
		POULTRY MEAT	*0.05
		SUGAR CANE	*0.1
HALOSULFURON-METHYL HALOSULFURON-METHYL		HEXYTHIAZOX HEXYTHIAZOX	
COTTON SEED	*0.05	BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	1
EDIBLE OFFAL (MAMMALIAN)	0.2	POME FRUITS	1
MAIZE	*0.05	STONE FRUITS	1
MEAT (MAMMALIAN)	*0.01		
MILKS	*0.01	HYDROGEN PHOSPHIDE <i>SEE PHOSPHINE</i>	
POULTRY, EDIBLE OFFAL	*0.01	IMAZALIL IMAZALIL	
POULTRY MEAT	*0.01	CHICKEN, EDIBLE OFFAL OF	*0.01
SORGHUM	*0.05	CHICKEN MEAT	*0.01
SUGAR CANE	*0.05	CITRUS FRUITS	10
		MELONS [EXCEPT WATERMELON]	10
		POME FRUITS	5
		POTATO	5
HALOXYFOP SUM OF HALOXYFOP, ITS ESTERS AND CONJUGATES, EXPRESSED AS HALOXYFOP		IMAZAMOX IMAZAMOX	
ASSORTED TROPICAL AND SUB- TROPICAL FRUITS – INEDIBLE PEEL	*0.05	ADZUKI BEAN (DRY)	T*0.05
BERRIES AND OTHER SMALL FRUITS	*0.05	BROAD BEANS (DRY) (FAVA BEANS)	T*0.05
CITRUS FRUITS	*0.05	EDIBLE OFFAL (MAMMALIAN)	*0.05
COTTON SEED	0.1	FIELD PEA (DRY)	*0.05
COTTON SEED OIL, CRUDE	0.2	MEAT (MAMMALIAN)	*0.05
EDIBLE OFFAL (MAMMALIAN)	0.5	MILKS	*0.05
EGGS	*0.01	PEANUT	*0.05
GARLIC	T0.05	RAPE SEED	*0.05
LINOLA SEED	0.1	SOYA BEAN (DRY)	*0.05
LINSEED	0.1		
MEAT (MAMMALIAN) (IN THE FAT)	0.02	IMAZAPIC SUM OF IMAZAPIC AND ITS HYDROXYMETHYL DERIVATIVE	
MILKS	0.02	EDIBLE OFFAL (MAMMALIAN)	*0.05
ONION, BULB	T*0.05		
PEANUT	0.05		
PERSIMMON, JAPANESE	*0.05		
POME FRUITS	*0.05		
POULTRY, EDIBLE OFFAL OF	0.05		
POULTRY MEAT (IN THE FAT)	*0.01		
PULSES	0.1		

SCHEDULE 1

Maximum Residue Limits

EGGS	*0.01	EGGS	*0.02
MEAT (MAMMALIAN) (IN THE FAT)	*0.05	FENNEL, BULB	T0.1
MILKS	*0.01	FENNEL, SEED	T5
PEANUT	*0.1	FRUITING VEGETABLES, CUCURBITS	0.2
POULTRY, EDIBLE OFFAL OF	*0.01	FRUITING VEGETABLES , OTHER	0.5
POULTRY MEAT	*0.01	THAN CUCURBITS [EXCEPT SWEET	
RAPE SEED	*0.05	CORN, (CORN-ON-THE-COB)]	
SUGAR CANE	*0.05	GALANGAL, GREATER	T0.05
WHEAT	*0.05	GRAPES	T0.1
IMAZAPYR		HERBS	T5
IMAZAPYR		KAFFIR LIME LEAVES	T5
EDIBLE OFFAL (MAMMALIAN)	*0.05	LEAFY VEGETABLES [EXCEPT	T5
MEAT (MAMMALIAN) (IN THE FAT)	*0.05	LETTUCE, LEAF]	
MAIZE	*0.05	LEMON GRASS	T5
MILKS	*0.01	LEMON VERBENA (FRESH WEIGHT)	T5
RAPE SEED	*0.05	LETTUCE, LEAF	T20
WHEAT	*0.05	LUPIN (DRY)	*0.05
IMAZETHAPYR		MAIZE	0.05
IMAZETHAPYR		MEAT (MAMMALIAN)	0.05
EDIBLE OFFAL (MAMMALIAN)	*0.1	MILKS	0.05
EGGS	*0.1	PERSIMMON, JAPANESE	T1
LEGUME VEGETABLES	*0.1	POTATO	T0.5
MAIZE	*0.05	POULTRY, EDIBLE OFFAL OF	*0.02
MEAT (MAMMALIAN)	*0.1	POULTRY MEAT	*0.02
MILKS	*0.1	RAPE SEED	*0.05
PEANUT	*0.1	ROSE AND DIANTHUS (EDIBLE	T5
POULTRY, EDIBLE OFFAL OF	*0.1	FLOWERS)	
POULTRY MEAT	*0.1	SORGHUM	*0.02
PULSES	*0.1	STONE FRUITS	0.5
IMIDACLOPRID		SUGAR CANE	*0.05
SUM OF IMIDACLOPRID AND METABOLITES		SUNFLOWER SEED	*0.02
CONTAINING THE 6-CHLOROPYRIDINYLMETHYLENE		SWEET CORN (CORN-ON-THE-COB)	*0.02
MOIETY, EXPRESSED AS IMIDACLOPRID		SWEET POTATO	0.05
APPLE	0.3	TURMERIC, ROOT (FRESH)	T0.05
ASSORTED TROPICAL AND SUB-	T1	IMIDOCARB (DIPROPIONATE SALT)	
TROPICAL FRUITS – INEDIBLE		IMIDOCARB	
PEEL [EXCEPT BANANA]		CATTLE, EDIBLE OFFAL OF	5
BANANA	0.5	CATTLE MEAT	1
BERGAMOT	T5	CATTLE MILK	0.2
BRASSICA (COLE OR CABBAGE)	0.5	INDOXACARB	
VEGETABLES, HEAD CABBAGES,		INDOXACARB	
FLOWERHEAD BRASSICAS		ADZUKI BEAN (DRY)	T0.2
BURNET, SALAD	T5	BRASSICA (COLE OR CABBAGE)	2
CELERY	0.3	VEGETABLES, HEAD CABBAGES	
CEREAL GRAINS [EXCEPT MAIZE	*0.05	AND FLOWERHEAD BRASSICAS	
AND SORGHUM]		CHICK-PEA	0.2
CITRUS FRUITS	2	COTTON SEED	1
COMMON BEAN (PODS AND/OR	T1	DRIED GRAPES	2
IMMATURE SEEDS)		EDIBLE OFFAL (MAMMALIAN)	*0.01
CORIANDER (LEAVES, STEM,	T5	EGG PLANT	0.5
ROOTS)		EGGS	*0.01
CORIANDER, SEED	T5	GRAPES	0.5
COTTON SEED	*0.02	LEAFY VEGETABLES [EXCEPT	5
DILL, SEED	T5	LETTUCE, HEAD]	
EDIBLE OFFAL (MAMMALIAN)	0.2	LETTUCE, HEAD	3
		LINSEED	T0.5

SCHEDULE 1

Maximum Residue Limits

MEAT (MAMMALIAN) (IN THE FAT)	0.5
MILKS	0.05
MUNG BEAN (DRY)	0.2
PEPPERS, SWEET	0.5
POME FRUITS	2
POULTRY (EDIBLE OFFAL OF)	*0.01
POULTRY MEAT (IN THE FAT)	*0.01
SAFFLOWER SEED	T0.5
SOYA BEAN (DRY)	0.2
SOYA BEAN OIL, REFINED	0.2
STONE FRUITS [EXCEPT CHERRIES]	2
STRAWBERRY	T1
SUNFLOWER SEED	T1
TOMATO	0.2
INORGANIC BROMIDE	
BROMIDE ION	
AVOCADO	75
CEREAL GRAINS	50
CITRUS FRUITS	30
DATES, DRIED	100
DRIED FRUITS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	30
DRIED GRAPES	100
DRIED HERBS	400
DRIED PEACH	50
FIGS, DRIED	250
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	20
PEPPERS, SWEET	50
PRUNES	20
SPICES	400
STRAWBERRY	30
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	20
IODOSULFURON METHYL	
IODOSULFURON METHYL	
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
MEAT (MAMMALIAN) (IN THE FAT)	*0.01
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT (IN THE FAT)	*0.01
WHEAT	*0.01
IOXYNIL	
IOXYNIL	
GARLIC	*0.02
LEEK	T1
ONION, BULB	*0.02
SHALLOT	T*0.02
SPRING ONION	T3
SUGAR CANE	*0.02

IPIODIONE	
IPIODIONE	
ADZUKI BEAN (DRY)	T0.1
ALMONDS	*0.02
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	T1
BEETROOT	T0.1
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	12
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.2
BROCCOLI	T*0.05
BRUSSELS SPROUTS	T1
CABBAGES, HEAD	T*0.05
CAULIFLOWER	T*0.05
CELERY	2
CHARD (SILVER BEET)	T5
EDIBLE OFFAL (MAMMALIAN)	*0.1
GRAPES	20
KIWIFRUIT	10
LETTUCE, HEAD	5
LETTUCE, LEAF	5
LUPIN (DRY)	*0.1
MACADAMIA NUTS	*0.01
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
ONION, BULB	T0.2
PASSIONFRUIT	10
PEANUT	0.05
PEANUT OIL, CRUDE	0.05
PISTACHIO NUT	T*0.05
POME FRUITS	3
POTATO	*0.05
RAPE SEED	0.5
SOYA BEAN (DRY)	0.05
SPINACH	T5
STONE FRUITS	10
SUNFLOWER SEED	T*0.05
TARO	*0.05
TOMATO	2
ISOEUGENOL	
ISOEUGENOL, SUM OF CIS- AND TRANS- ISOMERS	
DIADROMOUS FISH (WHOLE COMMODITY)	100
FRESHWATER FISH (WHOLE COMMODITY)	100
MARINE FISH (WHOLE COMMODITY)	100
ISOFENPHOS	
ISOFENPHOS	
BANANA	*0.02
SUGAR CANE	*0.01

SCHEDULE 1

Maximum Residue Limits

ISOXABEN			
ISOXABEN			
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – EDIBLE PEEL	*0.01		
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – INEDIBLE PEEL	*0.01		
CITRUS FRUITS	*0.01		
GRAPES	*0.01		
POME FRUITS	*0.01		
STONE FRUITS	*0.01		
TREE NUTS	*0.01		
ISOXAFLUTOLE			
THE SUM OF ISOXAFLUTOLE, 2-CYCLOPROPYLCARCONYL-3-(2-METHYLSULFONYL-4-TRIFLUOROMETHYLPHENYL)-3-OXOPROPANENITRILE AND 2-METHYLSULFONYL-4-TRIFLUOROMETHYLBENZOIC ACID EXPRESSED AS ISOXAFLUTOLE			
CEREAL GRAINS	T*0.05		
CHICK-PEA (DRY)	T*0.03		
EDIBLE OFFAL (MAMMALIAN)	T*0.05		
EGGS	T*0.05		
MEAT (MAMMALIAN)	T*0.05		
MILKS	T*0.05		
POULTRY, EDIBLE OFFAL OF	T*0.05		
POULTRY MEAT	T*0.05		
SUGAR CANE	T*0.01		
IVERMECTIN			
H ₂ B _{1A}			
CATTLE KIDNEY	*0.01		
CATTLE LIVER	0.1		
CATTLE MEAT (IN THE FAT)	0.04		
CATTLE MILK	0.05		
DEER KIDNEY	*0.01		
DEER LIVER	*0.01		
DEER MEAT (IN THE FAT)	*0.01		
HORSE, EDIBLE OFFAL OF	*0.01		
HORSE MEAT	*0.01		
PIG KIDNEY	*0.01		
PIG, LIVER	*0.01		
PIG MEAT (IN THE FAT)	0.02		
SHEEP KIDNEY	*0.01		
SHEEP LIVER	0.015		
SHEEP MEAT (IN THE FAT)	0.02		
KETOPROFEN			
KETOPROFEN			
CATTLE, EDIBLE OFFAL OF	*0.05		
CATTLE MEAT	*0.05		
CATTLE MILK	*0.05		
KITASAMYCIN			
INHIBITORY SUBSTANCE, IDENTIFIED AS KITASAMYCIN			
EGGS	*0.2		
PIG, EDIBLE OFFAL OF	*0.2		
PIG MEAT	*0.2		
POULTRY, EDIBLE OFFAL OF	*0.2		
POULTRY MEAT	*0.2		
KRESOXIM-METHYL			
<i>COMMODITIES OF PLANT ORIGIN: KRESOXIM-METHYL</i>			
<i>COMMODITIES OF ANIMAL ORIGIN: SUM OF A-(P-HYDROXY-O-TOLYLOXY)-O-TOLYL (METHOXYIMINO) ACETIC ACID AND (E)-METHOXYIMINO[A-(O-TOLYLOXY)-O-TOLYL]ACETIC ACID, EXPRESSED AS KRESOXIM-METHYL</i>			
EDIBLE OFFAL (MAMMALIAN)	*0.01		
MEAT (MAMMALIAN)	*0.01		
MILKS	*0.001		
POME FRUITS	0.1		
LAMBDA-CYHALOTHRIN			
<i>SEE CYHALOTHRIN</i>			
LASALOCID			
LASALOCID			
CATTLE MILK	*0.01		
EDIBLE OFFAL (MAMMALIAN)	0.7		
EGGS	*0.05		
MEAT (MAMMALIAN)	*0.05		
POULTRY, EDIBLE OFFAL OF	0.4		
POULTRY MEAT	*0.1		
POULTRY SKIN/FAT	1.0		
LEVAMISOLE			
LEVAMISOLE			
EDIBLE OFFAL (MAMMALIAN)	1		
EGGS	1		
GOAT MILK	0.1		
MEAT (MAMMALIAN)	0.1		
MILKS [EXCEPT GOAT MILK]	0.3		
POULTRY, EDIBLE OFFAL OF	0.1		
POULTRY MEAT	0.1		
LIGNOCAINE			
LIGNOCAINE			
SHEEP, EDIBLE OFFAL OF	T*0.02		
SHEEP MEAT (IN THE FAT)	T*0.02		
LINCOMYCIN			
INHIBITORY SUBSTANCE, IDENTIFIED AS LINCOMYCIN			
CATTLE MILK	*0.02		
EDIBLE OFFAL (MAMMALIAN) [EXCEPT SHEEP, EDIBLE OFFAL OF]	0.2		
EGGS	0.2		
GOAT MILK	*0.1		
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT]	0.2		
POULTRY, EDIBLE OFFAL OF	0.1		
POULTRY MEAT	0.1		

SCHEDULE 1

Maximum Residue Limits

LINDANE LINDANE					
PINEAPPLE		0.5		DRIED FRUITS	8
LINURON SUM OF LINURON PLUS 3,4-DICHLOROANILINE, EXPRESSED AS LINURON				EDIBLE OFFAL (MAMMALIAN)	1
CELERY		*0.05		EGG PLANT	0.5
CEREAL GRAINS		*0.05		EGGS	1
CORIANDER, SEED		0.2		FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
EDIBLE OFFAL (MAMMALIAN)		1		GARDEN PEA	0.5
EGGS		*0.05		GRAPES	8
HERBS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]		T0.5		KALE	3
KAFFIR LIME LEAVES		T0.5		KOHLRABI	0.5
LEEK		T0.2		LENTIL (DRY)	8
LEMON BALM		T0.5		MEAT (MAMMALIAN) (IN THE FAT)	1
LEMON GRASS		T0.5		MILKS (IN THE FAT)	1
LEMON VERBENA		T0.5		PEANUT	8
MEAT (MAMMALIAN)		*0.05		PEAR	0.5
MILKS		*0.05		PEPPERS, SWEET	0.5
POULTRY, EDIBLE OFFAL OF		*0.05		POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT		*0.05		POULTRY MEAT (IN THE FAT)	1
TURMERIC ROOT		T*0.05		ROOT AND TUBER VEGETABLES	0.5
VEGETABLES [EXCEPT CELERY AND LEEK]		*0.05		STRAWBERRY	1
LUFENURON LUFENURON				TOMATO	3
COTTON SEED		T0.2		TREE NUTS	8
COTTON SEED OIL, CRUDE		T0.5		TURNIP, GARDEN	0.5
EDIBLE OFFAL (MAMMALIAN)		T*0.01		VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
EGGS		T0.05		WHEAT BRAN, UNPROCESSED	20
MEAT (MAMMALIAN) (IN THE FAT)		T1		MALEIC HYDRAZIDE SUM OF FREE AND CONJUGATED MALEIC HYDRAZIDE, EXPRESSED AS MALEIC HYDRAZIDE	
MILKS		T0.2		CARROT	T40
POULTRY, EDIBLE OFFAL OF		T*0.01		GARLIC	15
POULTRY MEAT (IN THE FAT)		T1		ONION, BULB	15
MADURAMICIN MADURAMICIN				POTATO	50
POULTRY, EDIBLE OFFAL OF		1		MANCOZEB <i>SEE</i> DITHIOCARBAMATES	
POULTRY MEAT		0.1		MCPA MCPA	
MAGNESIUM PHOSPHIDE <i>SEE</i> PHOSPHINE				CEREAL GRAINS	*0.02
MALATHION <i>SEE</i> MALDISON				EDIBLE OFFAL (MAMMALIAN)	*0.05
MALDISON MALDISON				EGGS	*0.05
BEANS (DRY)		8		MEAT (MAMMALIAN)	*0.05
BLUEBERRIES		0.5		MILKS	*0.05
CAULIFLOWER		0.5		POULTRY, EDIBLE OFFAL OF	*0.05
CEREAL GRAINS		8		POULTRY MEAT	*0.05
CHARD (SILVER BEET)		0.5		RHUBARB	*0.02
CITRUS FRUITS		4		MCPB MCPB	
CURRANTS, BLACK		T2		CEREAL GRAINS	*0.02
				EDIBLE OFFAL (MAMMALIAN)	*0.05
				EGGS	*0.05
				LEGUME VEGETABLES	*0.02
				MEAT (MAMMALIAN)	*0.05
				MILKS	*0.05

SCHEDULE 1

Maximum Residue Limits

POULTRY, EDIBLE OFFAL OF	*0.05	POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.05	POULTRY MEAT	*0.01
PULSES	*0.02	WHEAT	*0.02
MEBENDAZOLE MEBENDAZOLE		METALAXYL METALAXYL	
EDIBLE OFFAL (MAMMALIAN)	*0.02	AVOCADO	0.5
MEAT (MAMMALIAN)	*0.02	BARLEY	*0.01
MILKS	0.02	BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	T0.5
MECOPROP MECOPROP		BULB VEGETABLES	0.1
CEREAL GRAINS	*0.05	DURIAN	T0.5
EDIBLE OFFAL (MAMMALIAN)	*0.05	EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05	EGGS	*0.05
MEAT (MAMMALIAN)	*0.05	FRUITING VEGETABLES, CUCURBITS	0.2
MILKS	*0.05	GRAPES	1
POULTRY, EDIBLE OFFAL OF	*0.05	LEAFY VEGETABLES	0.3
POULTRY MEAT	*0.05	MACADAMIA NUTS	1
MEFENPYR-DIETHYL MEFENPYR-DIETHYL		MEAT (MAMMALIAN)	*0.05
CEREAL GRAINS	*0.01	MILKS	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.05	PAPAYA (PAWPAW)	T*0.05
EGGS	*0.01	PARSLEY	0.3
MEAT (MAMMALIAN)	*0.05	PINEAPPLE	0.1
MILKS	*0.01	PODDED PEA (YOUNG PODS) (SNOW AND SUGAR SNAP)	T0.1
POULTRY, EDIBLE OFFAL OF	*0.05	POME FRUITS	0.2
POULTRY MEAT	*0.05	POPPY SEED	*0.02
MELOXICAM MELOXICAM		POULTRY, EDIBLE OFFAL OF	*0.05
CATTLE KIDNEY	0.2	POULTRY MEAT	*0.05
CATTLE LIVER	0.1	STONE FRUITS	0.2
CATTLE MEAT	*0.01	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
CATTLE MILK	0.005	WHEAT	*0.01
PIG FAT/SKIN	0.1	METALDEHYDE METALDEHYDE	
PIG KIDNEY	*0.01	CEREAL GRAINS	1
PIG LIVER	*0.01	FRUIT	1
PIG MEAT	0.02	HERBS	1
MEPIQUAT MEPIQUAT		OILSEED	1
COTTON SEED	1	PULSES	1
COTTON SEED OIL, CRUDE	0.2	SPICES	1
EDIBLE OFFAL (MAMMALIAN)	0.1	TEAS (TEA AND HERB TEAS)	1
EGGS	0.05	VEGETABLES	1
MEAT (MAMMALIAN)	0.1	METHABENZTHIAZURON METHABENZTHIAZURON	
MILKS	0.05	CEREAL GRAINS	*0.05
POULTRY, EDIBLE OFFAL OF	0.1	GRAPES	*0.1
POULTRY MEAT	0.1	LEEK	T0.2
MESOSULFURON-METHYL MESOSULFURON-METHYL		ONION, BULB	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.01	METHAM <i>SEE DITHIOCARBAMATES</i>	
EGGS	*0.01		
MEAT (MAMMALIAN)	*0.01		
MILKS	*0.01		

SCHEDULE 1

Maximum Residue Limits

METHAM-SODIUM <i>SEE METHAM</i>		MANDARINS	5
		MANGO	2
		MEAT (MAMMALIAN) (IN THE FAT)	0.5
		MILKS (IN THE FAT)	0.5
		OILSEED	1
		OLIVE OIL, CRUDE	T2
		OLIVES	T1
		ONION, BULB	*0.01
		PASSIONFRUIT	0.2
		PEAR	0.2
		PERSIMMON, JAPANESE	0.5
		POULTRY, EDIBLE OFFAL OF	*0.05
		POULTRY MEAT	*0.05
		PULSES	0.1
		ROOT AND TUBER VEGETABLES	*0.01
		STONE FRUITS	*0.01
		STRAWBERRY	*0.01
		TOMATO	0.1
		VEGETABLE OILS, EDIBLE	0.1
		VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
METHAMIDOPHOS METHAMIDOPHOS <i>SEE ALSO ACEPHATE</i>		METHIOCARB SUM OF METHIOCARB, ITS SULFOXIDE AND SULFONE, EXPRESSED AS METHIOCARB	
BANANA	0.2	CITRUS FRUITS	0.1
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	1	FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	T0.1
CELERY	2	GRAPES	0.5
CITRUS FRUITS	0.5	VEGETABLES	0.1
COTTON SEED	0.1	WINE	0.1
CUCUMBER	0.5	METHOMYL SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL <i>SEE ALSO THIODICARB</i>	
EDIBLE OFFAL (MAMMALIAN)	*0.01	APPLE	1
EGG PLANT	1	AVOCADO	*0.1
HOPS, DRY	5	BEETROOT	T1
LEAFY VEGETABLES [EXCEPT LETTUCE HEAD AND LETTUCE LEAF]	T1	BERGAMOT	T5
LETTUCE, HEAD	1	BLACKBERRIES	2
LETTUCE, LEAF	1	BLUEBERRIES	2
LUPIN (DRY)	0.5	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	2
MEAT (MAMMALIAN)	*0.01	BURNET, SALAD	T5
MILKS	*0.01	CELERY	3
PEACH	1	CEREAL GRAINS	*0.1
PEANUT	*0.02	CHARD	T2
PEPPERS, SWEET	2	CHERRIES	2
POTATO	0.25	CHERVIL	T5
RAPE SEED	0.1	CITRUS FRUITS	1
SOYA BEAN (DRY)	0.1	COFFEE BEANS	T1
SUGAR BEET	0.05	CORIANDER (LEAVES, STEM, ROOTS)	T10
TOMATO	2	CORIANDER, SEED	T5
TREE TOMATO (TAMARILLO)	*0.01		
METHIDATHION METHIDATHION			
APPLE	0.2		
AVOCADO	0.5		
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.1		
CEREAL GRAINS	*0.01		
CITRUS FRUITS [EXCEPT MANDARINS]	2		
COFFEE BEANS	T1		
CUSTARD APPLE	0.2		
EGGS	*0.05		
FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.1		
GARLIC	*0.01		
GRAPES	0.5		
LEGUME VEGETABLES	0.1		
LETTUCE, HEAD	1		
LETTUCE, LEAF	1		
LITCHI	T0.1		
LONGAN	0.1		
MACADAMIA NUTS	*0.01		

SCHEDULE 1

Maximum Residue Limits

COTTON SEED	*0.1	WHEAT GERM	10
DILL, SEED	T5		
DRIED GRAPES	*0.05		
EDIBLE OFFAL (MAMMALIAN)	0.05	METHOXYFENOZIDE	
EGGS	*0.02	METHOXYFENOZIDE	
FENNEL, SEED	T5	COTTON SEED	3
FRUITING VEGETABLES, CUCURBITS	0.1	EDIBLE OFFAL (MAMMALIAN)	*0.01
FRUITING VEGETABLES, OTHER THAN CUCURBITS	1	MEAT (MAMMALIAN) (IN THE FAT)	*0.01
GALANGAL, GREATER	T*0.02	MILKS	*0.01
GINGER, ROOT	*0.1	TOMATO	3
GRAPES	2		
GUAVA	3	METHYL BENZOQUATE	
HERBS	T10	METHYL BENZOQUATE	
HOPS, DRY	0.5	POULTRY, EDIBLE OFFAL OF	0.1
KAFFIR LIME LEAVES	T5	POULTRY MEAT	0.1
LEAFY VEGETABLES [EXCEPT CHARD]	1		
LEGUME VEGETABLES	1	METHYL BROMIDE	
LEMON GRASS	T5	METHYL BROMIDE	
LEMON VERBENA (DRY LEAVES)	T5	CEREAL GRAINS	50
LINSEED	*0.1	CUCUMBER	*0.05
MACADAMIA NUTS	T1	DRIED FRUITS	*0.05
MANGO	T*0.05	FRUIT [EXCEPT JACKFRUIT, LITCHI; MANGO; PAPAYA]	T*0.05
MEAT (MAMMALIAN)	0.05	HERBS	*0.05
MILKS	0.05	JACKFRUIT	*0.05
MINTS	0.5	LITCHI	*0.05
MIZUNA	T5	MANGO	*0.05
NECTARINE	1	PAPAYA (PAWPAW)	*0.05
PEACH	1	PEPPERS, SWEET	*0.05
PEANUT	*0.05	SPICES	*0.05
PEAR	3	VEGETABLES [EXCEPT CUCUMBER AND PEPPERS, SWEET]	T*0.05
PLANTAGO OVATA SEED	0.05		
POPPY SEED	*0.05	METHYL ISOTHIOCYANATE	
POTATO	1	METHYL ISOTHIOCYANATE	
POULTRY, EDIBLE OFFAL OF	*0.02	BARLEY	T0.1
POULTRY MEAT	*0.02	RAPE SEED	T0.1
PULSES	1	WHEAT	T0.1
RAPE SEED	0.5		
ROSE AND DIANTHUS (EDIBLE FLOWERS)	T5	METIRAM	
RUCOLA (ROCKET)	T5	SEE DITHIOCARBAMATES	
SESAME SEED	*0.1		
STRAWBERRY	3	METOLACHLOR	
SUNFLOWER SEED	*0.1	METOLACHLOR	
SWEET CORN (CORN-ON-THE-COB)	0.1	BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	*0.02
TARO	T1	BERGAMOT	T*0.05
TURMERIC, ROOT	T*0.02	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	*0.02
		BRASSICA LEAFY VEGETABLES	T*0.01
METHOPRENE		BURNET, SALAD	T*0.05
METHOPRENE, SUM OF CIS- AND TRANS-ISOMERS		CELERIAC	T*0.2
BARRAMUNDI	T1	CEREAL GRAINS [EXCEPT MAIZE AND SORGHUM]	*0.02
CATTLE MILK	0.1	CHERVIL	T*0.05
CEREAL GRAINS	2	CORIANDER (LEAVES, STEM)	T*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.01	CORIANDER, ROOTS	T0.5
MEAT (MAMMALIAN) (IN THE FAT)	0.3	CORIANDER, SEED	T*0.05
WHEAT BRAN, UNPROCESSED	5		

SCHEDULE 1

Maximum Residue Limits

<table style="width: 100%; border-collapse: collapse;"> <tr><td>COTTON SEED</td><td style="text-align: right;">*0.05</td></tr> <tr><td>DILL, SEED</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>EDIBLE OFFAL (MAMMALIAN)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>EGGS</td><td style="text-align: right;">*0.01</td></tr> <tr><td>FENNEL, SEED</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>FRUITING VEGETABLES, CUCURBITS</td><td style="text-align: right;">*0.05</td></tr> <tr><td>GALANGAL, GREATER</td><td style="text-align: right;">T0.5</td></tr> <tr><td>HERBS</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>KAFFIR LIME LEAVES</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>LEMON GRASS</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>LEMON VERBENA (DRY LEAVES)</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>MAIZE</td><td style="text-align: right;">0.1</td></tr> <tr><td>MEAT (MAMMALIAN)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>MILKS</td><td style="text-align: right;">*0.05</td></tr> <tr><td>MIZUNA</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>PEANUT</td><td style="text-align: right;">*0.05</td></tr> <tr><td>POULTRY, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.01</td></tr> <tr><td>POULTRY MEAT</td><td style="text-align: right;">*0.01</td></tr> <tr><td>RAPE SEED</td><td style="text-align: right;">*0.02</td></tr> <tr><td>RHUBARB</td><td style="text-align: right;">*0.05</td></tr> <tr><td>ROSE AND DIANTHUS (EDIBLE FLOWERS)</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>RUCOLA (ROCKET)</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>SAFFLOWER SEED</td><td style="text-align: right;">*0.05</td></tr> <tr><td>SORGHUM</td><td style="text-align: right;">*0.05</td></tr> <tr><td>SOYA BEAN (DRY)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>SUGAR CANE</td><td style="text-align: right;">*0.05</td></tr> <tr><td>SUNFLOWER SEED</td><td style="text-align: right;">*0.05</td></tr> <tr><td>SWEET CORN (KERNELS)</td><td style="text-align: right;">0.1</td></tr> <tr><td>SWEET POTATO</td><td style="text-align: right;">*0.2</td></tr> <tr><td>TOMATO</td><td style="text-align: right;">T*0.01</td></tr> <tr><td>TURMERIC, ROOT</td><td style="text-align: right;">T0.5</td></tr> <tr><td colspan="2" style="text-align: center;">METOSULAM METOSULAM</td></tr> <tr><td>CEREAL GRAINS</td><td style="text-align: right;">*0.02</td></tr> <tr><td>EDIBLE OFFAL (MAMMALIAN)</td><td style="text-align: right;">*0.01</td></tr> <tr><td>EGGS</td><td style="text-align: right;">*0.01</td></tr> <tr><td>LUPIN (DRY)</td><td style="text-align: right;">*0.02</td></tr> <tr><td>MEAT (MAMMALIAN)</td><td style="text-align: right;">*0.01</td></tr> <tr><td>MILKS</td><td style="text-align: right;">*0.01</td></tr> <tr><td>POULTRY, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.01</td></tr> <tr><td>POULTRY MEAT</td><td style="text-align: right;">*0.01</td></tr> <tr><td colspan="2" style="text-align: center;">METRIBUZIN METRIBUZIN</td></tr> <tr><td>ASPARAGUS</td><td style="text-align: right;">0.2</td></tr> <tr><td>CEREAL GRAINS</td><td style="text-align: right;">*0.05</td></tr> <tr><td>EDIBLE OFFAL (MAMMALIAN)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>EGGS</td><td style="text-align: right;">*0.05</td></tr> <tr><td>MEAT (MAMMALIAN)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>MILKS</td><td style="text-align: right;">*0.05</td></tr> <tr><td>PEAS [EXCEPT PEAS, SHELLED]</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>PEAS, SHELLED</td><td style="text-align: right;">*0.05</td></tr> <tr><td>POTATO</td><td style="text-align: right;">*0.05</td></tr> <tr><td>POULTRY, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.05</td></tr> <tr><td>POULTRY MEAT</td><td style="text-align: right;">*0.05</td></tr> <tr><td>PULSES [EXCEPT SOYA BEAN (DRY)]</td><td style="text-align: right;">*0.01</td></tr> </table>	COTTON SEED	*0.05	DILL, SEED	T*0.05	EDIBLE OFFAL (MAMMALIAN)	*0.05	EGGS	*0.01	FENNEL, SEED	T*0.05	FRUITING VEGETABLES, CUCURBITS	*0.05	GALANGAL, GREATER	T0.5	HERBS	T*0.05	KAFFIR LIME LEAVES	T*0.05	LEMON GRASS	T*0.05	LEMON VERBENA (DRY LEAVES)	T*0.05	MAIZE	0.1	MEAT (MAMMALIAN)	*0.05	MILKS	*0.05	MIZUNA	T*0.05	PEANUT	*0.05	POULTRY, EDIBLE OFFAL OF	*0.01	POULTRY MEAT	*0.01	RAPE SEED	*0.02	RHUBARB	*0.05	ROSE AND DIANTHUS (EDIBLE FLOWERS)	T*0.05	RUCOLA (ROCKET)	T*0.05	SAFFLOWER SEED	*0.05	SORGHUM	*0.05	SOYA BEAN (DRY)	*0.05	SUGAR CANE	*0.05	SUNFLOWER SEED	*0.05	SWEET CORN (KERNELS)	0.1	SWEET POTATO	*0.2	TOMATO	T*0.01	TURMERIC, ROOT	T0.5	METOSULAM METOSULAM		CEREAL GRAINS	*0.02	EDIBLE OFFAL (MAMMALIAN)	*0.01	EGGS	*0.01	LUPIN (DRY)	*0.02	MEAT (MAMMALIAN)	*0.01	MILKS	*0.01	POULTRY, EDIBLE OFFAL OF	*0.01	POULTRY MEAT	*0.01	METRIBUZIN METRIBUZIN		ASPARAGUS	0.2	CEREAL GRAINS	*0.05	EDIBLE OFFAL (MAMMALIAN)	*0.05	EGGS	*0.05	MEAT (MAMMALIAN)	*0.05	MILKS	*0.05	PEAS [EXCEPT PEAS, SHELLED]	T*0.05	PEAS, SHELLED	*0.05	POTATO	*0.05	POULTRY, EDIBLE OFFAL OF	*0.05	POULTRY MEAT	*0.05	PULSES [EXCEPT SOYA BEAN (DRY)]	*0.01	<table style="width: 100%; border-collapse: collapse;"> <tr><td>ROOT AND TUBER VEGETABLES [EXCEPT POTATO]</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>SOYA BEAN (DRY)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>SUGAR CANE</td><td style="text-align: right;">0.1</td></tr> <tr><td>TOMATO</td><td style="text-align: right;">0.1</td></tr> <tr><td colspan="2" style="text-align: center;">METSULFURON-METHYL METSULFURON-METHYL</td></tr> <tr><td>CEREAL GRAINS</td><td style="text-align: right;">*0.02</td></tr> <tr><td>CHICK-PEA (DRY)</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>EDIBLE OFFAL (MAMMALIAN)</td><td style="text-align: right;">*0.1</td></tr> <tr><td>LINSEED</td><td style="text-align: right;">T*0.02</td></tr> <tr><td>MEAT (MAMMALIAN)</td><td style="text-align: right;">*0.1</td></tr> <tr><td>MILKS</td><td style="text-align: right;">*0.1</td></tr> <tr><td>SAFFLOWER SEED</td><td style="text-align: right;">*0.02</td></tr> <tr><td colspan="2" style="text-align: center;">MEVINPHOS MEVINPHOS</td></tr> <tr><td>BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS</td><td style="text-align: right;">0.3</td></tr> <tr><td>EDIBLE OFFAL (MAMMALIAN)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>MEAT (MAMMALIAN)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>MILKS</td><td style="text-align: right;">*0.05</td></tr> <tr><td colspan="2" style="text-align: center;">MOLINATE MOLINATE</td></tr> <tr><td>RICE</td><td style="text-align: right;">*0.05</td></tr> <tr><td colspan="2" style="text-align: center;">MONENSIN MONENSIN</td></tr> <tr><td>CATTLE, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.05</td></tr> <tr><td>CATTLE MEAT</td><td style="text-align: right;">*0.05</td></tr> <tr><td>CATTLE MILK</td><td style="text-align: right;">*0.01</td></tr> <tr><td>GOAT, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.05</td></tr> <tr><td>GOAT MEAT</td><td style="text-align: right;">*0.05</td></tr> <tr><td>POULTRY, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.5</td></tr> <tr><td>POULTRY MEAT (IN THE FAT)</td><td style="text-align: right;">*0.5</td></tr> <tr><td colspan="2" style="text-align: center;">MORANTEL MORANTEL</td></tr> <tr><td>CATTLE, EDIBLE OFFAL OF</td><td style="text-align: right;">2</td></tr> <tr><td>GOAT, EDIBLE OFFAL OF</td><td style="text-align: right;">2</td></tr> <tr><td>MEAT (MAMMALIAN)</td><td style="text-align: right;">0.3</td></tr> <tr><td>MILKS</td><td style="text-align: right;">*0.1</td></tr> <tr><td>PIG, EDIBLE OFFAL OF</td><td style="text-align: right;">5</td></tr> <tr><td>SHEEP, EDIBLE OFFAL OF</td><td style="text-align: right;">2</td></tr> <tr><td colspan="2" style="text-align: center;">MOXIDECTIN MOXIDECTIN</td></tr> <tr><td>CATTLE, EDIBLE OFFAL OF</td><td style="text-align: right;">0.5</td></tr> <tr><td>CATTLE MEAT (IN THE FAT)</td><td style="text-align: right;">1</td></tr> <tr><td>CATTLE MILK (IN THE FAT)</td><td style="text-align: right;">2</td></tr> <tr><td>DEER MEAT (IN THE FAT)</td><td style="text-align: right;">1</td></tr> <tr><td>DEER, EDIBLE OFFAL OF</td><td style="text-align: right;">0.2</td></tr> <tr><td>SHEEP, EDIBLE OFFAL OF</td><td style="text-align: right;">0.05</td></tr> <tr><td>SHEEP MEAT (IN THE FAT)</td><td style="text-align: right;">0.5</td></tr> </table>	ROOT AND TUBER VEGETABLES [EXCEPT POTATO]	T*0.05	SOYA BEAN (DRY)	*0.05	SUGAR CANE	0.1	TOMATO	0.1	METSULFURON-METHYL METSULFURON-METHYL		CEREAL GRAINS	*0.02	CHICK-PEA (DRY)	T*0.05	EDIBLE OFFAL (MAMMALIAN)	*0.1	LINSEED	T*0.02	MEAT (MAMMALIAN)	*0.1	MILKS	*0.1	SAFFLOWER SEED	*0.02	MEVINPHOS MEVINPHOS		BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.3	EDIBLE OFFAL (MAMMALIAN)	*0.05	MEAT (MAMMALIAN)	*0.05	MILKS	*0.05	MOLINATE MOLINATE		RICE	*0.05	MONENSIN MONENSIN		CATTLE, EDIBLE OFFAL OF	*0.05	CATTLE MEAT	*0.05	CATTLE MILK	*0.01	GOAT, EDIBLE OFFAL OF	*0.05	GOAT MEAT	*0.05	POULTRY, EDIBLE OFFAL OF	*0.5	POULTRY MEAT (IN THE FAT)	*0.5	MORANTEL MORANTEL		CATTLE, EDIBLE OFFAL OF	2	GOAT, EDIBLE OFFAL OF	2	MEAT (MAMMALIAN)	0.3	MILKS	*0.1	PIG, EDIBLE OFFAL OF	5	SHEEP, EDIBLE OFFAL OF	2	MOXIDECTIN MOXIDECTIN		CATTLE, EDIBLE OFFAL OF	0.5	CATTLE MEAT (IN THE FAT)	1	CATTLE MILK (IN THE FAT)	2	DEER MEAT (IN THE FAT)	1	DEER, EDIBLE OFFAL OF	0.2	SHEEP, EDIBLE OFFAL OF	0.05	SHEEP MEAT (IN THE FAT)	0.5
COTTON SEED	*0.05																																																																																																																																																																																														
DILL, SEED	T*0.05																																																																																																																																																																																														
EDIBLE OFFAL (MAMMALIAN)	*0.05																																																																																																																																																																																														
EGGS	*0.01																																																																																																																																																																																														
FENNEL, SEED	T*0.05																																																																																																																																																																																														
FRUITING VEGETABLES, CUCURBITS	*0.05																																																																																																																																																																																														
GALANGAL, GREATER	T0.5																																																																																																																																																																																														
HERBS	T*0.05																																																																																																																																																																																														
KAFFIR LIME LEAVES	T*0.05																																																																																																																																																																																														
LEMON GRASS	T*0.05																																																																																																																																																																																														
LEMON VERBENA (DRY LEAVES)	T*0.05																																																																																																																																																																																														
MAIZE	0.1																																																																																																																																																																																														
MEAT (MAMMALIAN)	*0.05																																																																																																																																																																																														
MILKS	*0.05																																																																																																																																																																																														
MIZUNA	T*0.05																																																																																																																																																																																														
PEANUT	*0.05																																																																																																																																																																																														
POULTRY, EDIBLE OFFAL OF	*0.01																																																																																																																																																																																														
POULTRY MEAT	*0.01																																																																																																																																																																																														
RAPE SEED	*0.02																																																																																																																																																																																														
RHUBARB	*0.05																																																																																																																																																																																														
ROSE AND DIANTHUS (EDIBLE FLOWERS)	T*0.05																																																																																																																																																																																														
RUCOLA (ROCKET)	T*0.05																																																																																																																																																																																														
SAFFLOWER SEED	*0.05																																																																																																																																																																																														
SORGHUM	*0.05																																																																																																																																																																																														
SOYA BEAN (DRY)	*0.05																																																																																																																																																																																														
SUGAR CANE	*0.05																																																																																																																																																																																														
SUNFLOWER SEED	*0.05																																																																																																																																																																																														
SWEET CORN (KERNELS)	0.1																																																																																																																																																																																														
SWEET POTATO	*0.2																																																																																																																																																																																														
TOMATO	T*0.01																																																																																																																																																																																														
TURMERIC, ROOT	T0.5																																																																																																																																																																																														
METOSULAM METOSULAM																																																																																																																																																																																															
CEREAL GRAINS	*0.02																																																																																																																																																																																														
EDIBLE OFFAL (MAMMALIAN)	*0.01																																																																																																																																																																																														
EGGS	*0.01																																																																																																																																																																																														
LUPIN (DRY)	*0.02																																																																																																																																																																																														
MEAT (MAMMALIAN)	*0.01																																																																																																																																																																																														
MILKS	*0.01																																																																																																																																																																																														
POULTRY, EDIBLE OFFAL OF	*0.01																																																																																																																																																																																														
POULTRY MEAT	*0.01																																																																																																																																																																																														
METRIBUZIN METRIBUZIN																																																																																																																																																																																															
ASPARAGUS	0.2																																																																																																																																																																																														
CEREAL GRAINS	*0.05																																																																																																																																																																																														
EDIBLE OFFAL (MAMMALIAN)	*0.05																																																																																																																																																																																														
EGGS	*0.05																																																																																																																																																																																														
MEAT (MAMMALIAN)	*0.05																																																																																																																																																																																														
MILKS	*0.05																																																																																																																																																																																														
PEAS [EXCEPT PEAS, SHELLED]	T*0.05																																																																																																																																																																																														
PEAS, SHELLED	*0.05																																																																																																																																																																																														
POTATO	*0.05																																																																																																																																																																																														
POULTRY, EDIBLE OFFAL OF	*0.05																																																																																																																																																																																														
POULTRY MEAT	*0.05																																																																																																																																																																																														
PULSES [EXCEPT SOYA BEAN (DRY)]	*0.01																																																																																																																																																																																														
ROOT AND TUBER VEGETABLES [EXCEPT POTATO]	T*0.05																																																																																																																																																																																														
SOYA BEAN (DRY)	*0.05																																																																																																																																																																																														
SUGAR CANE	0.1																																																																																																																																																																																														
TOMATO	0.1																																																																																																																																																																																														
METSULFURON-METHYL METSULFURON-METHYL																																																																																																																																																																																															
CEREAL GRAINS	*0.02																																																																																																																																																																																														
CHICK-PEA (DRY)	T*0.05																																																																																																																																																																																														
EDIBLE OFFAL (MAMMALIAN)	*0.1																																																																																																																																																																																														
LINSEED	T*0.02																																																																																																																																																																																														
MEAT (MAMMALIAN)	*0.1																																																																																																																																																																																														
MILKS	*0.1																																																																																																																																																																																														
SAFFLOWER SEED	*0.02																																																																																																																																																																																														
MEVINPHOS MEVINPHOS																																																																																																																																																																																															
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.3																																																																																																																																																																																														
EDIBLE OFFAL (MAMMALIAN)	*0.05																																																																																																																																																																																														
MEAT (MAMMALIAN)	*0.05																																																																																																																																																																																														
MILKS	*0.05																																																																																																																																																																																														
MOLINATE MOLINATE																																																																																																																																																																																															
RICE	*0.05																																																																																																																																																																																														
MONENSIN MONENSIN																																																																																																																																																																																															
CATTLE, EDIBLE OFFAL OF	*0.05																																																																																																																																																																																														
CATTLE MEAT	*0.05																																																																																																																																																																																														
CATTLE MILK	*0.01																																																																																																																																																																																														
GOAT, EDIBLE OFFAL OF	*0.05																																																																																																																																																																																														
GOAT MEAT	*0.05																																																																																																																																																																																														
POULTRY, EDIBLE OFFAL OF	*0.5																																																																																																																																																																																														
POULTRY MEAT (IN THE FAT)	*0.5																																																																																																																																																																																														
MORANTEL MORANTEL																																																																																																																																																																																															
CATTLE, EDIBLE OFFAL OF	2																																																																																																																																																																																														
GOAT, EDIBLE OFFAL OF	2																																																																																																																																																																																														
MEAT (MAMMALIAN)	0.3																																																																																																																																																																																														
MILKS	*0.1																																																																																																																																																																																														
PIG, EDIBLE OFFAL OF	5																																																																																																																																																																																														
SHEEP, EDIBLE OFFAL OF	2																																																																																																																																																																																														
MOXIDECTIN MOXIDECTIN																																																																																																																																																																																															
CATTLE, EDIBLE OFFAL OF	0.5																																																																																																																																																																																														
CATTLE MEAT (IN THE FAT)	1																																																																																																																																																																																														
CATTLE MILK (IN THE FAT)	2																																																																																																																																																																																														
DEER MEAT (IN THE FAT)	1																																																																																																																																																																																														
DEER, EDIBLE OFFAL OF	0.2																																																																																																																																																																																														
SHEEP, EDIBLE OFFAL OF	0.05																																																																																																																																																																																														
SHEEP MEAT (IN THE FAT)	0.5																																																																																																																																																																																														

SCHEDULE 1

Maximum Residue Limits

MSMA		LIVER OF CATTLE, GOATS, PIGS AND SHEEP	T0.5
TOTAL ARSENIC, EXPRESSED AS MSMA		MEAT (MAMMALIAN)	T0.5
SUGAR CANE	0.3	MILKS	T1.5
MYCLOBUTANIL		POULTRY KIDNEY	T10
MYCLOBUTANIL		POULTRY LIVER	T0.5
ASPARAGUS	T0.02	POULTRY MEAT	T0.5
GRAPES	1		
POME FRUITS	0.5		
STRAWBERRY	2		
NALED		NETOBIMIN	
SUM OF NALED AND DICHLORVOS, EXPRESSED AS NALED		SEE ALBENDAZOLE	
COTTON SEED	T*0.02	NICARBAZIN	
EDIBLE OFFAL (MAMMALIAN)	T*0.05	NICARBAZIN	
MEAT (MAMMALIAN)	T*0.05	POULTRY, EDIBLE OFFAL OF	20
MILKS	T*0.05	POULTRY MEAT	5
NAPHTHALENE ACETIC ACID		NITROTHAL-ISOPROPYL	
1-NAPHTHELENE ACETIC ACID		NITROTHAL-ISOPROPYL	
APPLE	1	APPLE	1
PEAR	1		
PINEAPPLE	1		
NAPHTHALOPHOS		NITROXYNIL	
NAPHTHALOPHOS		NITROXYNIL	
GOAT, EDIBLE OFFAL OF	*0.1	CATTLE, EDIBLE OFFAL OF	1
GOAT MEAT	*0.1	CATTLE MEAT	1
SHEEP, EDIBLE OFFAL OF	*0.01	GOAT, EDIBLE OFFAL OF	1
SHEEP MEAT	*0.01	GOAT MEAT	1
NAPROPAMIDE		SHEEP, EDIBLE OFFAL OF	1
NAPROPAMIDE		SHEEP MEAT	1
ALMONDS	*0.1	NORFLURAZON	
BERRIES AND OTHER SMALL FRUITS	*0.1	NORFLURAZON	
STONE FRUITS	*0.1	ASPARAGUS	0.05
TOMATO	*0.1	CITRUS FRUITS	0.2
		COTTON SEED	0.1
		GRAPES	0.1
		POME FRUITS	*0.2
		STONE FRUITS	*0.2
		TREE NUTS	*0.2
NAPTALAM		NORGESTOMET	
NAPTALAM		NORGESTOMET	
FRUITING VEGETABLES, CUCURBITS	*0.1	EDIBLE OFFAL (MAMMALIAN)	*0.0001
		MEAT (MAMMALIAN)	*0.0001
NARASIN		NOVALURON	
NARASIN		NOVALURON	
CATTLE, EDIBLE OFFAL OF	0.05	COTTON SEED	T1
CATTLE MEAT	0.05	COTTON SEED OIL, CRUDE	T2
POULTRY, EDIBLE OFFAL OF	0.1	POME FRUITS	T1
POULTRY MEAT	0.1		
NEOMYCIN		NOVOBIOCIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS NEOMYCIN		NOVOBIOCIN	
EGGS	T0.5	CATTLE, EDIBLE OFFAL OF	*0.1
FATS (MAMMALIAN) [EXCEPT MILK FATS]	T0.5	CATTLE MEAT	*0.1
KIDNEY OF CATTLE, GOATS, PIGS AND SHEEP	T10	CATTLE MILK	*0.1

SCHEDULE 1

Maximum Residue Limits

ODB 1,2-DICHLOROBENZENE		POULTRY MEAT	*0.1
SHEEP, EDIBLE OFFAL OF	*0.01	OXADIXYL OXADIXYL	
SHEEP MEAT (IN THE FAT)	*0.01	FRUITING VEGETABLES, CUCURBITS	0.5
OLAQUINDOX SUM OF OLAQUINDOX AND ALL METABOLITES WHICH REDUCE TO 2-(N-2-HYDROXYETHYL-CARBAMOYL)-3- METHYL QUINOXALONE, EXPRESSED AS OLAQUINDOX		GRAPES	2
PIG, EDIBLE OFFAL OF	0.3	LETTUCE, HEAD	1
PIG MEAT	0.3	LETTUCE, LEAF	1
POULTRY, EDIBLE OFFAL OF	0.3	ONION, BULB	0.5
POULTRY MEAT	0.3	OXAMYL SUM OF OXAMYL AND 2-HYDROXYIMINO-N,N- DIMETHYL-2-(METHYLTHIO)-ACETAMIDE, EXPRESSED AS OXAMYL	
OLEANDOMYCIN OLEANDOMYCIN		BANANA	0.2
EDIBLE OFFAL (MAMMALIAN)	*0.1	CEREAL GRAINS	*0.02
MEAT (MAMMALIAN)	*0.1	EDIBLE OFFAL (MAMMALIAN)	*0.02
OMETHOATE OMETHOATE <i>SEE ALSO DIMETHOATE</i>		EGGS	*0.02
CEREAL GRAINS	*0.05	MEAT (MAMMALIAN)	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.05	MILKS	*0.02
EGGS	*0.05	PEPPERS, SWEET	1
FRUIT	2	POULTRY, EDIBLE OFFAL OF	*0.02
LUPIN (DRY)	0.1	POULTRY FATS	*0.02
MEAT (MAMMALIAN)	*0.05	POULTRY MEAT	*0.02
MILKS	*0.05	TOMATO	*0.05
OILSEED	*0.05	OXFENDAZOLE OXFENDAZOLE	
PEPPERS, SWEET	1	EDIBLE OFFAL (MAMMALIAN)	3
POULTRY, EDIBLE OFFAL OF	*0.05	MEAT (MAMMALIAN)	*0.1
POULTRY MEAT	*0.05	MILKS	0.1
TOMATO	1	OXYCARBOXIN OXYCARBOXIN	
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2	BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	5
OPP <i>SEE 2-PHENYLPHENOL</i>		BLUEBERRIES	T10
ORYZALIN ORYZALIN		BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	5
CEREAL GRAINS	*0.01	OXYCLOZANIDE OXYCLOZANIDE	
COFFEE BEANS	T0.1	CATTLE, EDIBLE OFFAL OF	2
FRUIT	0.1	CATTLE MEAT	0.5
GARLIC	T*0.05	GOAT, EDIBLE OFFAL OF	2
RAPE SEED	*0.05	GOAT MEAT	0.5
TREE NUTS	0.1	MILKS	0.05
OXABETRINIL OXABETRINIL		SHEEP, EDIBLE OFFAL OF	2
EDIBLE OFFAL (MAMMALIAN)	*0.1	SHEEP MEAT	0.5
EGGS	*0.1	OXYDEMOTON-METHYL SUM OF OXYDEMOTON-METHYL AND DEMOTON-S- METHYL SULPHONE, EXPRESSED AS OXYDEMOTON- METHYL	
MEAT (MAMMALIAN)	*0.1	BRASSICA (COLE OR CABBAGE)	0.5
MILKS	*0.05	VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	
POULTRY, EDIBLE OFFAL OF	*0.1	COTTON SEED	*0.01

SCHEDULE 1

Maximum Residue Limits

COTTON SEED OIL, CRUDE	*0.01	MANGO	T1
EDIBLE OFFAL (MAMMALIAN)	*0.01	POME FRUITS	1
EGGS	*0.01	STONE FRUITS	*0.01
LUPIN (DRY)	*0.01		
MEAT (MAMMALIAN)	*0.01		
MILKS	*0.01		
POULTRY, EDIBLE OFFAL OF	*0.01		
POULTRY MEAT	*0.01		
OXYFLUORFEN OXYFLUORFEN		PARAQUAT PARAQUAT CATION	
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – INEDIBLE PEEL	*0.01	CEREAL GRAINS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	*0.05
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	*0.05	COTTON SEED	0.2
BULB VEGETABLES	*0.05	COTTON SEED OIL, EDIBLE	0.05
CEREAL GRAINS	*0.05	EDIBLE OFFAL (MAMMALIAN)	0.5
COFFEE BEANS	T0.05	EGGS	*0.01
COTTON SEED	*0.05	FRUIT [EXCEPT OLIVES]	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.01	HOPS, DRY	0.2
EGGS	0.05	MAIZE	0.1
GRAPES	0.05	MEAT (MAMMALIAN)	*0.05
MEAT (MAMMALIAN) (IN THE FAT)	*0.01	MILKS	*0.01
MILKS	*0.01	OLIVES	1
POME FRUITS	0.05	PEANUT	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01	PEANUT, WHOLE	*0.01
POULTRY MEAT (IN THE FAT)	0.2	POTATO	0.2
STONE FRUITS	0.05	POULTRY, EDIBLE OFFAL OF	*0.05
TREE NUTS	0.05	POULTRY MEAT	*0.05
		PULSES	1
		RICE	10
		RICE, POLISHED	0.5
		SUGAR CANE	*0.05
		TREE NUTS	*0.05
		VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	*0.05
OXYTETRACYCLINE INHIBITORY SUBSTANCE, IDENTIFIED AS OXYTETRACYCLINE		PARATHION-METHYL PARATHION-METHYL	
FISH	T0.2	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	T0.1
HONEY	0.3	CARROT	T0.5
KIDNEY OF CATTLE, GOATS, PIGS AND SHEEP	0.6	CELERY	T3
LIVER OF CATTLE, GOATS, PIGS AND SHEEP	0.3	CITRUS FRUITS	T1
MEAT (MAMMALIAN)	0.1	COTTON SEED	1
MILKS	0.1	EDIBLE OFFAL (MAMMALIAN)	*0.05
POULTRY, EDIBLE OFFAL OF	0.6	FRUITING VEGETABLES, CUCURBITS	T1
POULTRY MEAT	0.1	FRUITING VEGETABLES, OTHER THAN CUCURBITS [EXCEPT SWEET CORN (CORN-ON-THE-COB)]	T0.2
		GRAPES	T0.5
		LEAFY VEGETABLES	T1
		LEGUME VEGETABLES	T0.5
		MEAT (MAMMALIAN)	T*0.05
		MILKS	T*0.05
		POME FRUITS	T0.5
		POTATO	*0.05
		PULSES	T0.2
		STONE FRUITS	T0.2
		SWEET CORN (CORN-ON-THE-COB)	*0.1
OXYTHIOQUINOX OXYTHIOQUINOX			
FRUITING VEGETABLES, CUCURBITS	0.5		
POME FRUITS	0.5		
STONE FRUITS	0.5		
PACLOBUTRAZOL PACLOBUTRAZOL			
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – INEDIBLE PEEL [EXCEPT AVOCADO AND MANGO]	*0.01		
AVOCADO	T0.1		

SCHEDULE 1

Maximum Residue Limits

PARBENDAZOLE PARBENDAZOLE	
EDIBLE OFFAL (MAMMALIAN)	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
PEBULATE PEBULATE	
FRUITING VEGETABLES, OTHER THAN CUCURBITS	*0.1
PENCONAZOLE PENCONAZOLE	
BRUSSELS SPROUTS	0.05
GRAPES	0.1
POME FRUITS	0.1
PENCYCURON PENCYCURON	
POTATO	0.05
PENDIMETHALIN PENDIMETHALIN	
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – INEDIBLE PEEL	*0.05
BARLEY	*0.05
BERRIES AND OTHER SMALL FRUITS	*0.05
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	*0.05
BULB VEGETABLES	*0.05
CITRUS FRUITS	*0.05
COFFEE BEANS	T*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
LEAFY VEGETABLES	*0.05
LEGUME VEGETABLES	*0.05
MAIZE	*0.05
MEAT (MAMMALIAN)	*0.01
MILK	*0.01
OILSEED	*0.05
OLIVES	*0.05
POME FRUITS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
PULSES	*0.05
RICE	*0.05
ROOT AND TUBER VEGETABLES	*0.05
STONE FRUITS	*0.05
SUGAR CANE	*0.05
SWEET CORN (CORN-ON-THE-COB)	*0.05
TOMATO	*0.05
TREE NUTS	*0.05
WHEAT	*0.05

PERMETHRIN PERMETHRIN, SUM OF ISOMERS	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS [EXCEPT BRUSSELS SPROUTS]	1
BRUSSELS SPROUTS	2
CELERY	5
CEREAL GRAINS	2
COMMON BEAN (DRY)	0.1
COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	0.5
CORIANDER (LEAVES AND STEMS)	T10
COTTON SEED	0.2
EDIBLE OFFAL (MAMMALIAN)	0.5
EGGS	0.1
FRUITING VEGETABLES, CUCURBITS	0.2
GALANGAL, RHIZOMES	T5
HERBS	T10
KAFFIR LIME LEAVES	T10
KIWIFRUIT	2
LEAFY VEGETABLES [EXCEPT LETTUCE HEAD AND LETTUCE LEAF]	T5
LEMON GRASS	T10
LEMON VERBENA	T5
LETTUCE, HEAD	5
LETTUCE, LEAF	5
LINSEED	0.1
LUPIN (DRY)	0.1
MEAT (MAMMALIAN) (IN THE FAT)	1
MILKS	0.05
MUNG BEAN (DRY)	0.1
MUSHROOMS	2
PEAS	1
POTATO	0.05
POULTRY MEAT (IN THE FAT)	0.1
RAPE SEED	0.2
RHUBARB	T5
SOYA BEAN (DRY)	0.1
SUGAR CANE	*0.1
SUNFLOWER SEED	0.2
SWEET CORN (CORN-ON-THE-COB)	*0.05
TOMATO	0.4
TURMERIC ROOT	T5
WHEAT BRAN, UNPROCESSED	5
WHEAT GERM	2
PHENMEDIPHAM PHENMEDIPHAM	
BEETROOT	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.1
LETTUCE, HEAD	T0.2
LETTUCE, LEAF	T0.2
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1

SCHEDULE 1

Maximum Residue Limits

PHENOTHRIN	
SUM OF PHENOTHRIN (+)CIS- AND (+)TRANS-ISOMERS	
EDIBLE OFFAL (MAMMALIAN)	*0.5
EGGS	*0.5
MEAT (MAMMALIAN)	*0.5
MILKS	*0.05
WHEAT	2
WHEAT BRAN, UNPROCESSED	5
WHEAT GERM	5
2-PHENYLPHENOL	
SUM OF 2-PHENYLPHENOL AND 2-PHENYLPHENATE, EXPRESSED AS 2-PHENYLPHENOL	
CARROT	20
CHERRIES	3
CITRUS FRUITS	10
CUCUMBER	10
MELONS [EXCEPT WATERMELON]	10
NECTARINE	3
PEACH	20
PEAR	25
PEPPERS, SWEET	10
PINEAPPLE	10
PLUMS (INCLUDING PRUNES)	15
SWEET POTATO	15
TOMATO	10
PHORATE	
SUM OF PHORATE, ITS OXYGEN ANALOGUE, AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS PHORATE	
COTTON SEED	0.5
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
VEGETABLES	0.5
PHOSMET	
SUM OF PHOSMET AND ITS OXYGEN ANALOGUE, EXPRESSED AS PHOSMET	
CATTLE, EDIBLE OFFAL OF	1
CATTLE MEAT (IN THE FAT)	1
CEREAL GRAINS	*0.05
GOAT, EDIBLE OFFAL OF	*0.05
GOAT MEAT	*0.05
KIWIFRUIT	15
MILKS (IN THE FAT)	0.2
PIG, EDIBLE OFFAL OF	0.1
PIG MEAT	0.1
POME FRUITS	1
SHEEP, EDIBLE OFFAL OF	*0.05
SHEEP MEAT	*0.05
STONE FRUITS	1

PHOSPHINE	
ALL PHOSPHIDES, EXPRESSED AS HYDROGEN PHOSPHIDE (PHOSPHINE)	
ASSORTED TROPICAL AND SUB-TROPICAL FRUITS – EDIBLE PEEL	T*0.01
CEREAL GRAINS	*0.1
DRIED FOODS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	*0.01
DRIED FRUITS	*0.01
DRIED VEGETABLES	*0.01
HONEY	*0.01
MELONS [EXCEPT WATERMELON]	T*0.01
OILSEED	*0.01
PEANUT	*0.01
POME FRUITS	T*0.01
PULSES	*0.01
SEED FOR BEVERAGES	T*0.01
SPICES	*0.01
STONE FRUITS	T*0.01
SUGAR CANE	*0.01
TREE NUTS	*0.01
PHOSPHOROUS ACID	
PHOSPHOROUS ACID	
ASSORTED TROPICAL AND SUBTROPICAL FRUITS – INEDIBLE PEEL	T100
BERRIES AND OTHER SMALL FRUITS	T50
BULB VEGETABLES	T10
CITRUS FRUITS	100
EDIBLE OFFAL (MAMMALIAN)	5
FRUITING VEGETABLES, CUCURBITS	T100
GALANGAL, RHIZOMES	T5
HERBS	T5
KAFFIR LIME LEAVES	T5
LEAFY VEGETABLES	T100
LEMON GRASS	T5
LEMON VERBENA	T5
MEAT (MAMMALIAN)	1
PEAS, SHELLED	T100
POPPY SEED	1
ROOT AND TUBER VEGETABLES	T100
TREE NUTS	T1000
PICLORAM	
PICLORAM	
CEREAL GRAINS	0.2
EDIBLE OFFAL (MAMMALIAN)	5
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
SUGAR CANE	*0.01

SCHEDULE 1

Maximum Residue Limits

PICOLINAFEN			
<i>COMMODITIES OF PLANT ORIGIN: PICOLINAFEN</i>			
<i>COMMODITIES OF ANIMAL ORIGIN: SUM OF PICOLINAFEN AND 6-[3-TRIFLUOROMETHYL PHENOXY]-2-PYRIDINE CARBOXYLIC ACID</i>			
CEREAL GRAINS	*0.02	EGGS	*0.1
EDIBLE OFFAL (MAMMALIAN)	0.05	FRUIT	0.5
EGGS	*0.01	HOPS, DRY	0.5
FIELD PEA (DRY)	*0.02	LEAFY VEGETABLES	T5
LUPIN (DRY)	*0.02	LUPIN (DRY)	*0.02
MEAT (MAMMALIAN) (IN THE FAT)	*0.02	MEAT (MAMMALIAN)	*0.1
MILKS	*0.01	MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.02	POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT (IN THE FAT)	*0.02	POULTRY MEAT	*0.1
		RAPE SEED	0.2
		TREE NUTS	T*0.05
		VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	1
PINOXADEN		PIRIMIPHOS-METHYL	
<i>SUM OF FREE AND CONJUGATED M4 METABOLITE, 8-(2,6-DIETHYL-4-HYDROXYMETHYLPHENYL)-TETRAHYDRO-PYRAZOLO [1,2-D][1,4,5] OXADIAZEPINE-7,9-DIONE, EXPRESSED AS PINOXADEN</i>		<i>PIRIMIPHOS-METHYL</i>	
BARLEY	0.1	BARLEY	7
EDIBLE OFFAL (MAMMALIAN)	*0.02	CEREAL BRAN, UNPROCESSED	20
EGGS	*0.02	EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.02	EGGS	*0.05
MILKS	*0.01	KIWIFRUIT	2
POULTRY, EDIBLE OFFAL OF	*0.02	MAIZE	7
POULTRY MEAT	*0.02	MEAT (MAMMALIAN)	*0.05
WHEAT	0.1	MILKS	*0.05
WHEAT BRAN, UNPROCESSED	0.5	MILLET	10
		OATS	7
		PEANUT	5
		PEANUT OIL, EDIBLE	15
		POULTRY, EDIBLE OFFAL OF	*0.05
		POULTRY MEAT	*0.05
		RICE	10
		RICE, HUSKED	2
		RICE, POLISHED	1
		RYE	10
		SORGHUM	10
		TRITICALE	10
		WHEAT	10
		WHEAT GERM	30
PIPERONYL BUTOXIDE		PRAZIQUANTEL	
<i>PIPERONYL BUTOXIDE</i>		<i>PRAZIQUANTEL</i>	
CATTLE MILK	0.05	SHEEP, EDIBLE OFFAL OF	*0.05
CEREAL BRAN, UNPROCESSED	40	SHEEP MEAT	*0.05
CEREAL GRAINS	20		
DRIED FRUITS	8	PROCAINE PENICILLIN	
DRIED VEGETABLES	8	<i>INHIBITORY SUBSTANCE, IDENTIFIED AS PROCAINE PENICILLIN</i>	
EDIBLE OFFAL (MAMMALIAN)	0.1	EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1	MEAT (MAMMALIAN)	*0.1
FRUIT	8	MILKS	*0.0025
MEAT (MAMMALIAN)	0.1		
OILSEED	8	PROCHLORAZ	
POULTRY, EDIBLE OFFAL OF	*0.5	<i>SUM OF PROCHLORAZ AND ITS METABOLITES CONTAINING THE 2,4,6-TRICHLOROPHENOL MOIETY, EXPRESSED AS PROCHLORAZ</i>	
POULTRY MEAT (IN THE FAT)	*0.5	AVOCADO	5
TREE NUTS	8	BANANA	5
VEGETABLES	8		
WHEAT GERM	50		
PIRIMICARB			
<i>SUM OF PIRIMICARB, DEMETHYL-PIRIMICARB AND THE N-FORMYL-(METHYLAMINO) ANALOGUE (DEMETHYLFORMAMIDO-PIRIMICARB), EXPRESSED AS PIRIMICARB</i>			
CEREAL GRAINS	*0.02		
COTTON SEED	0.05		
COTTON SEED OIL, CRUDE	T0.1		
EDIBLE OFFAL (MAMMALIAN)	*0.1		

SCHEDULE 1

Maximum Residue Limits

<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">LETTUCE, HEAD</td> <td style="text-align: right;">2</td> </tr> <tr> <td>MANGO</td> <td style="text-align: right;">5</td> </tr> <tr> <td>MUSHROOMS</td> <td style="text-align: right;">3</td> </tr> <tr> <td>PAPAYA (PAWPAW)</td> <td style="text-align: right;">5</td> </tr> <tr> <td>PINEAPPLE</td> <td style="text-align: right;">2</td> </tr> <tr> <td>PISTACHIO NUT</td> <td style="text-align: right;">T0.5</td> </tr> <tr> <td>SUGAR CANE</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td colspan="2" style="text-align: center;">PROCYMIDONE</td> </tr> <tr> <td colspan="2" style="text-align: center;">PROCYMIDONE</td> </tr> <tr> <td>ADZUKI BEAN (DRY)</td> <td style="text-align: right;">T0.2</td> </tr> <tr> <td>BERGAMOT</td> <td style="text-align: right;">T3</td> </tr> <tr> <td>BROAD BEAN (DRY)</td> <td style="text-align: right;">T10</td> </tr> <tr> <td>BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)</td> <td style="text-align: right;">T10</td> </tr> <tr> <td>BURNET, SALAD</td> <td style="text-align: right;">T3</td> </tr> <tr> <td>CHERVIL</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>COMMON BEAN (DRY)</td> <td style="text-align: right;">T10</td> </tr> <tr> <td>COMMON BEAN (PODS AND/OR IMMATURE SEEDS)</td> <td style="text-align: right;">T3</td> </tr> <tr> <td>CORIANDER (LEAVES, STEM, ROOTS)</td> <td style="text-align: right;">T3</td> </tr> <tr> <td>CORIANDER, SEED</td> <td style="text-align: right;">T3</td> </tr> <tr> <td>DILL, SEED</td> <td style="text-align: right;">T3</td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">T0.05</td> </tr> <tr> <td>EGGS</td> <td style="text-align: right;">T*0.01</td> </tr> <tr> <td>FENNEL, BULB</td> <td style="text-align: right;">T1</td> </tr> <tr> <td>FENNEL, SEED</td> <td style="text-align: right;">T3</td> </tr> <tr> <td>GALANGAL, GREATER</td> <td style="text-align: right;">T0.5</td> </tr> <tr> <td>GARLIC</td> <td style="text-align: right;">T5</td> </tr> <tr> <td>HERBS</td> <td style="text-align: right;">T3</td> </tr> <tr> <td>KAFFIR LIME LEAVES</td> <td style="text-align: right;">T3</td> </tr> <tr> <td>LEMON GRASS</td> <td style="text-align: right;">T3</td> </tr> <tr> <td>LEMON VERBENA (FRESH WEIGHT)</td> <td style="text-align: right;">T3</td> </tr> <tr> <td>LENTIL (DRY)</td> <td style="text-align: right;">0.5</td> </tr> <tr> <td>LUPIN (DRY)</td> <td style="text-align: right;">T*0.01</td> </tr> <tr> <td>MEAT (MAMMALIAN) (IN THE FAT)</td> <td style="text-align: right;">T0.2</td> </tr> <tr> <td>MILKS</td> <td style="text-align: right;">T0.02</td> </tr> <tr> <td>MIZUNA</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>ONION, BULB</td> <td style="text-align: right;">T0.2</td> </tr> <tr> <td>PEPPERS</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>POME FRUITS</td> <td style="text-align: right;">T1</td> </tr> <tr> <td>POTATO</td> <td style="text-align: right;">T0.1</td> </tr> <tr> <td>POULTRY, EDIBLE OFFAL OF</td> <td style="text-align: right;">T*0.01</td> </tr> <tr> <td>POULTRY MEAT (IN THE FAT)</td> <td style="text-align: right;">T0.1</td> </tr> <tr> <td>RAPE SEED</td> <td style="text-align: right;">T1</td> </tr> <tr> <td>RAPE SEED OIL, CRUDE</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>ROOT AND TUBER VEGETABLES [EXCEPT POTATO]</td> <td style="text-align: right;">T1</td> </tr> <tr> <td>ROSE AND DIANTHUS (EDIBLE FLOWERS)</td> <td style="text-align: right;">T3</td> </tr> <tr> <td>RUCOLA (ROCKET)</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>SNOW PEAS</td> <td style="text-align: right;">T5</td> </tr> <tr> <td>SPINACH</td> <td style="text-align: right;">T2</td> </tr> <tr> <td>STONE FRUITS</td> <td style="text-align: right;">T10</td> </tr> <tr> <td>TURMERIC, ROOT (FRESH)</td> <td style="text-align: right;">T0.5</td> </tr> <tr> <td>WINE GRAPES</td> <td style="text-align: right;">T2</td> </tr> </table>	LETTUCE, HEAD	2	MANGO	5	MUSHROOMS	3	PAPAYA (PAWPAW)	5	PINEAPPLE	2	PISTACHIO NUT	T0.5	SUGAR CANE	*0.05	PROCYMIDONE		PROCYMIDONE		ADZUKI BEAN (DRY)	T0.2	BERGAMOT	T3	BROAD BEAN (DRY)	T10	BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	T10	BURNET, SALAD	T3	CHERVIL	T2	COMMON BEAN (DRY)	T10	COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	T3	CORIANDER (LEAVES, STEM, ROOTS)	T3	CORIANDER, SEED	T3	DILL, SEED	T3	EDIBLE OFFAL (MAMMALIAN)	T0.05	EGGS	T*0.01	FENNEL, BULB	T1	FENNEL, SEED	T3	GALANGAL, GREATER	T0.5	GARLIC	T5	HERBS	T3	KAFFIR LIME LEAVES	T3	LEMON GRASS	T3	LEMON VERBENA (FRESH WEIGHT)	T3	LENTIL (DRY)	0.5	LUPIN (DRY)	T*0.01	MEAT (MAMMALIAN) (IN THE FAT)	T0.2	MILKS	T0.02	MIZUNA	T2	ONION, BULB	T0.2	PEPPERS	T2	POME FRUITS	T1	POTATO	T0.1	POULTRY, EDIBLE OFFAL OF	T*0.01	POULTRY MEAT (IN THE FAT)	T0.1	RAPE SEED	T1	RAPE SEED OIL, CRUDE	T2	ROOT AND TUBER VEGETABLES [EXCEPT POTATO]	T1	ROSE AND DIANTHUS (EDIBLE FLOWERS)	T3	RUCOLA (ROCKET)	T2	SNOW PEAS	T5	SPINACH	T2	STONE FRUITS	T10	TURMERIC, ROOT (FRESH)	T0.5	WINE GRAPES	T2	<table style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">PROFENOFOS</td> </tr> <tr> <td colspan="2" style="text-align: center;">PROFENOFOS</td> </tr> <tr> <td>CATTLE MILK</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td>COTTON SEED</td> <td style="text-align: right;">1</td> </tr> <tr> <td>COTTON SEED OIL, EDIBLE</td> <td style="text-align: right;">0.3</td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>EGGS</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>MEAT (MAMMALIAN)</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>POULTRY, EDIBLE OFFAL OF</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>POULTRY MEAT</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td colspan="2" style="text-align: center;">PROHEXADIONE-CALCIUM</td> </tr> <tr> <td colspan="2" style="text-align: center;">SUM OF THE FREE AND CONJUGATED FORMS OF PROHEXADIONE EXPRESSED AS PROHEXADIONE</td> </tr> <tr> <td>APPLE</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>MEAT (MAMMALIAN)</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>MILKS</td> <td style="text-align: right;">*0.01</td> </tr> <tr> <td colspan="2" style="text-align: center;">PROMETRYN</td> </tr> <tr> <td colspan="2" style="text-align: center;">PROMETRYN</td> </tr> <tr> <td>CATTLE MILK</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>CEREAL GRAINS</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td>CORIANDER (LEAVES, STEM, ROOTS)</td> <td style="text-align: right;">T1</td> </tr> <tr> <td>CORIANDER, SEED</td> <td style="text-align: right;">T1</td> </tr> <tr> <td>COTTON SEED</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>MEAT (MAMMALIAN)</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>PEANUT</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td>SUNFLOWER SEED</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td>VEGETABLES</td> <td style="text-align: right;">*0.1</td> </tr> <tr> <td colspan="2" style="text-align: center;">PROPACHLOR</td> </tr> <tr> <td colspan="2" style="text-align: center;">PROPACHLOR</td> </tr> <tr> <td>BEETROOT</td> <td style="text-align: right;">*0.05</td> </tr> <tr> <td>BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS</td> <td style="text-align: right;">0.6</td> </tr> <tr> <td>CEREAL GRAINS [EXCEPT SORGHUM]</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>EDIBLE OFFAL (MAMMALIAN)</td> <td style="text-align: right;">0.1</td> </tr> <tr> <td>EGGS</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>GARLIC</td> <td style="text-align: right;">2.5</td> </tr> <tr> <td>LEEK</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>LETTUCE, HEAD</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>LETTUCE, LEAF</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>MEAT (MAMMALIAN) (IN THE FAT)</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>MILKS</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>ONION, BULB</td> <td style="text-align: right;">2.5</td> </tr> <tr> <td>POULTRY, EDIBLE OFFAL OF</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>POULTRY MEAT (IN THE FAT)</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>RADISH</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>SWEDE</td> <td style="text-align: right;">*0.02</td> </tr> <tr> <td>SORGHUM</td> <td style="text-align: right;">0.2</td> </tr> <tr> <td>SWEET CORN (CORN-ON-THE-COB)</td> <td style="text-align: right;">0.05</td> </tr> <tr> <td>TURNIP, GARDEN</td> <td style="text-align: right;">*0.02</td> </tr> </table>	PROFENOFOS		PROFENOFOS		CATTLE MILK	*0.01	COTTON SEED	1	COTTON SEED OIL, EDIBLE	0.3	EDIBLE OFFAL (MAMMALIAN)	*0.05	EGGS	*0.02	MEAT (MAMMALIAN)	*0.05	POULTRY, EDIBLE OFFAL OF	*0.05	POULTRY MEAT	*0.05	PROHEXADIONE-CALCIUM		SUM OF THE FREE AND CONJUGATED FORMS OF PROHEXADIONE EXPRESSED AS PROHEXADIONE		APPLE	*0.02	EDIBLE OFFAL (MAMMALIAN)	*0.05	MEAT (MAMMALIAN)	*0.05	MILKS	*0.01	PROMETRYN		PROMETRYN		CATTLE MILK	*0.05	CEREAL GRAINS	*0.1	CORIANDER (LEAVES, STEM, ROOTS)	T1	CORIANDER, SEED	T1	COTTON SEED	*0.1	EDIBLE OFFAL (MAMMALIAN)	*0.05	MEAT (MAMMALIAN)	*0.05	PEANUT	*0.1	SUNFLOWER SEED	*0.1	VEGETABLES	*0.1	PROPACHLOR		PROPACHLOR		BEETROOT	*0.05	BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.6	CEREAL GRAINS [EXCEPT SORGHUM]	0.05	EDIBLE OFFAL (MAMMALIAN)	0.1	EGGS	*0.02	GARLIC	2.5	LEEK	*0.02	LETTUCE, HEAD	*0.02	LETTUCE, LEAF	*0.02	MEAT (MAMMALIAN) (IN THE FAT)	*0.02	MILKS	*0.02	ONION, BULB	2.5	POULTRY, EDIBLE OFFAL OF	*0.02	POULTRY MEAT (IN THE FAT)	*0.02	RADISH	*0.02	SWEDE	*0.02	SORGHUM	0.2	SWEET CORN (CORN-ON-THE-COB)	0.05	TURNIP, GARDEN	*0.02
LETTUCE, HEAD	2																																																																																																																																																																																																								
MANGO	5																																																																																																																																																																																																								
MUSHROOMS	3																																																																																																																																																																																																								
PAPAYA (PAWPAW)	5																																																																																																																																																																																																								
PINEAPPLE	2																																																																																																																																																																																																								
PISTACHIO NUT	T0.5																																																																																																																																																																																																								
SUGAR CANE	*0.05																																																																																																																																																																																																								
PROCYMIDONE																																																																																																																																																																																																									
PROCYMIDONE																																																																																																																																																																																																									
ADZUKI BEAN (DRY)	T0.2																																																																																																																																																																																																								
BERGAMOT	T3																																																																																																																																																																																																								
BROAD BEAN (DRY)	T10																																																																																																																																																																																																								
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	T10																																																																																																																																																																																																								
BURNET, SALAD	T3																																																																																																																																																																																																								
CHERVIL	T2																																																																																																																																																																																																								
COMMON BEAN (DRY)	T10																																																																																																																																																																																																								
COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	T3																																																																																																																																																																																																								
CORIANDER (LEAVES, STEM, ROOTS)	T3																																																																																																																																																																																																								
CORIANDER, SEED	T3																																																																																																																																																																																																								
DILL, SEED	T3																																																																																																																																																																																																								
EDIBLE OFFAL (MAMMALIAN)	T0.05																																																																																																																																																																																																								
EGGS	T*0.01																																																																																																																																																																																																								
FENNEL, BULB	T1																																																																																																																																																																																																								
FENNEL, SEED	T3																																																																																																																																																																																																								
GALANGAL, GREATER	T0.5																																																																																																																																																																																																								
GARLIC	T5																																																																																																																																																																																																								
HERBS	T3																																																																																																																																																																																																								
KAFFIR LIME LEAVES	T3																																																																																																																																																																																																								
LEMON GRASS	T3																																																																																																																																																																																																								
LEMON VERBENA (FRESH WEIGHT)	T3																																																																																																																																																																																																								
LENTIL (DRY)	0.5																																																																																																																																																																																																								
LUPIN (DRY)	T*0.01																																																																																																																																																																																																								
MEAT (MAMMALIAN) (IN THE FAT)	T0.2																																																																																																																																																																																																								
MILKS	T0.02																																																																																																																																																																																																								
MIZUNA	T2																																																																																																																																																																																																								
ONION, BULB	T0.2																																																																																																																																																																																																								
PEPPERS	T2																																																																																																																																																																																																								
POME FRUITS	T1																																																																																																																																																																																																								
POTATO	T0.1																																																																																																																																																																																																								
POULTRY, EDIBLE OFFAL OF	T*0.01																																																																																																																																																																																																								
POULTRY MEAT (IN THE FAT)	T0.1																																																																																																																																																																																																								
RAPE SEED	T1																																																																																																																																																																																																								
RAPE SEED OIL, CRUDE	T2																																																																																																																																																																																																								
ROOT AND TUBER VEGETABLES [EXCEPT POTATO]	T1																																																																																																																																																																																																								
ROSE AND DIANTHUS (EDIBLE FLOWERS)	T3																																																																																																																																																																																																								
RUCOLA (ROCKET)	T2																																																																																																																																																																																																								
SNOW PEAS	T5																																																																																																																																																																																																								
SPINACH	T2																																																																																																																																																																																																								
STONE FRUITS	T10																																																																																																																																																																																																								
TURMERIC, ROOT (FRESH)	T0.5																																																																																																																																																																																																								
WINE GRAPES	T2																																																																																																																																																																																																								
PROFENOFOS																																																																																																																																																																																																									
PROFENOFOS																																																																																																																																																																																																									
CATTLE MILK	*0.01																																																																																																																																																																																																								
COTTON SEED	1																																																																																																																																																																																																								
COTTON SEED OIL, EDIBLE	0.3																																																																																																																																																																																																								
EDIBLE OFFAL (MAMMALIAN)	*0.05																																																																																																																																																																																																								
EGGS	*0.02																																																																																																																																																																																																								
MEAT (MAMMALIAN)	*0.05																																																																																																																																																																																																								
POULTRY, EDIBLE OFFAL OF	*0.05																																																																																																																																																																																																								
POULTRY MEAT	*0.05																																																																																																																																																																																																								
PROHEXADIONE-CALCIUM																																																																																																																																																																																																									
SUM OF THE FREE AND CONJUGATED FORMS OF PROHEXADIONE EXPRESSED AS PROHEXADIONE																																																																																																																																																																																																									
APPLE	*0.02																																																																																																																																																																																																								
EDIBLE OFFAL (MAMMALIAN)	*0.05																																																																																																																																																																																																								
MEAT (MAMMALIAN)	*0.05																																																																																																																																																																																																								
MILKS	*0.01																																																																																																																																																																																																								
PROMETRYN																																																																																																																																																																																																									
PROMETRYN																																																																																																																																																																																																									
CATTLE MILK	*0.05																																																																																																																																																																																																								
CEREAL GRAINS	*0.1																																																																																																																																																																																																								
CORIANDER (LEAVES, STEM, ROOTS)	T1																																																																																																																																																																																																								
CORIANDER, SEED	T1																																																																																																																																																																																																								
COTTON SEED	*0.1																																																																																																																																																																																																								
EDIBLE OFFAL (MAMMALIAN)	*0.05																																																																																																																																																																																																								
MEAT (MAMMALIAN)	*0.05																																																																																																																																																																																																								
PEANUT	*0.1																																																																																																																																																																																																								
SUNFLOWER SEED	*0.1																																																																																																																																																																																																								
VEGETABLES	*0.1																																																																																																																																																																																																								
PROPACHLOR																																																																																																																																																																																																									
PROPACHLOR																																																																																																																																																																																																									
BEETROOT	*0.05																																																																																																																																																																																																								
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.6																																																																																																																																																																																																								
CEREAL GRAINS [EXCEPT SORGHUM]	0.05																																																																																																																																																																																																								
EDIBLE OFFAL (MAMMALIAN)	0.1																																																																																																																																																																																																								
EGGS	*0.02																																																																																																																																																																																																								
GARLIC	2.5																																																																																																																																																																																																								
LEEK	*0.02																																																																																																																																																																																																								
LETTUCE, HEAD	*0.02																																																																																																																																																																																																								
LETTUCE, LEAF	*0.02																																																																																																																																																																																																								
MEAT (MAMMALIAN) (IN THE FAT)	*0.02																																																																																																																																																																																																								
MILKS	*0.02																																																																																																																																																																																																								
ONION, BULB	2.5																																																																																																																																																																																																								
POULTRY, EDIBLE OFFAL OF	*0.02																																																																																																																																																																																																								
POULTRY MEAT (IN THE FAT)	*0.02																																																																																																																																																																																																								
RADISH	*0.02																																																																																																																																																																																																								
SWEDE	*0.02																																																																																																																																																																																																								
SORGHUM	0.2																																																																																																																																																																																																								
SWEET CORN (CORN-ON-THE-COB)	0.05																																																																																																																																																																																																								
TURNIP, GARDEN	*0.02																																																																																																																																																																																																								

SCHEDULE 1

Maximum Residue Limits

PROPANIL PROPANIL	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
EGGS	*0.1
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	3
POULTRY MEAT	*0.1
RICE	2
SHEEP, EDIBLE OFFAL OF	*0.1
SHEEP MEAT	*0.1
PROPAQUIZAFOP PROPAQUIZAFOP AND ACID AND OXOPHENOXY METABOLITES, MEASURED AS 6-CHLORO-2- METHOXYQUINOXALINE, EXPRESSED AS PROPAQUIZAFOP	
EDIBLE OFFAL (MAMMALIAN)	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.01
OILSEED	*0.05
ONION, BULB	*0.05
PEAS	*0.05
PULSES	*0.05
PROPARGITE PROPARGITE	
APPLE	3
BANANA	3
COTTON SEED	0.2
CURRANT, BLACK	T3
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
HOPS, DRY	3
MANGOSTEEN	T3
MEAT (MAMMALIAN) (IN THE FAT)	*0.1
MILKS	*0.1
PASSIONFRUIT	3
PEAR	3
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT (IN THE FAT)	*0.1
RAMBUTAN	T3
STONE FRUITS	3
STRAWBERRY	7
VEGETABLES	3
PROPAZINE PROPAZINE	
LUPIN	*0.1
VEGETABLES	*0.1
PROPETAMPHOS PROPETAMPHOS	
SHEEP, EDIBLE OFFAL OF	*0.01
SHEEP MEAT (IN THE FAT)	*0.01

PROPICONAZOLE PROPICONAZOLE	
ASPARAGUS	T*0.1
AVOCADO	*0.02
BANANA	0.2
BEETROOT	*0.02
BLUEBERRIES	T2
CELERY	T5
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	1
EGGS	*0.05
GRAPES	1
MEAT (MAMMALIAN)	0.1
MILKS	*0.01
MINT OIL	*0.02
MUSHROOMS	*0.05
PEANUT	*0.05
PERSIMMON, AMERICAN	T0.2
PINEAPPLE	0.05
POPPY SEED	*0.01
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
STONE FRUITS	2
SUGAR CANE	*0.02
SWEET CORN (CORN-ON-THE-COB)	*0.02
TREE NUTS	T0.2
PROPINEB <i>SEE DITHIOCARBAMATES</i>	
PROPOXUR PROPOXUR	
POTATO	10
PROPYZAMIDE PROPYZAMIDE	
CATTLE, EDIBLE OFFAL OF	*0.2
CATTLE MEAT	*0.05
CHICORY LEAVES	*0.2
EGGS	*0.05
ENDIVE	*0.2
LETTUCE, HEAD	1
LETTUCE, LEAF	1
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PROSULFOCARB PROSULFOCARB	
BARLEY	T*0.01
WHEAT	T*0.01
PROTHIOFOS PROTHIOFOS	
BANANA	*0.01
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.2

SCHEDULE 1

Maximum Residue Limits

GRAPES	2
POME FRUITS	0.05
PYMETROZINE PYMETROZINE	
ALMONDS	T*0.02
BEETROOT	*0.02
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD CABBAGES	*0.02
COTTON SEED	*0.02
COTTON SEED OIL, EDIBLE	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGG PLANT	T0.05
EGGS	*0.01
FRUITING VEGETABLES, CUCURBITS	T0.1
LEAFY VEGETABLES	T5
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
PEPPERS, SWEET	T*0.02
PISTACHIO NUT	T*0.02
PODDED PEA (YOUNG PODS) (SNOW AND SUGAR SNAP)	0.3
POTATO	*0.02
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
STONE FRUITS	*0.05
TOMATO	T0.2
PYRACLOFOS PYRACLOFOS	
SHEEP FAT	T*0.1
SHEEP KIDNEY	T*0.1
SHEEP LIVER	T*0.1
SHEEP MEAT	T*0.1
PYRACLOSTROBIN <i>COMMODITIES OF PLANT ORIGIN: PYRACLOSTROBIN</i> <i>COMMODITIES OF ANIMAL ORIGIN: SUM OF</i> PYRACLOSTROBIN AND METABOLITES HYDROLYSED TO 1-(4-CHLORO-PHENYL)-1H-PYRAZOL-3-OL, EXPRESSED AS PYRACLOSTROBIN	
BANANA	*0.02
DRIED GRAPES	5
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
GRAPES	2
MEAT (MAMMALIAN) (IN THE FAT)	*0.05
MILKS	*0.01
POTATO	*0.02
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT (IN THE FAT)	*0.05
PYRAZOPHOS PYRAZOPHOS	
CUCUMBER	T2

PYRETHRINS SUM OF PYRETHRINS I AND II, CINERINS I AND II AND JASMOLINS I AND II, DETERMINED AFTER CALIBRATION BY MEANS OF THE INTERNATIONAL PYRETHRUM STANDARD	
CEREAL GRAINS	3
CUCUMBER	T2
DRIED FRUITS	1
DRIED VEGETABLES	1
FRUIT	1
FRUITING VEGETABLES, CUCURBITS [EXCEPT CUCUMBER]	0.2
OILSEED	1
TREE NUTS	1
VEGETABLES	1
PYRIDABEN PYRIDABEN	
BANANA	0.5
GRAPES	5
POME FRUITS	0.5
STONE FRUITS	0.5
STRAWBERRY	1
TREE NUTS	T*0.05
PYRIDATE SUM OF PYRIDATE AND METABOLITES CONTAINING 6 CHLORO-4-HYDROXYL-3-PHENYL PYRIDAZINE, EXPRESSED AS PYRIDATE	
CHICK-PEA (DRY)	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.2
EGGS	*0.2
MEAT (MAMMALIAN)	*0.2
MILKS	*0.2
PEANUT	*0.1
POULTRY, EDIBLE OFFAL OF	*0.2
POULTRY MEAT	*0.2
PYRIMETHANIL PYRIMETHANIL	
BANANA	T0.2
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES AND STRAWBERRY]	T5
EDIBLE OFFAL (MAMMALIAN)	*0.05
GRAPES	5.0
MEAT (MAMMALIAN)	*0.05
MILKS	*0.01
POME FRUITS	0.05
POTATO	*0.01
STRAWBERRY	5.0
TOMATO	1
PYRIPROXYFEN PYRIPROXYFEN	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	T0.2
COTTON SEED	T*0.01

SCHEDULE 1

Maximum Residue Limits

COTTON SEED OIL, CRUDE	T*0.02	CABBAGES, HEAD	*0.01
COTTON SEED OIL, EDIBLE	T*0.02	CARROT	*0.02
EDIBLE OFFAL (MAMMALIAN)	T*0.02	CAULIFLOWER	*0.05
FRUITING VEGETABLES, CUCURBITS	T0.2	COMMON BEAN (PODS AND IMMATURE SEEDS)	*0.02
FRUITING VEGETABLES, OTHER THAN CUCURBITS	T1	CUCUMBER	*0.02
MEAT (MAMMALIAN) (IN THE FAT)	T*0.02	EDIBLE OFFAL (MAMMALIAN)	0.2
MILKS	T*0.02	EGGS	*0.02
PYRITHIOBAC SODIUM		GRAPES	*0.02
PYRITHIOBAC SODIUM		MEAT (MAMMALIAN)	*0.02
COTTON SEED	*0.02	MELONS [EXCEPT WATERMELON]	*0.02
COTTON SEED OIL, CRUDE	*0.01	MILKS	0.1
COTTON SEED OIL, EDIBLE	*0.01	ONION, BULB	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.02	PEANUT	*0.02
EGGS	*0.02	PINEAPPLE	*0.05
MEAT (MAMMALIAN)	*0.02	POTATO	*0.01
MILKS	*0.02	POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY, EDIBLE OFFAL OF	*0.02	POULTRY MEAT	*0.05
POULTRY MEAT	*0.02	PULSES	0.2
QUINOXYFEN		PUMPKINS	*0.02
QUINOXYFEN		RADISH	*0.02
DRIED GRAPES	2	RAPE SEED	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.01	SUNFLOWER SEED	*0.05
GRAPES	0.6	TOMATO	*0.02
MEAT (MAMMALIAN) (IN THE FAT)	0.1	QUIZALOFOP-P-TEFURYL	
MILKS	0.01	SUM OF QUIZALOFOP-P-TEFURYL AND QUIZALOFOP ACID, EXPRESSED AS QUIZALOFOP-P-TEFURYL	
QUINTOZENE		BEETROOT	0.02
SUM OF QUINTOZENE, PENTACHLOROANILINE AND METHYL PENTACHLOROPHENYL SULFIDE, EXPRESSED AS QUINTOZENE		CABBAGES, HEAD	*0.01
BANANA	1	CARROT	*0.02
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	0.01	CAULIFLOWER	*0.05
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.02	COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	*0.02
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.01	CUCUMBER	*0.02
CELERY	0.3	EDIBLE OFFAL (MAMMALIAN)	0.2
COMMON BEAN (DRY)	0.2	EGGS	*0.02
COTTON SEED	0.03	GRAPES	*0.02
LETTUCE, HEAD	0.3	MEAT (MAMMALIAN)	*0.02
LETTUCE, LEAF	0.3	MELONS [EXCEPT WATERMELON]	*0.02
MUSHROOMS	10	MILKS	0.1
ONION, BULB	0.2	ONION, BULB	*0.02
PEANUT	0.3	PEANUT	*0.02
PEPPERS, SWEET	0.01	PINEAPPLE	*0.05
POTATO	0.2	POTATO	*0.01
TOMATO	0.1	POULTRY, EDIBLE OFFAL OF	*0.05
QUIZALOFOP-ETHYL		POULTRY MEAT	*0.05
SUM OF QUIZALOFOP-ETHYL AND QUIZALOFOP ACID AND OTHER ESTERS, EXPRESSED AS QUIZALOFOP-ETHYL		PULSES	0.2
BEETROOT	0.02	PUMPKINS	*0.02
		RADISH	*0.02
		RAPE SEED	*0.02
		SUNFLOWER SEED	*0.05
		TOMATO	*0.02
		RACTOPAMINE	
		RACTOPAMINE	
		CATTLE FAT	T*0.02
		CATTLE KIDNEY	T0.1

SCHEDULE 1

Maximum Residue Limits

CATTLE MEAT	T*0.02	DILL, SEED	*0.1
PIG, KIDNEY	0.2	EDIBLE OFFAL (MAMMALIAN)	*0.05
PIG, LIVER	0.2	EGG PLANT	T*0.1
PIG FAT	0.05	EGGS	*0.05
PIG MEAT	0.05	ENDIVE	0.05
RIMOSULFURON		FENNEL, BULB	0.2
RIMOSULFURON		FENNEL, SEED	*0.1
TOMATO	*0.05	FRUITING VEGETABLES, CUCURBITS	*0.1
ROBENIDINE		GARLIC	0.3
ROBENIDINE		HERBS [EXCEPT THYME]	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1	KAFFIR LIME LEAVES	*0.1
POULTRY MEAT	*0.1	LEEK	T0.3
SALINOMYCIN		LEMON GRASS	*0.1
SALINOMYCIN		LEMON VERBENA (FRESH WEIGHT)	*0.1
CATTLE, EDIBLE OFFAL OF	0.5	LETTUCE, HEAD	0.2
CATTLE MEAT	*0.05	LETTUCE, LEAF	0.2
EGGS	*0.02	LINSEED	0.5
PIG, EDIBLE OFFAL OF	*0.1	LUPIN (DRY)	0.2
PIG MEAT	*0.1	MEAT (MAMMALIAN)	*0.05
POULTRY, EDIBLE OFFAL OF	0.5	MILKS	*0.05
POULTRY MEAT	0.1	MIZUNA	*0.1
SEMDURAMICIN		ONION, BULB	0.3
SEMDURAMICIN		PEANUT	3
CHICKEN FAT/SKIN	0.5	PEAS (PODS AND SUCCULENT, IMMATURE SEEDS)	T0.5
CHICKEN KIDNEY	0.2	PEPPERS	T0.7
CHICKEN LIVER	0.5	POPPY SEED	0.2
CHICKEN MEAT	*0.05	POULTRY, EDIBLE OFFAL OF	*0.05
SETHOXYDIM		POULTRY MEAT	*0.05
SUM OF SETHOXYDIM AND METABOLITES CONTAINING THE 5-(2-ETHYLTHIOPROPYL)CYCLOHEXENE-3-ONE AND 5-(2-ETHYLTHIOPROPYL)-5-HYDROXYCYCLOHEXENE-3-ONE MOIETIES AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS SETHOXYDIM		PULSES [EXCEPT LUPIN (DRY)]	*0.1
ASPARAGUS	1	RAPE SEED	0.5
BARLEY	*0.1	RHUBARB	T0.1
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	*0.1	ROOT AND TUBER VEGETABLES	1
BERGAMOT	*0.1	ROSE AND DIANTHUS (EDIBLE FLOWERS)	*0.1
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.5	RUCOLA (ROCKET)	*0.1
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	*0.1	SPINACH	*0.1
BURNET, SALAD	*0.1	SPRING ONION	T0.5
CELERY	0.1	STRAWBERRY	0.1
CHARD (SILVER BEET)	T*0.1	SUNFLOWER SEED	*0.1
CHERVIL	*0.1	THYME	0.5
CORIANDER (LEAVES, STEM, ROOTS)	*0.1	TOMATO	0.1
CORIANDER, SEED	*0.1	TURMERIC, ROOT	1
COTTON SEED	0.2	WHEAT	*0.1
		SIMAZINE	
		SIMAZINE	
		ASPARAGUS	*0.1
		BROAD BEAN (DRY)	*0.01
		BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	*0.01
		CHICK-PEA (DRY)	*0.05
		CHICK-PEA (GREEN PODS)	*0.05
		EDIBLE OFFAL (MAMMALIAN)	*0.01
		EGGS	*0.01
		FRUIT	*0.1
		LEEK	*0.01
		LUPIN (DRY)	*0.05

SCHEDULE 1

Maximum Residue Limits

MEAT (MAMMALIAN)	*0.01	MILKS	T0.1
MILKS	*0.01	PEAS (PODS AND SUCCULENT, IMMATURE SEEDS)	0.5
POULTRY, EDIBLE OFFAL OF	*0.01	POME FRUITS	0.5
POULTRY MEAT	*0.01	POULTRY, EDIBLE OFFAL OF	T0.05
RAPE SEED	*0.02	POULTRY FAT/SKIN	T0.2
TREE NUTS	*0.1	POULTRY MEAT	*0.01
SPECTINOMYCIN INHIBITORY SUBSTANCE, IDENTIFIED AS SPECTINOMYCIN		PULSES	0.01
EDIBLE OFFAL (MAMMALIAN) [EXCEPT SHEEP, EDIBLE OFFAL OF]	*1	ROOT AND TUBER VEGETABLES	0.02
EGGS	2	RUCOLA (ROCKET)	5
GOAT MILK	*2	SAFFLOWER SEED	T*0.01
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT]	*1	STONE FRUITS	1
POULTRY, EDIBLE OFFAL OF	*1	SWEET CORN (CORN-ON-THE-COB)	0.02
POULTRY MEAT	*1	TREE NUTS	T*0.01
SPINOSAD SUM OF SPINOSYN A AND SPINOSYN D		TURMERIC, ROOT	0.02
ASSORTED TROPICAL AND SUB- TROPICAL FRUITS – INEDIBLE PEEL	0.3	SPIRAMYCIN INHIBITORY SUBSTANCE, IDENTIFIED AS SPIRAMYCIN	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	0.5	PIG, EDIBLE OFFAL OF	*1
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	0.7	PIG MEAT	*0.1
BERGAMOT	5	POULTRY, EDIBLE OFFAL OF	*1
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.5	POULTRY MEAT	*0.1
BURNET, SALAD	5	SPIROXAMINE <i>COMMODITIES OF PLANT ORIGIN: SPIROXAMINE</i> <i>COMMODITIES OF ANIMAL ORIGIN: SPIROXAMINE</i> CARBOXYLIC ACID, EXPRESSED AS SPIROXAMINE	
CELERY	2.0	BANANA	T5
CEREAL GRAINS	T1	DRIED GRAPES	3
CHERVIL	5	EDIBLE OFFAL (MAMMALIAN)	0.5
CITRUS FRUITS	0.3	GRAPES	2
COFFEE BEANS	*0.01	MAMMALIAN FATS [EXCEPT MILK FATS]	0.05
CORIANDER (LEAVES, STEM, ROOTS)	5	MEAT (MAMMALIAN)	0.05
CORIANDER, SEED	5	MILKS	0.05
COTTONSEED	*0.01	STREPTOMYCIN AND DIHYDROSTREPTOMYCIN INHIBITORY SUBSTANCE, IDENTIFIED AS STREPTOMYCIN OR DIHYDROSTREPTOMYCIN	
DILL, SEED	5	EDIBLE OFFAL (MAMMALIAN)	*0.3
EDIBLE OFFAL (MAMMALIAN)	T0.2	MEAT (MAMMALIAN)	*0.3
EGGS	T0.05	MILKS	*0.2
FENNEL, SEED	5	SULFOSULFURON SUM OF SULFOSULFURON AND ITS METABOLITES WHICH CAN BE HYDROLYSED TO 2- (ETHYLSULFONYL)IMIDAZO[1,2-A]PYRIDINE, EXPRESSED AS SULFOSULFURON	
FRUITING VEGETABLES, CUCURBITS	0.2	EDIBLE OFFAL (MAMMALIAN)	*0.005
FRUITING VEGETABLES, OTHER THAN CUCURBITS [EXCEPT SWEET CORN (CORN-ON-THE-COB)]	0.2	EGGS	*0.005
GALANGAL, GREATER	0.02	MEAT (MAMMALIAN)	*0.005
GRAPES	0.5	MILKS	*0.005
HERBS	5	POULTRY, EDIBLE OFFAL OF	*0.005
KAFFIR LIME LEAVES	5	POULTRY MEAT	*0.005
JAPANESE GREENS	5	TRITICALE	*0.01
LEAFY VEGETABLES	5	WHEAT	*0.01
LEMON GRASS	5		
LEMON VERBENA (DRY LEAVES)	5		
MEAT (MAMMALIAN) (IN THE FAT)	T1		

SCHEDULE 1

Maximum Residue Limits

SULPHADIAZINE SULPHADIAZINE		LETTUCE, LEAF	T0.02
CATTLE MILK	0.1	MEAT (MAMMALIAN)	0.1
EDIBLE OFFAL (MAMMALIAN)	0.1	MILKS	0.05
EGGS	T*0.02	PAPAYA (PAWPAW)	0.2
MEAT (MAMMALIAN)	0.1	PEANUT	0.1
POULTRY, EDIBLE OFFAL OF	0.1	POULTRY, EDIBLE OFFAL OF	0.5
POULTRY MEAT	0.1	POULTRY MEAT	0.1
		SUGAR CANE	0.1
SULPHADIMIDINE SULPHADIMIDINE		TEBUFENOZIDE TEBUFENOZIDE	
MEAT (MAMMALIAN)	0.1	AVOCADO	0.5
EDIBLE OFFAL (MAMMALIAN)	0.1	BLUEBERRIES	T2
EGGS	T*0.01	CITRUS FRUITS	1
POULTRY, EDIBLE OFFAL OF [EXCEPT TURKEY]	0.1	COFFEE BEANS	T0.05
POULTRY MEAT	0.1	CUSTARD APPLE	0.3
TURKEY, EDIBLE OFFAL OF	0.2	DRIED GRAPES	4
		EDIBLE OFFAL (MAMMALIAN)	*0.02
SULPHADOXINE SULPHADOXINE		GRAPES	2
CATTLE MILK	*0.1	KIWIFRUIT	2
EDIBLE OFFAL (MAMMALIAN)	*0.1	LITCHI	2
MEAT (MAMMALIAN)	*0.1	LONGAN	2
		MACADAMIA NUTS	0.05
SULPHAQUINOXALINE SULPHAQUINOXALINE		MEAT (MAMMALIAN) (IN THE FAT)	*0.02
EGGS	T*0.01	MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	0.1	NECTARINE	T1
POULTRY MEAT	0.1	PEACH	T1
		PERSIMMON, JAPANESE	0.1
SULPHATROXOZOLE SULPHATROXOZOLE		PISTACHIO NUT	T0.05
CATTLE MILK	0.1	POME FRUITS	1
EDIBLE OFFAL (MAMMALIAN)	0.1	RAMBUTAN	T3
MEAT (MAMMALIAN)	0.1		
		TEBUFENPYRAD TEBUFENPYRAD	
SULPROFOS SULPROFOS		PEACH	1
COTTON SEED	0.2	POME FRUITS	1
PEPPERS, SWEET	0.2		
TOMATO	1	TEBUTHIURON SUM OF TEBUTHIURON, AND HYDROXYDIMETHYLETHYL, N-DIMETHYL AND HYDROXY METHYLAMINE METABOLITES, EXPRESSED AS TEBUTHIURON	
		EDIBLE OFFAL (MAMMALIAN)	2
TEBUCONAZOLE TEBUCONAZOLE		MEAT (MAMMALIAN)	0.5
ASPARAGUS	T*0.02	MILKS	0.2
AVOCADO	0.2	SUGAR CANE	T0.2
BANANA	0.2		
BROAD BEAN (DRY)	T0.5	TEMEPHOS SUM OF TEMEPHOS AND TEMEPHOS SULFOXIDE, EXPRESSED AS TEMEPHOS	
BULB VEGETABLES	*0.01	CATTLE, EDIBLE OFFAL OF	T2
CEREAL GRAINS	0.2	CATTLE MEAT (IN THE FAT)	T5
COTTON SEED	T1	SHEEP, EDIBLE OFFAL OF	0.5
DRIED GRAPES	5	SHEEP MEAT (IN THE FAT)	3
EDIBLE OFFAL (MAMMALIAN)	0.5		
EGGS	0.1		
GRAPES	2		
LEGUME VEGETABLES	0.5		
LETTUCE, HEAD	T0.02		

SCHEDULE 1

Maximum Residue Limits

TEPRALOXYDIM SUM OF TEPRALOXYDIM AND METABOLITES CONVERTED TO 3-(TETRAHYDRO-PYRAN-4-YL) GLUTARIC AND 3-HYDROXY-3-(TETRAHYDRO- PYRAN-4-YL)-GLUTARIC ACID, EXPRESSED AS TEPRALOXYDIM	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
PULSES	*0.1
RAPE SEED	*0.1
TERBACIL TERBACIL	
ALMONDS	0.5
PEPPERMINT OIL	*0.1
POME FRUITS	*0.04
STONE FRUITS	*0.04
TERBUFOS SUM OF TERBUFOS, ITS OXYGEN ANALOGUE AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS TERBUFOS	
BANANA	0.05
CATTLE, EDIBLE OFFAL OF	*0.05
CATTLE MEAT	*0.05
CATTLE MILK	*0.01
CEREAL GRAINS	*0.01
EGGS	*0.01
PEANUT	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SUNFLOWER SEED	*0.05
SWEET CORN (CORN-ON-THE-COB)	*0.05
TERBUTRYN TERBUTRYN	
CEREAL GRAINS	*0.1
EDIBLE OFFAL (MAMMALIAN)	3
EGGS	*0.05
MEAT (MAMMALIAN)	0.1
MILKS	0.1
PEAS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	0.1
SUGAR CANE	*0.05
TETRACHLORVINPHOS TETRACHLORVINPHOS	
EDIBLE OFFAL (MAMMALIAN)	0.05
MEAT (MAMMALIAN)	0.05
MILKS (IN THE FAT)	0.05

TETRACONAZOLE TETRACONAZOLE	
EDIBLE OFFAL (MAMMALIAN)	0.2
GRAPES	0.5
MEAT (MAMMALIAN) (IN THE FAT)	*0.01
MILKS	*0.01
TETRACYCLINE INHIBITORY SUBSTANCE, IDENTIFIED AS TETRACYCLINE	
MILKS	*0.1
TETRADIFON TETRADIFON	
COTTON SEED	5
FRUIT	5
HOPS, DRY	5
VEGETABLES	5
THIABENDAZOLE <i>COMMODITIES OF PLANT ORIGIN:</i> THIABENDAZOLE <i>COMMODITIES OF ANIMAL ORIGIN:</i> SUM OF THIABENDAZOLE AND 5-HYDROXYTHIABENDAZOLE, EXPRESSED AS THIABENDAZOLE	
APPLE	10
BANANA	3
CITRUS FRUITS	10
EDIBLE OFFAL (MAMMALIAN)	0.2
MEAT (MAMMALIAN)	0.2
MILKS	0.05
MUSHROOMS	0.5
PEAR	10
POTATO	5
SWEET POTATO	T0.05
THIACLOPRID THIACLOPRID	
EDIBLE OFFAL (MAMMALIAN)	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.01
POME FRUITS	1
STONE FRUITS	2
THIAMETHOXAM <i>COMMODITIES OF PLANT ORIGIN:</i> THIAMETHOXAM <i>COMMODITIES OF ANIMAL ORIGIN:</i> SUM OF THIAMETHOXAM AND N-(2-CHLORO-THIAZOL-5- YLMETHYL)-N'-METHYL-N'-NITRO-GUANIDINE, EXPRESSED AS THIAMETHOXAM	
CITRUS FRUITS	T0.2
COTTON SEED	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02
MAIZE	*0.02
MANGO	T0.1
MEAT (MAMMALIAN)	*0.02
MILKS	*0.005
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.02

SCHEDULE 1

Maximum Residue Limits

SORGHUM	*0.02	POULTRY, EDIBLE OFFAL OF	*0.05
SUNFLOWER SEED	*0.02	POULTRY MEAT	*0.05
SWEET CORN (CORN-ON-THE-COB)	*0.02	VEGETABLES	1
TREE NUTS	T0.02		
THIDIAZURON THIDIAZURON			
COTTON SEED	*0.5	THIOPHANATE <i>SEE CARBENDAZIM</i>	
EDIBLE OFFAL (MAMMALIAN)	*0.05	THIOPHANATE-METHYL <i>SEE CARBENDAZIM</i>	
MEAT (MAMMALIAN)	*0.05		
MILKS	*0.01	THIRAM <i>SEE DITHIOCARBAMATES</i>	
THIFENSULFURON THIFENSULFURON			
CEREAL GRAINS [EXCEPT MAIZE, RICE]	*0.02	TIAMULIN TIAMULIN	
EDIBLE OFFAL (MAMMALIAN)	*0.01	PIG, EDIBLE OFFAL OF	*0.1
EGGS	*0.01	PIG MEAT	*0.1
MEAT (MAMMALIAN)	*0.01	POULTRY, EDIBLE OFFAL OF	*0.1
MILKS	0.01	POULTRY MEAT	*0.1
POULTRY, EDIBLE OFFAL OF	*0.01	TILMICOSIN TILMICOSIN	
POULTRY MEAT	*0.01	CATTLE, EDIBLE OFFAL OF	1
THIOBENCARB THIOBENCARB		CATTLE MEAT	*0.05
RICE	*0.05	CATTLE MILK	T*0.025
THIODICARB SUM OF THIODICARB, METHOMYL AND METHOMYLOXIME, EXPRESSED AS THIODICARB <i>SEE ALSO METHOMYL</i>		PIG, EDIBLE OFFAL OF	1
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	2	PIG MEAT	0.05
COTTON SEED	*0.1	TOLCLOFOS-METHYL TOLCLOFOS-METHYL	
COTTON SEED OIL, CRUDE	*0.1	BEETROOT	T0.5
EDIBLE OFFAL (MAMMALIAN)	*0.05	COTTON SEED	*0.01
MAIZE	*0.1	POTATO	0.1
MEAT (MAMMALIAN)	*0.05	TOLFENAMIC ACID TOLFENAMIC ACID	
MILKS	*0.05	CATTLE, KIDNEY	*0.01
PEPPERS, SWEET	T5	CATTLE, LIVER	*0.01
POTATO	0.1	CATTLE MEAT	0.05
PULSES	*0.1	CATTLE MILK	0.05
SORGHUM	T0.5	PIG, KIDNEY	*0.01
SWEET CORN (CORN-ON-THE-COB)	*0.1	PIG, LIVER	0.1
TOMATO	2	PIG MEAT	*0.01
THIOMETON SUM OF THIOMETON, ITS SULFOXIDE AND SULFONE, EXPRESSED AS THIOMETON		TOLTRAZURIL SUM OF TOLTRAZURIL, ITS SULFOXIDE AND SULFONE, EXPRESSED AS TOLTRAZURIL	
CEREAL GRAINS	1	CHICKEN, EDIBLE OFFAL OF	5
EDIBLE OFFAL (MAMMALIAN)	*0.05	CHICKEN MEAT	2
EGGS	*0.05	EGGS	T*0.05
FRUIT	1	PIG, EDIBLE OFFAL OF	2
LUPIN (DRY)	0.5	PIG MEAT (IN THE FAT)	1
MEAT (MAMMALIAN)	*0.05	TOLYLFLUANID TOLYLFLUANID	
MILKS	*0.05	BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES AND STRAWBERRY]	T15
OILSEED	*0.05		

SCHEDULE 1

Maximum Residue Limits

DRIED GRAPES	T0.2	PAPAYA (PAWPAW)	0.2
GRAPES	T*0.05	PARSNIP	T0.2
STRAWBERRY	3	PEPPERS, SWEET	T1
TRALKOXYDIM TRALKOXYDIM		POULTRY, EDIBLE OFFAL OF	*0.01
CEREAL GRAINS	*0.02	POULTRY MEAT	*0.01
TRENBOLONE ACETATE SUM OF TRENBOLONE ACETATE AND 17 ALPHA- AND 17 BETA-TRENBOLONE, BOTH FREE AND CONJUGATED, EXPRESSED AS TRENBOLONE		RADISH	T0.2
CATTLE, EDIBLE OFFAL OF	0.01	SORGHUM	0.5
CATTLE MEAT	0.002	SUGAR CANE	*0.05
TRIADIMEFON SUM OF TRIADIMEFON AND TRIADIMENOL, EXPRESSED AS TRIADIMEFON <i>SEE ALSO TRIADIMENOL</i>		SWEDE	T0.2
APPLE	1	TOMATO	T0.2
CEREAL GRAINS	0.5	TURNIP, GARDEN	T0.2
EDIBLE OFFAL (MAMMALIAN)	*0.05	TRIALATE TRIALATE	
EGGS	*0.1	CEREAL GRAINS	*0.05
FIELD PEA (DRY)	0.1	EDIBLE OFFAL (MAMMALIAN) [EXCEPT KIDNEY]	*0.1
FRUITING VEGETABLES, CUCURBITS	0.2	KIDNEY OF CATTLE, GOATS, PIGS AND SHEEP	0.2
FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.2	LEGUME VEGETABLES	*0.05
GARDEN PEA (SHELLED SUCCULENT SEEDS)	0.1	FATS (MAMMALIAN)	0.2
GARDEN PEA (YOUNG PODS, SUCCULENT SEEDS)	0.1	MEAT (MAMMALIAN)	*0.1
GRAPES	1	MILKS	*0.1
FATS (MAMMALIAN)	*0.25	OILSEED	*0.05
MEAT (MAMMALIAN)	*0.05	POULTRY, EDIBLE OFFAL OF	0.2
MILKS	*0.1	POULTRY FATS	0.2
POULTRY, EDIBLE OFFAL OF	*0.05	POULTRY MEAT	*0.1
POULTRY MEAT	*0.05	PULSES	*0.05
SUGAR CANE	*0.05	TRIASULFURON TRIASULFURON	
TRIADIMENOL TRIADIMENOL <i>SEE ALSO TRIADIMEFON</i>		CEREAL GRAINS	*0.02
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES AND STRAWBERRY]	T0.5	EDIBLE OFFAL (MAMMALIAN)	*0.05
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	1	EGGS	*0.05
CEREAL GRAINS [EXCEPT SORGHUM]	*0.01	MEAT (MAMMALIAN)	*0.05
COTTON SEED	T0.01	MILKS	*0.01
COTTON SEED OIL, CRUDE	T0.05	MUNG BEAN (DRY)	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01	OATS	*0.01
EGGS	*0.01	RAPE SEED	*0.01
FRUITING VEGETABLES, CUCURBITS	0.5	SORGHUM	*0.01
GRAPES	0.5	SOYA BEAN (DRY)	*0.01
MEAT (MAMMALIAN)	*0.01	SUNFLOWER SEED	*0.01
MILKS	*0.01	WHEAT	*0.01
		TRICHLORFON TRICHLORFON	
		BANANA	0.2
		BEETROOT	0.2

SCHEDULE 1

Maximum Residue Limits

<table style="width: 100%; border-collapse: collapse;"> <tr><td>BRUSSELS SPROUTS</td><td style="text-align: right;">0.2</td></tr> <tr><td>CATTLE, EDIBLE OFFAL OF</td><td style="text-align: right;">0.1</td></tr> <tr><td>CATTLE FAT</td><td style="text-align: right;">0.1</td></tr> <tr><td>CATTLE MEAT</td><td style="text-align: right;">0.1</td></tr> <tr><td>CAULIFLOWER</td><td style="text-align: right;">0.2</td></tr> <tr><td>CELERY</td><td style="text-align: right;">0.2</td></tr> <tr><td>CEREAL GRAINS</td><td style="text-align: right;">0.1</td></tr> <tr><td>DRIED FRUITS</td><td style="text-align: right;">2</td></tr> <tr><td>EGGS</td><td style="text-align: right;">*0.05</td></tr> <tr><td>FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]</td><td style="text-align: right;">0.1</td></tr> <tr><td>GOAT, EDIBLE OFFAL OF</td><td style="text-align: right;">0.1</td></tr> <tr><td>GOAT MEAT</td><td style="text-align: right;">0.1</td></tr> <tr><td>KALE</td><td style="text-align: right;">0.2</td></tr> <tr><td>MILKS</td><td style="text-align: right;">*0.05</td></tr> <tr><td>OILSEED [EXCEPT PEANUT]</td><td style="text-align: right;">0.1</td></tr> <tr><td>PEACH</td><td style="text-align: right;">0.2</td></tr> <tr><td>PEANUT</td><td style="text-align: right;">0.1</td></tr> <tr><td>PEPPERS</td><td style="text-align: right;">0.2</td></tr> <tr><td>PIG, EDIBLE OFFAL OF</td><td style="text-align: right;">0.1</td></tr> <tr><td>PIG FAT</td><td style="text-align: right;">0.1</td></tr> <tr><td>PIG MEAT</td><td style="text-align: right;">0.1</td></tr> <tr><td>POULTRY, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.05</td></tr> <tr><td>POULTRY MEAT</td><td style="text-align: right;">*0.05</td></tr> <tr><td>PULSES [EXCEPT SOYA BEAN (DRY)]</td><td style="text-align: right;">0.2</td></tr> <tr><td>SOYA BEAN (DRY)</td><td style="text-align: right;">0.1</td></tr> <tr><td>SUGAR BEET</td><td style="text-align: right;">0.05</td></tr> <tr><td>SUGAR CANE</td><td style="text-align: right;">*0.05</td></tr> <tr><td>SWEET CORN (CORN-ON-THE-COB)</td><td style="text-align: right;">0.2</td></tr> <tr><td>TREE NUTS</td><td style="text-align: right;">0.1</td></tr> <tr><td>VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]</td><td style="text-align: right;">0.1</td></tr> </table>	BRUSSELS SPROUTS	0.2	CATTLE, EDIBLE OFFAL OF	0.1	CATTLE FAT	0.1	CATTLE MEAT	0.1	CAULIFLOWER	0.2	CELERY	0.2	CEREAL GRAINS	0.1	DRIED FRUITS	2	EGGS	*0.05	FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1	GOAT, EDIBLE OFFAL OF	0.1	GOAT MEAT	0.1	KALE	0.2	MILKS	*0.05	OILSEED [EXCEPT PEANUT]	0.1	PEACH	0.2	PEANUT	0.1	PEPPERS	0.2	PIG, EDIBLE OFFAL OF	0.1	PIG FAT	0.1	PIG MEAT	0.1	POULTRY, EDIBLE OFFAL OF	*0.05	POULTRY MEAT	*0.05	PULSES [EXCEPT SOYA BEAN (DRY)]	0.2	SOYA BEAN (DRY)	0.1	SUGAR BEET	0.05	SUGAR CANE	*0.05	SWEET CORN (CORN-ON-THE-COB)	0.2	TREE NUTS	0.1	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1	<table style="width: 100%; border-collapse: collapse;"> <tr><td colspan="2" style="text-align: center;">TRIDEMORPH</td></tr> <tr><td colspan="2" style="text-align: center;">TRIDEMORPH</td></tr> <tr><td>BANANA</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>BARLEY</td><td style="text-align: right;">0.1</td></tr> <tr><td>FRUITING VEGETABLES, CUCURBITS</td><td style="text-align: right;">0.1</td></tr> <tr><td colspan="2" style="text-align: center;">TRIFLOXYSTROBIN</td></tr> <tr><td colspan="2" style="text-align: center;">SUM OF TRIFLOXYSTROBIN AND ITS ACID METABOLITE ((E,E)-METHOXYIMINO-[2-[1-(3-TRIFLUOROMETHYLPHENYL)-ETHYLIDENEAMINOXYMETHYL]PHENYL] ACETIC ACID), EXPRESSED AS TRIFLOXYSTROBIN EQUIVALENTS</td></tr> <tr><td>BANANA</td><td style="text-align: right;">0.5</td></tr> <tr><td>DRIED GRAPES</td><td style="text-align: right;">2</td></tr> <tr><td>EDIBLE OFFAL (MAMMALIAN)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>GRAPES</td><td style="text-align: right;">0.5</td></tr> <tr><td>MACADAMIA NUTS</td><td style="text-align: right;">T*0.05</td></tr> <tr><td>MEAT (MAMMALIAN)</td><td style="text-align: right;">*0.05</td></tr> <tr><td>MILKS</td><td style="text-align: right;">*0.02</td></tr> <tr><td>POME FRUITS</td><td style="text-align: right;">0.3</td></tr> <tr><td>STRAWBERRY</td><td style="text-align: right;">2</td></tr> <tr><td colspan="2" style="text-align: center;">TRIFLOXYSULFURON SODIUM</td></tr> <tr><td colspan="2" style="text-align: center;">TRIFLOXYSULFURON</td></tr> <tr><td>COTTON SEED</td><td style="text-align: right;">*0.01</td></tr> <tr><td>COTTON SEED OIL, CRUDE</td><td style="text-align: right;">*0.01</td></tr> <tr><td>COTTON SEED OIL, EDIBLE</td><td style="text-align: right;">*0.01</td></tr> <tr><td>EDIBLE OFFAL (MAMMALIAN)</td><td style="text-align: right;">*0.01</td></tr> <tr><td>EGGS</td><td style="text-align: right;">*0.01</td></tr> <tr><td>MEAT (MAMMALIAN)</td><td style="text-align: right;">*0.01</td></tr> <tr><td>MILKS</td><td style="text-align: right;">*0.01</td></tr> <tr><td>POULTRY, EDIBLE OFFAL OF</td><td style="text-align: right;">*0.01</td></tr> <tr><td>POULTRY MEAT</td><td style="text-align: right;">*0.01</td></tr> <tr><td>SUGAR CANE</td><td style="text-align: right;">*0.01</td></tr> <tr><td colspan="2" style="text-align: center;">TRIFLUMIZOLE</td></tr> <tr><td colspan="2" style="text-align: center;">SUM OF TRIFLUMIZOLE AND (E)-4-CHLORO-A,A,A-TRIFLUORO- N-(1-AMINO-2-PROPOXYETHYLIDENE)-O-TOLUIDINE, EXPRESSED AS TRIFLUMIZOLE</td></tr> <tr><td>GRAPES</td><td style="text-align: right;">0.5</td></tr> <tr><td>POME FRUITS</td><td style="text-align: right;">0.5</td></tr> <tr><td colspan="2" style="text-align: center;">TRIFLUMURON</td></tr> <tr><td colspan="2" style="text-align: center;">TRIFLUMURON</td></tr> <tr><td>CEREAL GRAINS</td><td style="text-align: right;">*0.05</td></tr> <tr><td>EDIBLE OFFAL (MAMMALIAN) [EXCEPT SHEEP, EDIBLE OFFAL OF]</td><td style="text-align: right;">*0.05</td></tr> <tr><td>EGGS</td><td style="text-align: right;">0.01</td></tr> <tr><td>MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT, IN THE FAT]</td><td style="text-align: right;">*0.05</td></tr> <tr><td>MILKS</td><td style="text-align: right;">*0.05</td></tr> <tr><td>MUSHROOMS</td><td style="text-align: right;">0.1</td></tr> <tr><td>POULTRY, EDIBLE OFFAL OF</td><td style="text-align: right;">0.01</td></tr> <tr><td>POULTRY MEAT (IN THE FAT)</td><td style="text-align: right;">0.1</td></tr> <tr><td>SHEEP, EDIBLE OFFAL OF</td><td style="text-align: right;">0.1</td></tr> </table>	TRIDEMORPH		TRIDEMORPH		BANANA	T*0.05	BARLEY	0.1	FRUITING VEGETABLES, CUCURBITS	0.1	TRIFLOXYSTROBIN		SUM OF TRIFLOXYSTROBIN AND ITS ACID METABOLITE ((E,E)-METHOXYIMINO-[2-[1-(3-TRIFLUOROMETHYLPHENYL)-ETHYLIDENEAMINOXYMETHYL]PHENYL] ACETIC ACID), EXPRESSED AS TRIFLOXYSTROBIN EQUIVALENTS		BANANA	0.5	DRIED GRAPES	2	EDIBLE OFFAL (MAMMALIAN)	*0.05	GRAPES	0.5	MACADAMIA NUTS	T*0.05	MEAT (MAMMALIAN)	*0.05	MILKS	*0.02	POME FRUITS	0.3	STRAWBERRY	2	TRIFLOXYSULFURON SODIUM		TRIFLOXYSULFURON		COTTON SEED	*0.01	COTTON SEED OIL, CRUDE	*0.01	COTTON SEED OIL, EDIBLE	*0.01	EDIBLE OFFAL (MAMMALIAN)	*0.01	EGGS	*0.01	MEAT (MAMMALIAN)	*0.01	MILKS	*0.01	POULTRY, EDIBLE OFFAL OF	*0.01	POULTRY MEAT	*0.01	SUGAR CANE	*0.01	TRIFLUMIZOLE		SUM OF TRIFLUMIZOLE AND (E)-4-CHLORO-A,A,A-TRIFLUORO- N-(1-AMINO-2-PROPOXYETHYLIDENE)-O-TOLUIDINE, EXPRESSED AS TRIFLUMIZOLE		GRAPES	0.5	POME FRUITS	0.5	TRIFLUMURON		TRIFLUMURON		CEREAL GRAINS	*0.05	EDIBLE OFFAL (MAMMALIAN) [EXCEPT SHEEP, EDIBLE OFFAL OF]	*0.05	EGGS	0.01	MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT, IN THE FAT]	*0.05	MILKS	*0.05	MUSHROOMS	0.1	POULTRY, EDIBLE OFFAL OF	0.01	POULTRY MEAT (IN THE FAT)	0.1	SHEEP, EDIBLE OFFAL OF	0.1
BRUSSELS SPROUTS	0.2																																																																																																																																																		
CATTLE, EDIBLE OFFAL OF	0.1																																																																																																																																																		
CATTLE FAT	0.1																																																																																																																																																		
CATTLE MEAT	0.1																																																																																																																																																		
CAULIFLOWER	0.2																																																																																																																																																		
CELERY	0.2																																																																																																																																																		
CEREAL GRAINS	0.1																																																																																																																																																		
DRIED FRUITS	2																																																																																																																																																		
EGGS	*0.05																																																																																																																																																		
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1																																																																																																																																																		
GOAT, EDIBLE OFFAL OF	0.1																																																																																																																																																		
GOAT MEAT	0.1																																																																																																																																																		
KALE	0.2																																																																																																																																																		
MILKS	*0.05																																																																																																																																																		
OILSEED [EXCEPT PEANUT]	0.1																																																																																																																																																		
PEACH	0.2																																																																																																																																																		
PEANUT	0.1																																																																																																																																																		
PEPPERS	0.2																																																																																																																																																		
PIG, EDIBLE OFFAL OF	0.1																																																																																																																																																		
PIG FAT	0.1																																																																																																																																																		
PIG MEAT	0.1																																																																																																																																																		
POULTRY, EDIBLE OFFAL OF	*0.05																																																																																																																																																		
POULTRY MEAT	*0.05																																																																																																																																																		
PULSES [EXCEPT SOYA BEAN (DRY)]	0.2																																																																																																																																																		
SOYA BEAN (DRY)	0.1																																																																																																																																																		
SUGAR BEET	0.05																																																																																																																																																		
SUGAR CANE	*0.05																																																																																																																																																		
SWEET CORN (CORN-ON-THE-COB)	0.2																																																																																																																																																		
TREE NUTS	0.1																																																																																																																																																		
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1																																																																																																																																																		
TRIDEMORPH																																																																																																																																																			
TRIDEMORPH																																																																																																																																																			
BANANA	T*0.05																																																																																																																																																		
BARLEY	0.1																																																																																																																																																		
FRUITING VEGETABLES, CUCURBITS	0.1																																																																																																																																																		
TRIFLOXYSTROBIN																																																																																																																																																			
SUM OF TRIFLOXYSTROBIN AND ITS ACID METABOLITE ((E,E)-METHOXYIMINO-[2-[1-(3-TRIFLUOROMETHYLPHENYL)-ETHYLIDENEAMINOXYMETHYL]PHENYL] ACETIC ACID), EXPRESSED AS TRIFLOXYSTROBIN EQUIVALENTS																																																																																																																																																			
BANANA	0.5																																																																																																																																																		
DRIED GRAPES	2																																																																																																																																																		
EDIBLE OFFAL (MAMMALIAN)	*0.05																																																																																																																																																		
GRAPES	0.5																																																																																																																																																		
MACADAMIA NUTS	T*0.05																																																																																																																																																		
MEAT (MAMMALIAN)	*0.05																																																																																																																																																		
MILKS	*0.02																																																																																																																																																		
POME FRUITS	0.3																																																																																																																																																		
STRAWBERRY	2																																																																																																																																																		
TRIFLOXYSULFURON SODIUM																																																																																																																																																			
TRIFLOXYSULFURON																																																																																																																																																			
COTTON SEED	*0.01																																																																																																																																																		
COTTON SEED OIL, CRUDE	*0.01																																																																																																																																																		
COTTON SEED OIL, EDIBLE	*0.01																																																																																																																																																		
EDIBLE OFFAL (MAMMALIAN)	*0.01																																																																																																																																																		
EGGS	*0.01																																																																																																																																																		
MEAT (MAMMALIAN)	*0.01																																																																																																																																																		
MILKS	*0.01																																																																																																																																																		
POULTRY, EDIBLE OFFAL OF	*0.01																																																																																																																																																		
POULTRY MEAT	*0.01																																																																																																																																																		
SUGAR CANE	*0.01																																																																																																																																																		
TRIFLUMIZOLE																																																																																																																																																			
SUM OF TRIFLUMIZOLE AND (E)-4-CHLORO-A,A,A-TRIFLUORO- N-(1-AMINO-2-PROPOXYETHYLIDENE)-O-TOLUIDINE, EXPRESSED AS TRIFLUMIZOLE																																																																																																																																																			
GRAPES	0.5																																																																																																																																																		
POME FRUITS	0.5																																																																																																																																																		
TRIFLUMURON																																																																																																																																																			
TRIFLUMURON																																																																																																																																																			
CEREAL GRAINS	*0.05																																																																																																																																																		
EDIBLE OFFAL (MAMMALIAN) [EXCEPT SHEEP, EDIBLE OFFAL OF]	*0.05																																																																																																																																																		
EGGS	0.01																																																																																																																																																		
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT, IN THE FAT]	*0.05																																																																																																																																																		
MILKS	*0.05																																																																																																																																																		
MUSHROOMS	0.1																																																																																																																																																		
POULTRY, EDIBLE OFFAL OF	0.01																																																																																																																																																		
POULTRY MEAT (IN THE FAT)	0.1																																																																																																																																																		
SHEEP, EDIBLE OFFAL OF	0.1																																																																																																																																																		
TRICHLOROETHYLENE																																																																																																																																																			
TRICHLOROETHYLENE																																																																																																																																																			
CEREAL GRAINS	*0.1																																																																																																																																																		
TRICLABENDAZOLE																																																																																																																																																			
SUM OF TRICLABENDAZOLE AND METABOLITES OXIDISABLE TO KETO-TRICLABENDAZOLE AND EXPRESSED AS KETO-TRICLABENDAZOLE EQUIVALENTS																																																																																																																																																			
FAT (MAMMALIAN)	1																																																																																																																																																		
KIDNEY (MAMMALIAN)	1																																																																																																																																																		
LIVER (MAMMALIAN)	2																																																																																																																																																		
MEAT (MAMMALIAN)	0.5																																																																																																																																																		
TRICLOPYR																																																																																																																																																			
TRICLOPYR																																																																																																																																																			
CATTLE, EDIBLE OFFAL OF	5																																																																																																																																																		
CATTLE MEAT (IN THE FAT)	0.2																																																																																																																																																		
CITRUS FRUITS	T0.1																																																																																																																																																		
GOAT, EDIBLE OFFAL OF	5																																																																																																																																																		
GOAT MEAT (IN THE FAT)	0.2																																																																																																																																																		
MILKS (IN THE FAT)	0.1																																																																																																																																																		
SHEEP, EDIBLE OFFAL OF	5																																																																																																																																																		
SHEEP MEAT (IN THE FAT)	0.2																																																																																																																																																		

SCHEDULE 1

Maximum Residue Limits

SHEEP MEAT (IN THE FAT)	2	POULTRY MEAT	0.05
TRIFLURALIN TRIFLURALIN		TRINEXAPAC-ETHYL 4-(CYCLOPROPYL- α -HYDROXY-METHYLENE)-3,5-DIOXO-CYCLOHEXANECARBOXYLIC ACID	
ADZUKI BEAN (DRY)	*0.05	SUGAR CANE	T*0.05
BERGAMOT	T*0.05	TRITICONAZOLE TRITICONAZOLE	
BROAD BEAN (DRY)	*0.05	CEREAL GRAINS	*0.05
BURNET, SALAD	T*0.05	EDIBLE OFFAL (MAMMALIAN)	*0.05
CARROT	0.5	EGGS	*0.05
CEREAL GRAINS	*0.05	MEAT (MAMMALIAN)	*0.05
CHICK-PEA (DRY)	*0.05	MILKS	*0.01
CORIANDER (LEAVES, STEM, ROOTS)	T*0.05	POULTRY, EDIBLE OFFAL OF	*0.05
CORIANDER, SEED	T*0.05	POULTRY MEAT	*0.05
COWPEA (DRY)	*0.05	TYLOSIN TYLOSIN A	
DILL, SEED	T*0.05	CATTLE, EDIBLE OFFAL OF	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05	CATTLE MEAT	*0.1
EGGS	*0.05	EGGS	*0.2
FENNEL, BULB	T0.5	MILKS	*0.05
FENNEL, SEED	T*0.05	PIG, EDIBLE OFFAL OF	*0.2
FRUIT	*0.05	PIG FAT	*0.1
GALANGAL, GREATER	T0.5	PIG MEAT	*0.2
HERBS	T*0.05	POULTRY, EDIBLE OFFAL OF	*0.2
HYACINTH BEAN (DRY)	*0.05	POULTRY FATS	*0.1
KAFFIR LIME LEAVES	T*0.05	POULTRY MEAT	*0.2
LEMON GRASS	T*0.05	UNICONAZOLE-P SUM OF UNICONAZOLE-P AND ITS Z-ISOMER EXPRESSED AS UNICONAZOLE-P	
LEMON VERBENA (FRESH WEIGHT)	T*0.05	AVOCADO	0.5
LUPIN (DRY)	*0.05	POPPY SEED	*0.01
MEAT (MAMMALIAN)	*0.05	VAMIDOTHION SUM OF VAMIDOTHION, ITS SULFOXIDE AND SULFONE, EXPRESSED AS VAMIDOTHION	
MILKS	*0.05	APPLE	1
MIZUNA	T*0.05	BRASSICA (COLE OR CABBAGE)	0.5
MUNG BEAN (DRY)	*0.05	VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	
OILSEED	*0.05	PEACH	1
PARSNIPS	T0.5	PEAR	1
POULTRY MEAT	*0.05	POTATO	0.5
POULTRY, EDIBLE OFFAL OF	*0.05	VIRGINIAMYCIN INHIBITORY SUBSTANCE, IDENTIFIED AS VIRGINIAMYCIN	
PRAWNS	T0.001	CATTLE, EDIBLE OFFAL OF	0.2
ROSE AND DIANTHUS (EDIBLE FLOWERS)	T*0.05	CATTLE FAT	0.2
SHRIMPS	T0.001	CATTLE MILK	0.1
SUGAR CANE	*0.05	CATTLE MEAT	*0.1
TURMERIC, ROOT (FRESH)	T0.5	EGGS	*0.1
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.05	PIG, EDIBLE OFFAL OF	0.2
TRIFORINE TRIFORINE		PIG FAT	0.2
POME FRUITS	1	PIG MEAT	*0.1
STONE FRUITS	10	TRIMETHOPRIM TRIMETHOPRIM	
TRIMETHOPRIM TRIMETHOPRIM		CATTLE MILK	0.05
CATTLE MILK	0.05	EDIBLE OFFAL (MAMMALIAN)	0.05
EDIBLE OFFAL (MAMMALIAN)	0.05	EGGS	T*0.02
EGGS	T*0.02	MEAT (MAMMALIAN)	0.05
MEAT (MAMMALIAN)	0.05	POULTRY, EDIBLE OFFAL OF	0.05
POULTRY, EDIBLE OFFAL OF	0.05		

SCHEDULE 1

Maximum Residue Limits

POULTRY, EDIBLE OFFAL OF	0.2
POULTRY FATS	0.2
POULTRY MEAT	0.1
SHEEP, EDIBLE OFFAL OF	0.2
SHEEP MEAT	0.1
ZERANOL ZERANOL	
CATTLE, EDIBLE OFFAL OF	0.02
CATTLE MEAT	0.005
ZETACYPERMETHRIN <i>SEE</i> CYPERMETHRIN	
ZINC PHOSPHIDE <i>SEE</i> PHOSPHINE	
ZINEB <i>SEE</i> DITHIOCARBAMATES	
ZIRAM <i>SEE</i> DITHIOCARBAMATES	