

20th ATDS Supplementary Information

Part 3

Pesticides in food results

Table 19: Pesticide residue levels (mg/kg) found in foods sorted by food

Table 20: Pesticide residue levels (mg/kg) found in foods sorted by pesticide residue

Table 21: Limits of Detection (LOD) and Limits of Reporting (LOR) for pesticides analysed

20th ATDS Supplementary Information – Part 3

Table 19. Pesticide residue levels (mg/kg) found in foods sorted by food

Notes on Table:

1. Pesticides are only listed where they were detected.
2. 'nd' – means 'less than the limit of detection'. Refer to Table 21 for a list of the limits of detection and limits of reporting for pesticides tested.
3. 'Mean' results have been rounded to three significant figures. Some entries have been rounded to '0.000' in the 'Mean' column because these entries are means that are greater than zero but are less than '0.0005'.
4. The median is reported as "nd" when 50% or more of the samples were less than LOD.

Food	Pesticide/ Contaminant	No. of samples	No. of 'nd' samples	Mean	Median	Minimum	Maximum
				mg/kg	mg/kg	mg/kg	mg/kg
Almonds		9	9	<----- No detections ----->			
Apples	Carbaryl	21	17	0.016	nd	nd	0.200
	Chlorpyrifos	21	18	0.004	nd	nd	0.040
	Diphenylamine	21	10	0.052	0.011	nd	0.220
	Fenoxycarb	21	19	0.004	nd	nd	0.050
	Iprodione	21	14	0.035	nd	nd	0.250
	Parathion-methyl	21	19	0.003	nd	nd	0.040
	Pirimicarb	21	20	0.001	nd	nd	0.010
	Propargite	21	14	0.059	nd	nd	0.450
	Tebufenpyrad	21	15	0.004	nd	nd	0.020
Bacon		21	21	<----- No detections ----->			
Baked beans		9	9	<----- No detections ----->			
Bananas		9	9	<----- No detections ----->			
Beans, green, raw	Carbaryl	9	5	0.006	nd	nd	0.016
	Endosulfan	9	5	0.031	nd	nd	0.082
	Permethrin	9	4	0.024	0.018	nd	0.062
	Procymidone	9	1	0.718	0.130	nd	2.20
Beef, minced		28	28	<----- No detections ----->			
Biscuits, savoury	Chlorpyrifos-methyl	9	0	0.061	0.056	0.028	0.120
	Fenitrothion	9	8	0.003	nd	nd	0.028
	Piperonyl butoxide	9	4	0.054	0.032	nd	0.230
Biscuits, sweet, plain	Chlorpyrifos-methyl	9	0	0.103	0.048	0.010	0.320
	Fenitrothion	9	5	0.008	nd	nd	0.028
	Methoprene	9	7	0.005	nd	nd	0.036
	Piperonyl butoxide	9	1	0.151	0.120	nd	0.390
Bran, processed wheat	Chlorpyrifos-methyl	9	4	0.022	0.012	nd	0.120
	Fenitrothion	9	6	0.026	nd	nd	0.160
	Piperonyl butoxide	9	5	0.159	nd	nd	0.720
	Pirimiphos-methyl	9	7	0.087	nd	nd	0.740
Bread, multigrain	Chlorpyrifos-methyl	21	9	0.027	0.010	nd	0.130
	Fenitrothion	21	20	0.007	nd	nd	0.150
	Piperonyl butoxide	21	14	0.018	nd	nd	0.100
	Pirimiphos-methyl	21	18	0.002	nd	nd	0.020
Bread, white	Bioresmethrin	28	26	0.001	nd	nd	0.024
	Chlorpyrifos-methyl	28	15	0.028	nd	nd	0.380

20th ATDS Supplementary Information – Part 3

Table 19 (cont'd). Pesticide and other non-metal contaminant levels (mg/kg) found in foods sorted by food

Food	Pesticide/ Contaminant	No. of samples	No. of 'nd' samples	Mean	Median	Minimum	Maximum
				mg/kg	mg/kg	mg/kg	mg/kg
Breakfast cereal, mixed grain	Fenitrothion	28	24	0.004	nd	nd	0.070
	Piperonyl butoxide	28	24	0.018	nd	nd	0.260
	Chlorpyrifos-methyl	9	7	0.007	nd	nd	0.050
	Piperonyl butoxide	9	8	0.007	nd	nd	0.060
	Pirimiphos-methyl	9	6	0.032	nd	nd	0.110
Breakfast cereal, single grain	Methoprene	9	7	0.031	nd	nd	0.170
Broccoli		21	21	<----- No detections ----->			
Capsicum	Bifenthrin	21	20	0.001	nd	nd	0.018
Carrots	Procymidone	21	20	0.001	nd	nd	0.028
Celery	Carbaryl	21	20	0.006	nd	nd	0.120
	Chlorothalonil	21	16	0.015	nd	nd	0.120
	Chlorpyrifos	21	20	0.001	nd	nd	0.018
	Methidathion	21	19	0.004	nd	nd	0.046
	Parathion-methyl	21	19	0.002	nd	nd	0.022
	Permethrin	21	17	0.009	nd	nd	0.082
	Procymidone	21	18	0.012	nd	nd	0.130
Cheese, cheddar		21	21	<----- No detections ----->			
Chicken breasts		21	21	<----- No detections ----->			
Coffee, instant		9	9	<----- No detections ----->			
Dim sim		21	21	<----- No detections ----->			
Eggs	p,p' & o,p' DDE	28	27	0.001	nd	nd	0.016
Fish fillets, raw, unfrozen	p,p' & o,p' DDE	21	20	0.001	nd	nd	0.022
Fish portions		21	21	<----- No detections ----->			
Grapes	Chlorpyrifos	21	12	0.005	nd	nd	0.018
	Iprodione	21	15	0.043	nd	nd	0.430
	Metalaxyl	21	18	0.003	nd	nd	0.026
	Procymidone	21	18	0.014	nd	nd	0.130
	Pyrimethanil	21	1	0.225	0.170	nd	1.20
	Tebufenpyrad	21	19	0.001	nd	nd	0.020
Hamburgers		21	21	<----- No detections ----->			
Infant cereal, mixed	Pirimiphos-methyl	9	7	0.003	nd	nd	0.016
Infant dessert		9	9	<----- No detections ----->			
Infant dinner, strained		9	9	<----- No detections ----->			
Infant formula		9	9	<----- No detections ----->			
Kiwifruit	Piperonyl butoxide	9	8	0.008	nd	nd	0.074
	Vinclozolin	9	0	1.45	1.50	0.018	2.90
Lamb chops		21	21	<----- No detections ----->			
Lamington	Chlorpyrifos	12	9	0.007	nd	nd	0.055
	Piperonyl butoxide	12	6	0.014	0.009	nd	0.034
Leg ham	p,p' & o,p' DDD	21	20	0.000	nd	nd	0.004
	p,p' & o,p' DDE	21	20	0.001	nd	nd	0.010
	p,p' & o,p' DDT	21	20	0.000	nd	nd	0.006
Lettuce	Iprodione	21	20	0.119	nd	nd	2.50
	Permethrin	21	19	0.009	nd	nd	0.140

20th ATDS Supplementary Information – Part 3

Table 19 (cont'd). Pesticide and other non-metal contaminant levels (mg/kg) found in foods sorted by food

Food	Pesticide/ Contaminant	No. of samples	No. of 'nd' samples	Mean	Median	Minimum	Maximum
				mg/kg	mg/kg	mg/kg	mg/kg
Liver pate (chicken)		21	21	<----- No detections ----->			
Margarine, table spread		28	28	<----- No detections ----->			
Milk chocolate		9	9	<----- No detections ----->			
Milk, full fat		28	28	<----- No detections ----->			
Mushrooms	o-phenylphenol	21	15	0.010	nd	nd	0.104
	Piperonyl butoxide	21	13	0.051	nd	nd	0.364
Nectarines	Azinphos-methyl	21	19	0.003	nd	nd	0.030
	Bifenthrin	21	18	0.004	nd	nd	0.040
	Carbaryl	21	18	0.083	nd	nd	1.40
	Chlorothalonil	21	18	0.005	nd	nd	0.040
	Dimethoate	21	20	0.003	nd	nd	0.070
	Fenthion	21	18	0.001	nd	nd	0.010
	Iprodione	21	3	0.387	0.220	nd	1.100
	Maldison	21	20	0.007	nd	nd	0.140
	Parathion-methyl	21	17	0.006	nd	nd	0.050
	Procymidone	21	7	0.126	0.060	nd	0.990
	Propargite	21	15	0.100	nd	nd	0.620
	Propiconazole	21	16	0.009	nd	nd	0.060
	Tebufenpyrad	21	18	0.008	nd	nd	0.080
Oats, rolled	Chlorpyrifos-methyl	9	3	0.014	0.018	nd	0.028
	Fenitrothion	9	8	0.001	nd	nd	0.010
	Piperonyl butoxide	9	6	0.015	nd	nd	0.058
Onions		21	21	<----- No detections ----->			
Orange	o-phenylphenol	21	19	0.005	nd	nd	0.056
Orange juice		28	28	<----- No detections ----->			
Pasta, mixed		9	9	<----- No detections ----->			
Peanut butter		9	9	<----- No detections ----->			
Peas, frozen		9	9	<----- No detections ----->			
Potato		28	28	<----- No detections ----->			
Potato chips	Procymidone	9	8	0.002	nd	nd	0.014
Prawns	p,p' & o,p' DDE	21	20	0.001	nd	nd	0.028
Pumpkin	Metalaxyl	21	19	0.001	nd	nd	0.020
Rice, white		9	9	<----- No detections ----->			
Sausages, meat, thick	Fenitrothion	21	20	0.001	nd	nd	0.016
	o-phenylphenol	21	19	0.002	nd	nd	0.024
Soft drink		9	9	<----- No detections ----->			
Strawberries	Captan	21	18	0.270	nd	nd	3.20
	Carbaryl	21	15	0.427	nd	nd	4.40
	Dimethoate	21	20	0.005	nd	nd	0.100
	Iprodione	21	18	0.013	nd	nd	0.110
	Procymidone	21	6	0.156	0.080	nd	0.530
	Pyrimethanil	21	17	0.019	nd	nd	0.260
	Tebufenpyrad	21	19	0.002	nd	nd	0.030
Sugar, white		9	9	<----- No detections ----->			

20th ATDS Supplementary Information – Part 3

Table 19 (cont'd). Pesticide and other non-metal contaminant levels (mg/kg) found in foods sorted by food

Food	Pesticide/ Contaminant	No. of samples	No. of 'nd' samples	Mean	Median	Minimum	Maximum
				mg/kg	mg/kg	mg/kg	mg/kg
Sultanas	Permethrin	9	7	0.010	nd	nd	0.048
	Piperonyl butoxide	9	3	0.104	0.020	nd	0.560
Tomato sauce		9	9	<----- No detections ----->			
Tomatoes	Acephate	28	27	0.004	nd	nd	0.104
	Bifenthrin	28	27	0.001	nd	nd	0.040
	Chlorfenvinphos	28	27	0.000	nd	nd	0.010
	Chlorothalonil	28	25	0.002	nd	nd	0.020
	Chlorpyrifos	28	27	0.002	nd	nd	0.046
	Endosulfan	28	27	0.000	nd	nd	0.010
	Fenthion	28	27	0.003	nd	nd	0.072
	Iprodione	28	26	0.005	nd	nd	0.110
	Methamidophos	28	24	0.051	nd	nd	0.710
	Permethrin	28	22	0.014	nd	nd	0.110
	Procymidone	28	27	0.001	nd	nd	0.024
	Tetradifon	28	27	0.001	nd	nd	0.040
Tuna, canned	p,p' & o,p' DDE	9	8	0.001	nd	nd	0.010
Vanilla ice cream		9	9	<----- No detections ----->			
Watermelon		21	21	<----- No detections ----->			
White wine	Iprodione	21	7	0.065	0.052	nd	0.290

20th ATDS Supplementary Information – Part 3

Table 20. Pesticide residue levels (mg/kg) in foods sorted by pesticide residue

Tabled below are the foods in which each pesticide residue was detected. Given in the table is the total number of samples and the mean, median (middle value), minimum and maximum levels of pesticide residue detected in sampled foods.

Notes on Table:

1. Pesticide residues are only listed where they were detected. Pesticide residues screened for but not detected are stated in Appendix 3.
2. 'nd' – means 'less than the limit of detection'. Refer to Table 21 for a list of the limits of detection and limits of reporting for pesticides tested.
3. 'Mean' results have been rounded to three significant figures. Some entries have been rounded to '0.000' in the 'Mean' column because these entries are means that are greater than zero but are less than '0.0005'.
4. The median is reported as "nd" when 50% or more of the samples were less than LOD.

Pesticide/Contaminant	Food	No. of samples	No. of 'nd' samples	Mean	Median	Minimum	Maximum
				mg/kg	mg/kg	mg/kg	mg/kg
Acephate	Tomatoes	28	27	0.004	nd	nd	0.104
Azinphos methyl	Nectarines	21	19	0.003	nd	nd	0.030
Bifenthrin	Capsicum	21	20	0.001	nd	nd	0.018
	Nectarines	21	18	0.004	nd	nd	0.040
Bioresmethrin	Tomatoes	28	27	0.001	nd	nd	0.040
	Bread, white	28	26	0.001	nd	nd	0.024
Captan	Strawberries	21	18	0.270	nd	nd	3.20
Carbaryl	Apples	21	17	0.016	nd	nd	0.200
	Beans, green, raw	9	5	0.006	nd	nd	0.016
	Celery	21	20	0.006	nd	nd	0.120
	Nectarines	21	18	0.083	nd	nd	1.40
Chlorfenvinphos	Strawberries	21	15	0.427	nd	nd	4.40
	Tomatoes	28	27	0.000	nd	nd	0.010
Chlorothalonil	Celery	21	16	0.015	nd	nd	0.120
	Nectarines	21	18	0.005	nd	nd	0.040
	Tomatoes	28	25	0.002	nd	nd	0.020
Chlorpyrifos	Apples	21	18	0.004	nd	nd	0.040
	Celery	21	20	0.001	nd	nd	0.018
	Grapes	21	12	0.005	nd	nd	0.018
	Lamington	12	9	0.007	nd	nd	0.055
	Tomatoes	28	27	0.002	nd	nd	0.046
Chlorpyrifos-methyl	Biscuits, savoury	9	0	0.061	0.056	0.028	0.120
	Biscuits, sweet, plain	9	0	0.103	0.048	0.010	0.320
	Bran, processed, wheat	9	4	0.022	0.012	nd	0.120
	Bread, multigrain	21	9	0.027	0.010	nd	0.130
	Bread, white	28	15	0.028	nd	nd	0.380
	Breakfast cereal, mixed grain	9	7	0.007	nd	nd	0.050
	Oats, rolled	9	3	0.014	0.018	nd	0.028
p,p' & o,p' DDD	Leg Ham	21	20	0.000	nd	nd	0.004
p,p' & o,p' DDE	Eggs	28	27	0.001	nd	nd	0.016
	Fish fillets, raw, unfrozen	21	20	0.001	nd	nd	0.022

20th ATDS Supplementary Information – Part 3

Table 20 (cont'd). Pesticide residue and other non-metal contaminant levels (mg/kg) in food sorted by pesticide or non-metal contaminant

Pesticide/Contaminant	Food	No. of samples	No. of 'nd' samples	Mean	Median	Minimum	Maximum
				mg/kg	mg/kg	mg/kg	mg/kg
	Leg Ham	21	20	0.001	nd	nd	0.010
	Prawns	21	20	0.001	nd	nd	0.028
	Tuna, canned	9	8	0.001	nd	nd	0.010
p,p' & o,p' DDT	Leg Ham	21	20	0.000	nd	nd	0.006
Dimethoate	Nectarines	21	20	0.003	nd	nd	0.070
	Strawberries	21	20	0.005	nd	nd	0.100
Diphenylamine	Apples	21	10	0.052	0.011	nd	0.220
Endosulfan	Beans, green, raw	9	5	0.031	nd	nd	0.082
	Tomatoes	28	27	0.000	nd	nd	0.010
Fenitrothion	Biscuits, savoury	9	8	0.003	nd	nd	0.028
	Biscuits, sweet, plain	9	5	0.008	nd	nd	0.028
	Bran, processed wheat	9	6	0.026	nd	nd	0.160
	Bread, multigrain	21	20	0.007	nd	nd	0.150
	Bread, white	28	24	0.004	nd	nd	0.070
	Oats, rolled	9	8	0.001	nd	nd	0.010
	Sausages, meat, thick	21	20	0.001	nd	nd	0.016
Fenoxycarb	Apples	21	19	0.004	nd	nd	0.050
Fenthion	Nectarines	21	18	0.001	nd	nd	0.010
	Tomatoes	28	27	0.003	nd	nd	0.072
Iprodione	Apples	21	14	0.035	nd	nd	0.250
	Grapes	21	15	0.043	nd	nd	0.430
	Lettuce	21	20	0.119	nd	nd	2.50
	Nectarines	21	3	0.387	0.220	nd	1.10
	Strawberries	21	18	0.013	nd	nd	0.110
	Tomatoes	28	26	0.005	nd	nd	0.110
	White wine	21	7	0.065	0.052	nd	0.290
Maldison	Nectarines	21	20	0.007	nd	nd	0.140
Metalaxyl	Grapes	21	18	0.003	nd	nd	0.026
	Pumpkin	21	19	0.001	nd	nd	0.020
Methamidophos	Tomatoes	28	24	0.051	nd	nd	0.710
Methidathion	Celery	21	19	0.004	nd	nd	0.046
Methoprene	Biscuits, sweet, plain	9	7	0.005	nd	nd	0.036
	Breakfast cereal, single grain	9	7	0.031	nd	nd	0.170
o-phenylphenol	Mushrooms	21	15	0.010	nd	nd	0.104
	Oranges	21	19	0.005	nd	nd	0.056
	Sausages, meat, thick	21	19	0.002	nd	nd	0.024
Parathion-methyl	Apples	21	19	0.003	nd	nd	0.040
	Celery	21	19	0.002	nd	nd	0.022
	Nectarines	21	17	0.006	nd	nd	0.050
Permethrin	Beans, green, raw	9	4	0.024	0.018	nd	0.062
	Celery	21	17	0.009	nd	nd	0.082
	Lettuce	21	19	0.009	nd	nd	0.140
	Sultanas	9	7	0.010	nd	nd	0.048

20th ATDS Supplementary Information – Part 3

Table 20 (cont'd). Pesticide residue and other non-metal contaminant levels (mg/kg) in food sorted by pesticide or non-metal contaminant

Pesticide/Contaminant	Food	No. of samples	No. of 'nd' samples	Mean	Median	Minimum	Maximum
				mg/kg	mg/kg	mg/kg	mg/kg
Piperonyl butoxide	Tomatoes	28	22	0.014	nd	nd	0.110
	Biscuits, savoury	9	4	0.054	0.032	nd	0.230
	Biscuits, sweet, plain	9	1	0.151	0.120	nd	0.390
	Bran, processed wheat	9	5	0.159	nd	nd	0.720
	Bread, multigrain	21	14	0.018	nd	nd	0.100
	Bread, white	28	24	0.018	nd	nd	0.260
	Breakfast cereal, mixed grain	9	8	0.007	nd	nd	0.060
	Kiwifruit	9	8	0.008	nd	nd	0.074
	Lamington	12	6	0.014	0.009	nd	0.034
	Mushrooms	21	13	0.051	nd	nd	0.364
	Oats, rolled	9	6	0.015	nd	nd	0.058
	Sultanas	9	3	0.104	0.020	nd	0.560
	Pirimicarb	Apples	21	20	0.001	nd	nd
Pirimiphos methyl	Bran, processed wheat	9	7	0.087	nd	nd	0.740
	Bread, multigrain	21	18	0.002	nd	nd	0.020
	Breakfast cereal, mixed grain	9	6	0.032	nd	nd	0.110
	Infant cereal, mixed	9	7	0.003	nd	nd	0.016
Procymidone	Beans, green, raw	9	1	0.718	0.130	nd	2.20
	Carrots	21	20	0.001	nd	nd	0.028
	Celery	21	18	0.012	nd	nd	0.130
	Grapes	21	18	0.014	nd	nd	0.130
	Nectarines	21	7	0.126	0.060	nd	0.990
	Potato chip	9	8	0.002	nd	nd	0.014
	Strawberries	21	6	0.156	0.080	nd	0.530
	Tomatoes	28	27	0.001	nd	nd	0.024
Propargite	Apples	21	14	0.059	nd	nd	0.450
	Nectarines	21	15	0.100	nd	nd	0.620
Propiconazole	Nectarines	21	16	0.009	nd	nd	0.060
Pyrimethanil	Grapes	21	1	0.225	0.170	nd	1.20
	Strawberries	21	17	0.019	nd	nd	0.260
Tebufenpyrad	Apples	21	15	0.004	nd	nd	0.020
	Grapes	21	19	0.001	nd	nd	0.020
	Nectarines	21	18	0.008	nd	nd	0.080
	Strawberries	21	19	0.002	nd	nd	0.030
Tetradifon	Tomatoes	28	27	0.001	nd	nd	0.040
Vinclozolin	Kiwifruit	9	0	1.45	1.50	0.018	2.90

Table 21. Limits of Detection (LOD) and Limits of Reporting (LOR) for pesticides analysed

Pesticide	Limit of Detection (LOD) Limit of Reporting (LOR)	
	mg/kg	mg/kg
Acephate	0.02	0.05
Aldrin	0.005	0.01
Azinphos ethyl	0.01	0.05
Azinphos methyl	0.01	0.01
α -BHC	0.01	0.02
β -BHC	0.01	0.02
δ -BHC	0.01	0.02
γ -BHC (Lindane)	0.01	0.02
Bifenthrin	0.01	0.05
Bioresmethrin	0.01	0.05
Bromophos-ethyl	0.01	0.05
Bupirimate	0.01	0.05
Captan	0.01	0.05
Carbaryl	0.01	0.05
Carbophenothion	0.01	0.05
Chlordane	0.005	0.01
Chlorfenvinphos	0.01	0.05
Chlorothalonil	0.01	0.05
Chlorpyrifos	0.005	0.01
Chlorpyrifos-methyl	0.01	0.02
Coumaphos	0.01	0.05
Coumatetralyl	0.01	0.05
Cyfluthrin	0.005	0.01
Cyhalothrin	0.005	0.01
Cypermethrin	0.005	0.01
DDD (p,p' & o,p')	0.005	0.01
DDE (p,p' & o,p')	0.005	0.01
DDT (p,p' & o,p')	0.005	0.01
Deltamethrin	0.005	0.01
Demeton-S-methyl	0.02	0.02
Diazinon	0.01	0.05
Dichloran	0.01	0.05
Dichlorvos	0.02	0.05
Dicofol (& breakdown product)	0.01	0.05
Dieldrin	0.005	0.01
Difenoconazole	0.01	0.05
Dimethoate	0.02	0.05
Dimethomorph	0.01	0.05
Dioxathion	0.01	0.05
Diphenylamine	0.01	0.05
Endosulfan	0.005	0.01
Endrin (& aldehyde & ketone)	0.005	0.01
Ethion	0.01	0.05
Fenamiphos	0.01	0.02
Fenchlorphos	0.01	0.05
Fenitrothion	0.005	0.01

Table 21 (cont'd). Limits of Detection (LOD) and Limits of Reporting (LOR) for pesticides analysed

Pesticide	Limit of Detection (LOD)	Limit of Reporting (LOR)
	mg/kg	mg/kg
Fenoxycarb	0.01	0.05
Fenthion	0.01	0.05
Fenvalerate (& Esfenvalerate)	0.01	0.02
Flumethrin	0.005	0.01
Flusilazole	0.01	0.05
Formothion	0.01	0.05
Heptachlor (& Epoxide)	0.005	0.01
Hexachlorobenzene	0.005	0.01
Hexaconazole	0.01	0.05
Imazalil	0.01	0.05
Iprodione	0.01	0.05
Maldison	0.01	0.05
Metalaxyl	0.01	0.05
Methacrifos	0.10	0.10
Methamidophos	0.01	0.05
Methidathion	0.01	0.01
Methoprene	0.05	0.10
Mevinphos	0.01	0.05
Monocrotophos	0.01	0.05
Myclobutanil	0.01	0.05
Omethoate	0.01	0.05
o-Phenylphenol	0.01	0.05
Oxyfluorfen	0.01	0.05
Parathion-methyl	0.01	0.05
Parathion-ethyl	0.01	0.05
Pendimethalin	0.01	0.05
Permethrin	0.005	0.01
Phorate	0.01	0.05
Phosalone	0.01	0.05
Phosmet	0.01	0.05
Piperonyl Butoxide	0.01	0.05
Pirimicarb	0.01	0.05
Pirimiphos-methyl	0.01	0.05
Procymidone	0.01	0.05
Propargite	0.01	0.05
Propiconazole	0.002	0.005
Pyrimethanil	0.01	0.05
Tebuconazole	0.01	0.05
Tebufenpyrad	0.01	0.05
Tetradifon	0.01	0.05
Thiometon	0.01	0.05
Triadimefon	0.005	0.01
Triadimenol	0.01	0.05
Trichlorfon	0.01	0.05
Vamidothion	0.01	0.05
Vinclozolin	0.01	0.05